

63.31
BELGIUM
1855-1902
A-Z

U.S. Department of Agriculture
LIBRARY
BY
ROYAL WARRANT
AND
Tington, D. C.
1895



ESTABLISHED
1839



UNDER ROYAL PATRONAGE



TEL. ADDRESS
HOUTTEANA, GHENT

LOUIS VAN HOUTTE PÈRE

ROYAL NURSERIES & SEED ESTABLISHMENT

GHENT, BELGIUM

GENERAL CATALOGUE

OF

Plants and Flower Seeds

CALADIUMS
ORCHIDS
PALMS
CACTI
ETC.



BEGONIAS
GLOXINIAS
CANNAS
FERNS
ETC.

LOUIS VAN HOUTTE PÈRE, will at all times be pleased to enter into correspondence with gentlemen travelling or residing abroad, with a view of making arrangements for the introduction of **NEW** and **RARE** plants or seeds.

TO VISITORS.

Our establishment, so well known as the **LARGEST** and most **EXTENSIVE** in the world can be reached within **ONE** hour by Rail from Antwerp, Ostende and Brussels, and no one should ever miss the opportunity of inspecting one of the largest, most varied and particularly well-grown stock of plants.

On presenting this Catalogue we avail ourselves of the opportunity in thanking our numerous friends for their kind support, and by endeavouring to treat our clients most liberally, we trust to receive the continuance of their kind patronage.

BRITISH ORDERS.

Having made advantageous arrangements with the various Steam Boat Companies for the transmission of goods at **SPECIAL LOW RATES**, matted Baskets or Hampers of an ordinary size, can now be sent direct from **GHENT**, to all the principal ports.

From the various ports to the final destinations, the re-expedition is made at the cheapest rate and by the shortest route.

SPECIAL RATE FOR FREIGHT TO LONDON ONLY:

1 Box or Basket weighing	12 to 50 lbs.	. . .	2/6
1 — — — —	50 » 100 »	. . .	4/
1 — — — —	100 » 150 »	. . .	5/

It must be distinctly understood that the above rates do not include the cost of the materials used in packing; these are, however, in all cases charged at cost price. Small packages weighing under 3 lbs, 7 lbs and 11 lbs can be sent by Parcel Post at the rate of 1/3, 1/8 and 2/2 respectively, to Great Britain and Ireland.

NORTH AMERICAN AND CANADIAN ORDERS.

The steamers of the Red Star Line run from Antwerp to New York every week, and to Philadelphia twice a month taking goods at **SPECIAL RATES**; For Canada, goods can also be sent via Liverpool by the Beaver Line to Montreal.

All payments to be made direct to the Firm, either by Cheque or Postal Order, small amounts may be remitted in Stamps.

NEW AND RARE PLANTS

Allamanda Williamsii.

A valuable introduction of stirring merit quite dwarf, in no way resembling any climber, but forming a compact mass of bloom at every joint, continues flowering the whole of the summer, and with proper management in the winter also. — Flowers of a rich delicate tint of yellow most deliciously scented. 3 6 each.

Alocasia argyrea.

Splendid novelty. Handsome foliage, beautiful silvery white slightly shaded emerald green. Veined distinct green, lower surface of an uniform carmine purple. 21 0 each.

Alocasia conspicua.

Foliage triangular shape. of a beautiful bronzy green, lower surface lilac bronze, distinctly veined on upper surface with a beautiful silvery green. 42 0 each.

Alocasia Kerchovei.

Magnificent foliage, of a bronzy green, silver grey flamed white veined and edged beautifully with clear silvery white. 5 0 to 21 0 each.

Alocasia Leopoldii.

Interesting novelty. Large foliage, deeply cut in the same manner as *A. Sanderiana*, of a light olive green, greenish white veins, very robust growing variety. 21 0 each.

Alocasia Lindeni.

Handsome deep green foliage, slightly blotched yellow, veined creamy white. 2 6 to 21 0 each.

Alocasia M. Martin Cahuzac.

Splendid and very robust variety, large oval wavy foliage of a deep green, veined and bordered white, lower surface of a rich and uniform purple. 35 0 each.

Alocasia Mortefontanensis.

Robust deeply lobed foliage of a deep shaded green with silvery white bordered veins, lower surface of an uniform purplish violet. 15 0 each.

Alocasia Pucciana.

Foliage similar in shape to *A. Kerchovei*, shaded ash grey, robust habit. 4 0 to 42 0 each.

Alocasia Rodigasiana.

Magnificent foliage of a dark green shade, veined silvery green. 25 0 each.

Alocasia Watsoniana.

Large handsome oval shaped foliage of a delicate silvery white shade, veined green, lower surface rich violet purple. One of the finest varieties placed into commerce. 42 0 each.

Anannassa spec. novum Brésil.

This remarkable Pine apple is supposed to produce the largest and most delicious fruit of all the tribe. It is a native of the Upper regions of the Amazon of Brazil. Foliage very ornamental. 21 0 each.

Anthurium Andreanum giganteum.

Resembling in every part *A. Andreanum*, but of more robust habit, very dwarf and compact and enormous brilliant scarlet spathes. 10 6 each.

Anthurium Ferrieriense grandis.

Enormous spathe of a rosy scarlet color, leaves and habit similar to the type, but more vigorous. One of the finest varieties extant.

42 0 each.

Anthurium Gustavi.

Very strong grower, enormous foliage, quite distinct from any other Anthurium, a noble variety.

31 6 to 300 0 each.

Anthurium Warocquéanum.

First class variety, large elongated foliage, young leaves of a rich chocolate color contrasting very strikingly against the rich green of the matured leaves.

3 6 to 10 6 each.

Specimens 42 0 to 250 0 each.

Aralia monstrosa aureo variegata.

This is a novelty which can be highly recommended, being of a striking appearance, foliage deeply cut; the white variegation being replaced by a clear golden yellow.

10 6 each.

BERTOLONIA HYBRIDS.

NOVELTIES 1894.

Each—s. d.	Each—s. d.
Baron Octave Pycke 5 0	Prince Albert 6 0
Comtesse de Kerchovede	Punctatissima longifolia 6 0
Denterghem 15 0	Souvenir d'Antoine 15 0
Domingo Vega 10 6	Stogden 5 0
François Marchand 6 0	Triomphe de l'exposition 25 0

The above novelties were awarded a SILVER MEDAL in July last by the Royal Hort. Society London.

NOVELTIES 1895.

Longifolia picta 21 0	Harry Veitch 21 0
Margaritacea superba 21 0	

The novelties placed by us before the public within the last 2 years, surpass anything ever obtained previously. — See *Journ. of Hortic.* p. 79 1894.

Bougainvillea spectabilis fol. aureo variegatis.

This is a fine variegated form of this old favorite, the leaves are a bluish green, deeply and irregularly margined yellow, softening towards the centre to a pale greenish yellow.

5 0 each.

Croton Flamingo.

Dark bronzy green foliage, strikingly colored with rich crimson forming a central band of the length of the leaf, crimson spotted thro' the bronzy green part of the foliage. Very attractive.

5 0 each.

Croton Memphis.

Pale green changing into deep olive, irregularly blotched and marbled yellow, changing to orange, marked and veined with deep crimson, very handsome and ornamental.

5 0 and 7 6 each.

Croton Reidii.

This is one of the finest varieties of the broad leaved section, golden yellow veined and banded on bright green ground, passing eventually into crimson cerise brightened with golden orange and olive green spots.

5 0 each.

Croton Thompsoni.

One of the finest broad leaved varieties of most striking effect. Foliage very large golden yellow, evenly marked and blotched lively green, between the side veins, from the base the whole of the length of the leaf, regularly edged clear golden yellow.

7 6 each.

Cypripedium ænanthum superbum.

One of the most remarkable hybrids of all the Cypripediums

63 0 each.

Cypripedium Arthureanum.

Flowers similar in appearance to *C. Insigne*, but with recurved deep crimson veined petals.

21 0 to 42 0 each.

Cypripedium—cont^d.

	Each—s. d.		Each—s. d.
Amesianum	10 6 to 21 0	Nitens superbum	15 0 to 21 0
Barteti	15 0	Very handsome variety after the style of <i>C. Maulei</i> .	
Expansum	21 0	Rothschildianum	10 6 to 21 0
Gemmiferum	15 0 to 21 0	Schroederi	15 0 " 42 0
Leeanum	7 6 " 21 0	Hybrid between <i>C. Canadatum</i> and the hybrid <i>C. Sedeni</i> .	
Hybrid between <i>C. Spicerianum</i> and <i>C. insigne</i> , retaining shape of the former and the dimensions of the latter.		Vexillarum grandiflorum	35 0
		Very beautiful hybrid between <i>C. Fairieanum</i> and <i>C. Barbatum</i> .	

Deyexia elegans fol. var.

Very beautiful grass, suitable for intermediate or Greenhouse, very graceful, beautifully green and golden yellow striped.

2 6 each.

Disa Veitchii.

Hybrid between *D. grandiflora*, and *D. racemosa* Remarkable for its profuse flowering in stems 3 feet high producing from 7 to 10 and even more flowers opening successively, hence the plant continues to be in bloom for several weeks.

21 0 each.

Dracæna argenteo striata.

Foliage linear lanceolate, bright green beautifully striped and margined creamy white, the green being relieved occasionally with streaks of silvery grey, extremely elegant and ornamental.

31 6 and 42 0 each.

Dracæna australis aureo striata.

In appearance and character similar to the type, foliage striped with bright green and golden yellow, and dark green ground. One of the most ornamental Dracaenas for the cool or intermediate Greenhouse.

12 6 to 63 0 each.

Dracæna indivisa Douceti.

Very graceful variety, resembling in appearance the type. Beautiful bright green foliage, bordered ivory white. One of the most ornamental and effective exhibition plants.

21 0 et 200 0 each.

Dracæna Lindenii striata.

This distinct and striking variety, is similar to the handsome variegated type, differing from it in the variegation, being of a beautifully handsome striped foliage, in place of the golden yellow band of its parent.

5 0 to 21 0 each.

Dracæna Sanderiana.

In habit and form similar to *D. congesta rubra*, beautiful bright green, striped creamy white. One of the most decorative and hardy varieties.

10 6 to 21 0 each.

Gardenia Stanleyana.

Above differs widely from any other variety, the flowers being very fragrant, of great length, creamy white and beautiful metallic bronze tube.

3 6 each.

Heliconia illustris.

This is one of the handsomest and most beautiful colored foliage plants ever introduced. The stalks are sheathing and of a brilliant rosy red, leaves ovate-lanceolate, midrib and veined a beautiful rosy pink. Exceedingly ornamental stove plant.

105 0 each.

Lælia Crashleyana.

A new introduction from the Upper Regions of the Amazon Flowers of medium size, sepals and petals of a delicate rosy pink shade, labellum of a deep rich crimson, and beautifully fringed.

21 0 to 42 0 each.

Licuala grandis.

One of the most distinct and handsome Palms from the South Sea Islands, originally introduced as *Pritchardia grandis*, and has hitherto been very rare and expensive.

7 6 to 21 0 each.

Licuala grandis—cont^d.

Very large handsome exhibition plant about 6 feet high and 5 feet diameter with a mass of leaves.
650 0.

Nephtytis picturata.

Remarkable beautiful ornamental foliaged Aroid of a beautiful deep green veined and blotched silvery white.

5 0 to 10 6 each.

Pandanus D'Haeni.

Specimen plant. Magnificent and ornamental variety, very decorative, of dense habit. Foliage beautiful bright green, broader and shorter than *P. utilis*, spines of a creamy yellow.

160 0

Pandanus Pacificus.

Dwarf compact variety, foliage short well reflexed of a beautiful bright glossy green; it is one of the finest of all the *Pandanus*.

8 0 each.

Pandanus Van Houttei.

Specimen plant, similar in appearance to *P. utilis* but of much more robust and compact habit, very rare.

160 0

Philodendron Carderi.

Handsome dark green velvety foliage, a beautiful ornamental and decorative stove climbing plant.

10 6 each.

Rhopaloblaste hexandra.

A spineless Palm, of good habit exceedingly graceful in appearance, admirably adapted for decorative purposes. Dark olive green pennate leaves, broadly ovate in outline composed of numerous elongated segments, in which the midrib is most prominent on the upper surface.

84 0 each.

SONERILLA.

NOVELTIES 1895.

Each—s. d.	Each—s. d.
Duchesse de Brabant . . . 10 6	Mons Van Bockxstaete . . . 5 0
Lady Burton 10 6	Sir Trevor Laurence . . . 10 6
Mad. Van Langenhove . . . 5 0	W. Griesinger 5 0

The remarks referring to our *Horteloni*, may also be applied to our extensive and wonderful collection of *Sonerilla* which formed part of the collection exhibited before the ROYAL HORT. SOC. at the Drill Hall in July last, and which besides the various CERTIFICATES OF MERIT, were awarded a SILVER FLORA MEDAL.

Selaginella texta.

Very rare and beautiful variety with deep green drooping fronds, rarely dividing, and all produced in a mass from the centre.

7 6 each.

Selaginella usta.

An elegant species from New Caledonia, with pale green fronds, oblong acute in outline, arching from base to apex, and convex from side to side in the upper surfaces, the upper leaves are distichous, flattened against the rachis and slightly imbricated.

2 6 and 5 0 each.

Tillandsia Lindenii vera (true).

One of the most beautiful of the Bromeliads, the flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession beautiful light gentian blue flowers.

7 6 each

Tillandsia Regaliana.

A rare and handsome bromeliaceous plant of great decorative value.

10 6 each.

Zamia Van Houttei.

A rare and very broad leaved variety.

100 0 each.

STOVE PLANTS

Those marked *cl* are Climbing plants." " *f* " Ornamental foliage plants.

" " * " Flowering plants.

Each—s. d.

<i>f</i> Acalypha		
Macafeeana	1	6
macrophylla	1	6
obovata	1	6
" Achyranthes	0	6
" Adamia versicolor	1	6
Æchmea		
cærulescens	2	0
fulgens glomerata	2	0
miniata	2	6
Regina Amalia, <i>strong</i>	5	0
Weilbachii	2	0
" Æschynanthus		
Boschianus	2	0
javanicus	2	0
Lobbianus	2	0
pulcher	2	0
ramosissimus	2	0
tricolor	2	0
zebrinus	2	0
" Aglaonema		
costata	5	0
pictum	2	0 to 10
rubrum	2	0
* <i>cl</i> Allamanda		
Hendersoni	2	0
neriifolia	2	6
Williami	3	6
<i>See New and Rare plants.</i>		
<i>f</i> Alocasia		
argyrea	21	0
<i>See New and Rare plants.</i>		
Augusti	3	6
Chantrieri	5	0
conspicua	42	0
<i>See New and Rare plants.</i>		
Kerchovei	5	0 to 21
<i>See New and Rare plants.</i>		
Leopoldi	21	0
<i>See New and Rare plants.</i>		
Lindenii	2	6 to 21
<i>See New and Rare plants.</i>		
Lowii (Fl., XXI, 89)	10	6 " 21
macrorrhiza foliis varieg.	2	6
metallica (Fl., XXI, 97)	2	6 to 10
Mr Martin Cahuzac	35	0
<i>See New and Rare plants.</i>		
Mortefontanensis	15	0
<i>See New and Rare plants.</i>		
plumbea (Fl., XXI, 93)	2	6 to 5
Pucciana	4	0 " 42
<i>See New and Rare plants</i>		
Rodigasiana	25	0
<i>See New and Rare plants.</i>		
Sanderiana	5	0
Sedeni	2	6 to 10
Thibautiana	4	0 " 21
Van Houttei	4	0 " 42
zebrina (FLORE, XV, 81)	5	0 " 21

Each—s. d.

<i>f</i> Alpinia		
Bangka	2	0
nutans (<i>Globba</i>)	3	6
vittata	2	6
<i>f</i> Alternanthera	0	6
* Amasonia punicea	2	6
<i>f</i> Amomum Grana Paradisi	2	0
" Amorphophalus titianus	4	0
" Amyglaptus coloratus	1	0
<i>f</i> Ananassa		
cochinchinensis	5	0 to 10
sativa foliis variegatis	7	6 " 21
spec. novum Brésil.	21	0
<i>See New and Rare plants.</i>		
* <i>f</i> Anthurium		
acaule	2	6 " 21
album grandiflorum	7	6 " 42
Handsome immense white flowers.		
Andreanum	1	6 " 10
" giganteum	10	6
<i>See New and Rare plants.</i>		
" <i>var.</i> atrosanguineum	5	0
" <i>var.</i> carmineum	5	0 to 10
" <i>var.</i> roseum	5	0
" Chantrieri	4	0 to 10
" Ferrierense	2	6 " 10
" " grandis	42	0
<i>See New and Rare plants.</i>		
This is undoubtedly one of the finest varieties ever obtained.		
" Prochaska	3	6 to 10
" rubrum	3	6 " 10
" grandiflor.	3	6 " 10
crystallinum	3	6 " 63
Dechardi	2	6 " 25
fisum	2	6 " 5
Gustavi	31	6 " 300
<i>See New and Rare plants.</i>		
Laucheanum	3	6 " 10
<i>Specimens</i>		
Leodiense	2	6 to 10
Lindigi	2	6 " 15
Ornatum	7	6
peltatum radiatum	5	0
Scherzerianum (FLORE XVII, 139)	1	6 to 10
" Duvivianum	4	0 " 15
" grandiflorum	5	0 " 21
" Rothschildianum	10	6
" " grandiflorum	21	0 to 42
" Vervaenianum	5	0
splendidum	5	0 to 10
Veitchii	4	0 " 21
<i>fine specimen plants</i>		
£ 40 to £ 60		
Wallisii	4	0 to 21
Warocqueanum	7	6 " 10
" <i>Specimens</i>	42	0 " 250
<i>See New and Rare plants.</i>		
<i>Large flowering seedlings of</i>		
<i>Leodiense and Lindigi, of various shades and very ornamental</i>		
	2	6 to 7

Each—s. d.

*f** **Aphelandra**

aurantiaca	Roezlii	(FLORE	
XVII, 53)			1 0
chrysops			1 0
fascinator			1 0
Leopoldi			1 6
punctata			1 0

f **Aralia**

Chabrierii		2 6 to 12 6
dactylifolia		5 0
"	laciniata	7 6
elegantissima		3 0
gracillima		2 0
Guilfoylei		1 6
Humboldtii		3 0
leptophylla		3 6
monstrosa		1 6
"	var. aurea, new.	10 6

See New and Rare plants.

papyrifera	(FLORE, VIII, 153)	1 6
reticulata		1 0
Veitchii		2 0
Victoria		2 0

cl* **Aristolochia

barbata		2 0
Duchartrei	(FL., XII, 35)	2 0
elegans		1 6
galeata		1 6
labiosa		1 6
ornithocephala	(FL., XVII, 145)	3 0
ridicula		2 0
tricaudata		2 6
trilobata		2 0

f **Artocarpus**

Cannoni		2 0
incisa grandis		5 0 to 21 0

cl **Asparagus**

decumbens	(true)	1 6
plumosus		1 0
"	nanus	1 0
retrofractus arboreus		3 6
scandens deflexus		2 6
trichophyllus		2 0
tenuissimus		1 6
virgatus		2 6

** Astrapæa* Wallichii . . . 2 6 to 5 0

Brilliant scarlet flowers.

** Attaccia*

cristata	(FLORE, IX, 13)	5 0 to 7 6
----------	-----------------	------------

One of the most curious and interesting flowering plants.

pinnatifida		4 0
-------------	--	-----

f **Bambusa stricta** . . . 2 0*f** **Bertolonia**

guttata albo-punctatissima		2 0
"	roseo-punctatissima	2 0
margaritacea	(FLORE, XVI, 165)	2 6
Beautiful darkvelvety foliage, finely dotted with silver white spots.		
marmorata	(FLORE, VII, 291)	1 0
var. Baron Adolphe de Rothschild		15 0
"	Baronne Adolphe de Rothschild	15 0
"	Comte de Kerchove	4 0
"	Hrubyana (FL. XXII, 25)	5 0
"	Mad. Alfred Bleu	15 0
"	Mad. Auguste Van Geert	4 0
"	Mad. Pynaert	4 0

Each—d. s.

*f** **Bertolonia**

var. Mirandæi	(FL., XXI, 135)	2 6
"	Monsieur Finet	5 0
"	Rodeckiana (FL., XXIII, 27)	5 0
"	Sericea picta	5 0
"	Souvenir de Gand	5 0
"	Souvenir du Comte de Gomor	5 0
"	smaragdina	2 0
"	Van Houttei (FL., XX, 109)	4 0

*For newest varieties see new and Rare plants.***cl* **Bignonia**

Lindleyi	(FLORE IX, 135)	1 6
Roezlii villosa		1 6

** Bougainvillea*

elegantissima		2 0
fastuosa		2 0
glabra		1 6
gracilis		2 0
lateritia		2 0
speciosa		2 0
spectabilis		1 6
"	fol. aureo-variegatis, novelty	5 0

See New and Rare plants.

splendida		2 0
-----------	--	-----

Billbergia (Bromeliaceae)

amœna		2 0
Paraquiniana		2 6
chlorosticta		2 0
hybrida Joliboisi		2 6
iridifolia		2 0

Quesneliana (*Quesnelia rufa*)

(FLORE, X, 157)		12 6
rhodocyanea		2 6
"	superba	2 6

Skinneri		2 0
Windi		2 0

cl* **Bomarea conferta . . . 1 6**cl* **Bowiea volubilis** . . . 2 6 to 5 0**Bromelia**

Binoti, strong		6 0
Pinguin		2 0

** Brownea macrophylla* . . . 5 0*Burbridgea nitida* . . . 2 0**cl* **Calyptrion Aubletii** (FL., XXI, 107) . . . 2 0

Large freeflowering pure white, violet-scented, and most handsome foliage.

Canistrum Leopardinum (Bromeliac.) . . . 10 6**Caraguata ligulata** (Bromeliaceae) . . . 2 6** Carolinea alba* . . . 2 0*"* **Centradenia**

floribunda		1 0
grandifolia		1 0
rosea		1 0

" **Centropogon Lucyanus** . . . 1 0*f* **Centrosolenia ænea** . . . 1 6

Handsome metallic green foliage covered with finesatiny hairs.

" **Cestrum aurantiacum** . . . 1 0**Chevalliera Veitchi** (*Æchmea*) (Bromeliaceae) . . . 3 0

Very handsome plant.

cl **Cissus**

albo-nitens		1 0
amazonica		1 0
discolor	(FL., VIII, 149 et IX, 2)	1 6

The handsomest foliage of all the tribe.

	Each—s. d.		Each—s. d.
*cl Clerodendron		f Croton	
Balfouri	2 0	nobile	1 9
Bungi	1 6	Ostersi	1 6
speciosum	1 6	picturatum	1 9
squamatum	2 0	Président Cherreau	1 9
f Coccoloba		Princesse Mathilde.	4 0
pubescens	6 0	Princess of Wales (<i>gloriosum</i>)	3 6
majestica	3 6	quadricolor	2 6
*f Cochlostema Jacobianum (FLORE, XVIII, 33), <i>strong</i>	2 0 to 21 0	Reidii	5 0
A most striking plant which should be found in every collection. Flowers in racemes of a beautiful satiny azure blue and white crest.		<i>See New and Rare plants.</i>	
* Colea Commersoni	5 0	superbum	2 6
f Colocasia		Thompsoni	7 6
esculenta	2 0	<i>See New and Rare plants.</i>	
Neocaledonica	2 0	Van Houttei	1 9
* Combretum coccineum.	2 6	Warrenii	2 6
Brilliant scarlet.		Youngi	2 0
micropetalum (FLORE, XXI, 149), <i>2 0</i>		<i>Our selection in 12 varieties</i>	18 0
Free-flowering, golden yellow.		Cryptanthus Beuckerii (Bromeliaceae) <i>2 0</i>	
f Costus		Cupania elegantissima.	7 6
Malortianus (<i>elegans</i>)	2 0	f Curculigo	
musaica	2 0	recurvata	2 0
» Crossandra infundibuliformis	1 9	» foliis striatis.	2 6
» Croton		» » variegatis.	3 6
Aigburthianum	1 6	* Curcuma	
Aigburth Gem	2 6	Roscoeana.	2 6
albicans (<i>Codiaeum</i>)	1 6	» rubricaulis.	2 6
Albert Truffaut	3 6	f Curmeria	
aureo-maculatum	1 9	Leopoldi	15 0
Baron Franck-Seillière	1 9	<i>See New and Rare plants.</i>	
Baron James de Rothschild.	2 6	picturata	2 6 to 10 6
Carrieri	1 9	Wallisi	2 6 » 10 6
Charles Heine.	5 0	The finest and handsomest marked foliage of all the Curmerias.	
Chantrieri	5 0	» Cyanophyllum magnificum.	2 6 to 10 6
cornutum	1 9	Handsome large velvety metallic green leaves of striking effect.	
Dallieri	1 9	» Cyclanthus bipartitus	5 0 to 63 0
Disraeli	1 9	Cyperus	
Droueti	1 9	alternifolius	1 0
Duvali	1 9	» albo-variegat. (Fl., XIV, 233)	1 6
Empereur Alexandre III.	1 9	distans	1 0
Evansianus	2 6	papyrus	1 6
Eugène Chantrier	2 6	Cyrtoceras acuminatum	1 6
Flambeau	3 6	* Dalechampia	
Flamingo	5 0	Rœzli alba	1 6
<i>See New and Rare plants.</i>		» rosea	1 6
formosum	1 9	Deyxia elegans fol. var..	2 6
Général Pajot.	5 0	<i>See New and Rare plants.</i>	
Hanburyanum	1 9	f Dichorisandra	
Hawkeri	1 9	Musaica	5 0
Henryanum	1 9	Sibersii.	2 0
insignis.	3 6	undata	1 0
irregulare.	1 9	vittata	2 0
Johannis (<i>angustissimum</i>)	1 9	* Didymocarpus argenteo maculatus	1 9
latimaculatum	1 9	f Dieffenbachia	
Macafeeanum	1 9	Baraquianiana	1 9
Mad. Em. Cappe	2 6	Bausei	2 6 to 21 0
Mad. Leon. Duval	5 0	Bowmani	2 0 » 10 6
Mad. Leroy	2 6	Carderi	3 6 » 10 6
magnificum.	5 0	Chelsoni	2 0 » 10 6
majesticum	2 0	imperialis.	3 6 » 21 0
Memphis, <i>new</i>	5 0 to 7 6	» nobilis	7 6 » 84 0
<i>See New and Rare plants.</i>		Jenmani	1 9 » 21 0
mine d'or	5 0	Leopoldi	1 9 » 7 6
M. A. Chomer	1 9	magnifica	2 6 » 31 6
Mortefontanensis	2 6	memoria Corsi	1 9 » 5 0
Nimrod	1 9	nobilis	1 9 » 17 6
H. Ed. Fournier.	2 6		

	Each—s. d.
<i>f</i> Dieffenbachia	
splendens	1 9 » 21 0
in 6 var. our choice.	9 0
<i>fel</i> Dioscorea	
discolor	1 0
picta	1 0
senegalensis	1 0
<i>*cl</i> Dipladenia	
amabilis	2 0
amœna	2 0
Brearleyana	2 0
hybrida	2 0
uropphylla (FLORE, V, 425)	2 0
<i>f</i> Dracæna	
amabilis	1 6
argenteo-striata, new 31 6 to 42 0	
See New and Rare plants.	
australis aureo-striata 12 6 to 63 0	
See New and Rare plants.	
cannæfolia	1 6 » 10 6
coccinea (madagascariensis)	2 6
Indivisa Doucetii.	21 0 to 200 0
See New and Rare plants.	
Goldicana	4 0
Knerkiana	2 6
latifolia (<i>grandis</i>)	2 0
Lindenii	2 0 to 10 6
» striata	5 0 » 21 0
See New and Rare plants.	
Massangeana (<i>Aletris fragrans</i> Wackeana).	2 0 to 10 6
Neocaledonica	1 6 » 21 0
terminalis (<i>versicolor</i>).	1 0 » 2 6
Sanderiana new	10 6 » 21 0
See New and Rare plants.	
stricta (FL., XV, 77)	1 6
our selection 12 var. .15 0 to 31 6	
Encholirion (Bromeliaceae)	
roseum var.	4 0
Saundersii.	2 6
<i>*</i> Epiphyllum	
Guedenyi	2 6
truncatum, var	1 6
12 fine varieties, standards	15 0
<i>f</i> Epipremnum	
mirabile	1 0
<i>»</i> Eranthemum	
Moorei	1 0
nigrescens.	1 0
Roxburghi	1 0
sanguineum	1 0
sanguinolentum (FL., XV, 157)	1 0
tricolor	1 0
tuberculatum.	1 0
All the varieties above named are of a handsome and well marked foliage.	
<i>»</i> Eugenia glaziovana.	1 9
<i>»</i> Euphorbia jacquiniiflora, orange	1 6
<i>f</i> Ferdinandia eminens	2 0
A handsome ornamental leaved foliage plant.	
<i>»</i> Ficus	
barbata	1 0
elastica	1 0
» aureo-variegata	2 6
<i>cl</i> minima	1 0
<i>f</i> Moorei	1 6
Parcelli (FLORE, XXII, 13)	2 0
<i>cl</i> radicans	0 9

	Each—s. d.
<i>fel</i> Ficus	
repens	0 6
<i>f</i> Fittonia	
argyroneura (FL., XVI, 103)	1 0
Pearcei.	1 0
<i>*</i> Franciscea	
confertiflora foliis variegatis	2 6
Lindenii.	2 6
magnifica	5 0
<i>»</i> Gardenia	
Devonia.	2 0 to 7 6
florida	1 0 » 21 0
Stanleyana (FL., II, jan., pl. I).	3 6
See New and Rare plants.	
<i>*</i> Globba	
alba	1 6
coccinea	1 6
<i>»</i> Greyia Sutherlandi (FL. XVII, 45)	1 6
<i>f</i> Gustavia Lindenii	6 0
Guzmania Devansayana (Bromeliac.)	2 6 to 5 0
<i>f</i> Hebeclinium	
atrorubens	1 0
ianthinum.	1 0
megaphyllum	1 0
<i>*</i> Hedychium Gardnerianum	2 0
Hedysarum gyrans (<i>Telegraph plant</i>).	1 6
<i>f</i> Heliconia	
angustifolia	2 0
aurea vittata	5 0
aurantiaca.	2 0
Bihai (FLORE, XII, 67).	5 0
Illustris, new.	105 0
See New and Rare plants.	
Heterotoma lobelioides	1 0
<i>f</i> Hexacentris mysorensis (FL. VIII, 1).	2 0
<i>»</i> Hibiscus	
rosea sinensis carmineus per- fectus	1 0
» » Colleri	1 6
<i>f</i> » » Cooperi (<i>Tricolor</i>) (FL. XV, 109).	1 0
<i>*</i> » » cruentus	1 3
» » kermesinus	1 3
» » Lucien Linden.	1 3
» » miniatus plenus	1 3
» » semi-plenus.	1 3
» » subviolaceus	1 3
» » vivicans	1 3
<i>f</i> Higginsia	
Ghiesbreghtii.	1 6
Rœzli	2 0
<i>*cl</i> Hoya	
australis	1 6
bella (FLORE, IV, 399).	1 6
campanulata	1 6
carnosa	1 3
variegata	2 0
fraterna	2 6
globulosa Higginsii	2 0
<i>*</i> Impatiens	
aurantiaca.	1 0
commorensis	1 0
Bruantii	1 0
Episcopi	1 0
flaccida alba	1 0
Hawkeri	1 0
Sultani	1 0
<i>»</i> Inga ferruginea argentea	1 9

		Each—s. d.			Each—s. d.
*cl Ipomea			Nidularium (Bromeliaceae)		
	<i>Lady Briggs</i>	1 9		<i>acanthocrater</i>	3 6 to 5 0
	<i>Horsfieldi</i>	2 0		<i>fulgens (Guzmannia picta)</i>	2 6
	<i>Iresine, see Achyranthes.</i>			<i>Meyendorffi</i>	2 6
	<i>Isolepis gracilis</i>	0 6		<i>maculatum</i>	2 0
* Ixora				<i>Scheremetieffi</i>	2 6
	<i>amboinica</i>	2 0	<i>f</i>	<i>Oplismenus imbecillis foliis variegatis</i>	0 6
	<i>Bandhucca</i>	1 6		<i>Otacanthus coeruleus (FLORE, XI, 55).</i>	1 0
	<i>Chelsoni</i>	2 0	<i>cl</i>	<i>Oxeria pulchella.</i>	1 6
	<i>Dixiana.</i>	2 0	*	<i>Parsonsia albiflora</i>	1 6
	<i>Duffi.</i>	2 0	<i>clf</i>	<i>Paullinia</i>	
	<i>Javanica</i>	1 9		<i>thalictrifolia (FL., XIX, 10)</i>	2 0
	<i>Morsei</i>	1 9		<i>argentea</i>	2 6
	<i>princeps</i>	2 0		Graceful climbers with maidenhairlike foliage.	
	<i>spectabilis.</i>	2 0	<i>f</i>	<i>Pavetta</i>	
	<i>profusa</i>	2 0		<i>borbonica picta</i>	4 0
	<i>reginæ</i>	2 6		<i>indica</i>	1 9
	<i>Williamsii.</i>	2 6	<i>f</i>	<i>Pandanus</i>	
	Above collection 1 of each	18 0		<i>Baptisii.</i>	8 0
*cl	<i>Jasminum gacillimum.</i>	1 6		<i>conoides</i>	7 6
<i>f</i>	<i>Kämpferia Gilberti.</i>	2 0		<i>D'Hænei (specimen)</i>	160 0
	<i>Lobatia pendiculata</i>	2 6		<i>See New and Rare plants.</i>	
*	<i>Mackaya bella</i>	1 6		<i>Liaisianus</i>	7 6 to 42 0
*	<i>Magnolia pumila.</i>	4 0		<i>Pacificus</i>	8 0
<i>f</i>	<i>Maranta</i>			<i>See New and Rare plants.</i>	
	<i>argyræa</i>	2 6		<i>utilis</i>	1 0 to 10 6
	<i>arundinacea</i>	1 6		<i>Van Houttei, very rare, strong</i>	160 0
	<i>Bachemiana</i>	2 6 to 42 0		<i>See New and Rare plants.</i>	
	<i>fasciata (Borrussica)</i>	3 6		<i>Veitchii.</i>	2 0 to 42 0
	<i>iconifera</i>	6 0	*	<i>Pandanophyllum Wendlandti</i>	8 0
	<i>Kegeljana.</i>	2 6 to 7 6	*cl	<i>Passiflora</i>	
	<i>Kerchoveana.</i>	1 0		<i>alata</i>	1 3
	<i>Lietzei</i>	2 6		<i>Arc-en-ciel</i>	1 3
	<i>Lindeni.</i>	3 6		<i>atropurpurea.</i>	1 3
	<i>Makoyana (FL., XX, 15)</i>	1 6 to 180 0		<i>Bijou</i>	1 6
	<i>Massangeana (FLORE, XXII,</i>			<i>Bonapartei</i>	1 3
	<i>201)</i>	1 6 to 21 0		<i>cærulea (hardy).</i>	0 9
	<i>medio-picta</i>	2 6 " 10 6		<i>cardinalis</i>	1 3
	<i>Oppenheimiana.</i>	2 6 " 31 6		<i>cœlestina</i>	1 3
	<i>orbifolia</i>	4 0		<i>Constance Elliott (hardy)</i>	1 0
	<i>Porteana</i>	2 6		<i>Decaisneana (FLORE, VIII, 267)</i>	1 3
	<i>rosea-picta</i>	5 0		<i>edulis</i>	1 3
	<i>spicata</i>	2 6		<i>filamentosa (FLORE, VI, 7)</i>	1 0
	<i>Van den Heckeii.</i>	2 6		<i>Impératrice Eugénie</i>	1 6
	<i>Veitchii</i>	4 0 to 10 6		" " fol. var.	2 0
	<i>vittata</i>	4 0		<i>Junesii</i>	1 3
	<i>Wagneri</i>	3 6		<i>Loudoniana</i>	1 6
	<i>Warszewiczii.</i>	3 6		<i>Mad. Bruckhaus</i>	1 6
	<i>Wiotii</i>	3 6		<i>Neumannii</i>	1 0
	<i>zebrina</i>	2 0		<i>princeps</i>	1 3
*	<i>Medinilla Curtisii.</i>	2 0		<i>Professor Eichler</i>	1 6
	<i>magnifica (FLORE, VI, 125 et</i>			<i>quadrangularis aucubæfolia</i>	1 3
	<i>XI, 287).</i>	2 6 to 10 6		<i>racemosa</i>	1 0
	<i>magnifica superba</i>	5 0 to 21 0		<i>trifasciata</i>	1 3
<i>clf</i>	<i>Mikania violacea</i>	1 0		<i>violacea</i>	1 3
*	<i>Monochaetum sericeum multifерum</i>	1 0		<i>Watsoniana, sweetscented</i>	2 6
<i>clf</i>	<i>Monstera</i>			<i>12 distinct sorts.</i>	12 0
	<i>deliciosa (Tornelia fragrans Phi-</i>		*	<i>Pavonia</i>	
	<i>lodendron pertusum)</i>	3 6 to 7 6		<i>intermedia</i>	2 0
<i>f</i>	<i>Musa</i>			" <i>kermesina.</i>	3 6
	<i>Cavendishi (sinensis)</i>	4 6 to 10 6		<i>rosea</i>	2 0
	<i>coccinea FL., VII, 2 3)</i>	2 6 " 10 6		<i>Makoyana.</i>	1 9
	<i>Ensete (FL., XIV, 65).</i>	2 0 " 21 0		<i>Wioti</i>	1 9
	The Abyssinian Banana.		<i>f</i>	<i>Peperomia</i>	
	<i>sanguinea</i>	5 0		<i>argyræa</i>	1 0
	<i>vittata (FLORE, XV, 25)</i>	12 6		<i>Eckhautei</i>	1 0
	<i>zebrina (FLORE, X, 223).</i>	7 6		<i>Verschaffelti.</i>	1 0
*	<i>Nephtytis picturata.</i>	5 0 to 10 6	*	<i>Pepinia</i>	
	<i>See New and Rare plants.</i>			<i>aphelandræflora</i>	1 6
			*cl	<i>Petræa volubilis, blue</i>	1 9

	Each—s. d.
<i>f</i> Philodendron	
bipinnatifidum	7 6 to 42 0
Carderi, <i>handsome dark</i>	10 6
Velvety green foliage, see <i>New and Rare plants</i>	
Corsinianum	4 0 to 21 0
giganteum	2 0
gloriosum	2 0 to 5 0
grandifolium	2 6 " 5 0
Mamei	2 6 " 7 6
Melinoni	7 6 " 84 0
" paranaense	7 6 " 84 0
Schottianum	5 0 " 31 6
Sodiroid	2 6 " 21 0
speciosum	5 0 " 12 6
Wallisi	5 0 " 35 0
Pholidophyllum	
zonatum	1 6
<i>f</i> Phyllagathis rotundifolia	1 6
<i>f</i> Phyllanthus mimosæfolius	1 0
<i>f</i> Phyllotanium	
Lindeni	2 6 to 120 0
" magnificum	6 0 " 50 0
<i>f</i> Phrynium	
Lubbersii	2 6
latifolium foliis vittatis	2 6
Hong-Kong	2 6 to 21 0
* Pilea	
callitrichoides (<i>Artillery-plant</i>)	1 0
muscosa (<i>microphylla</i>)	1 0
Pistia stratiotes (aquatic)	2 0
Pitcairnia (Bromeliaceae)	
Andreana	2 0
corallina	3 6
undulatifolia	2 6
<i>f</i> Plectranthus fruticosus	1 0
<i>f</i> Plumbago coccinea rosea	1 0
<i>f</i> Poinsettia	
pulcherrima	1 0
plenissima	2 6
Polymnia grandis	2 0
Pontederia crassipes	1 6
Beautiful blue-flowering aquatic for small tanks.	
<i>f</i> Pothos	
acaulis	2 0
argyrea	1 0
aureo-maculata	1 9
celatocaulis (FL., XXIII, 133)	1 9
flexuosa	2 6
pentaphylla	1 9
Pourretia (Bromeliaceae)	
brevifolia	2 0 to 4 0
dasyliroides	2 0 " 4 0
mexicana	2 0 " 3 6
* Psychotria cyanococca (FL., XXI, 15)	2 0
<i>f</i> Pteridophyllum zeylanicum	4 0
<i>f</i> Puya xanthocalyx (Bromeliaceae)	2 6
" Ravenala madagascariensis (FLORE, XIII, 117, et XXI, 161)	2 6 to 7 6
" Travellers Tree ", a most effective foliage-plant.	
* Reinwardtia tetragyna	1 0
<i>cl</i> * Rhodochiton volubile	1 6
<i>f</i> Rhopala	
aurea	2 0
corcovadensis	3 6
Vervaeana	3 6

The Rhopalas are very decorative plants and a great addition to the intermediate greenhouse.

	Each—s. d.
<i>f</i> Roella maculata	1 0
* Rogiera cordata (FL., VIII, 13)	2 0 to 42 0
<i>f</i> Rudgea macrophylla (FL., XVII, 17)	5 0
" Ruellia macrantha	1 0
<i>f</i> * Sanchezia nobilis (FL., XXIII, 181)	1 6
" Schismatoglottis	
crispata	2 6
purpurea	2 6
Robeleni	2 0 to 84 0
<i>lc</i> * Schubertia grandiflora	2 0
" Scutellaria Mocciniana	1 0
" Solanum Seaforthianum	2 0
<i>f</i> * Sonerilla	
orientalis	1 6
" punctata	1 9
<i>Ch. Van Eekhaute</i>	2 6
<i>F. Marchand</i>	2 6
<i>Mad. D. L. Bloemart</i>	2 6
<i>Mad. Ferrario</i>	2 6
<i>Mad. Hardy</i>	2 6
<i>Mad. Leon Say</i>	5 0
<i>Mad. L. Linden</i>	2 6
<i>Mad. Mercateli</i>	2 6
<i>Mad. Peynaert</i>	2 6
<i>Marquise de la Valette</i>	2 6
<i>Lady Alington</i>	2 6
<i>Leopold II.</i>	2 6
<i>Prof. Ch. de Boschère</i>	2 6
<i>Souvenir de Mad. Van Houtte</i>	2 6
12 distinct var. our selection	21 0
For latest novelties, see <i>New and Rare plants</i> .	
<i>f</i> Spathiphyllum	
heliconiæfolium	4 0 to 10 6
Ortgiesi	2 0 " 42 0
" Sphærogynæ	
imperialis	4 0 " 10 6
latifolia	5 0 " 10 6
" Stenospermum vittatum	2 0
<i>cl</i> * Stephanotis	
floribunda	1 6
" Elvastonii	1 6
<i>f</i> Strelitzia	
Nicolai (FL., XIII, 121)	3 6
Reginæ (FLORE, XXIII, 1)	5 0 to 63 0
" humilis	5 0 " 31 6
" Streptocalyx Vallerandi (Bromeliaceae)	2 6
* Streptocarpus, hybrids in var.	1 6
<i>f</i> Strobilanthes Dyeriana (new)	2 0
* Tabernaemontana Camassa	2 6
<i>f</i> Theophrasta	
Jussieui	5 0
" latifolia	5 0
macrophylla	0 0
minor	5 0 to 10 6
<i>cl</i> * Thunbergia	
coccinea (FL., XXIII, 213)	1 0
mysorensis	1 6
* Thyracanthus rutilans	1 0
Tillandsia (Bromeliaceae)	
anceps	2 6
bivittata	2 6
complanata	3 6
fenestralis	2 0 to 6 0
glaucophylla	3 6
Legrellei	2 0
Lindeni	2 6 to 10 6
" Regeliana	7 6

	Each—s. d.		Each—s. d.
Tillandsia		Vriesea (Bromeliaceae)	
» vera (<i>True</i>)	7 6	amethystina	5 0
See New and Rare plants.		Duvaliana	4 0
» tricolor (<i>André</i>)	5 0 to 10 6	fulgida	5 0
musaica	3 0 » 10 6	hieroglyphica	2 6
splendens (<i>Vriesea</i>) (FLORE, II,		incurvata	3 6 to 5 0
mai, pl. IV)	2 0	leodiensis	3 6
» major	5 0	Malzinei	5 0
tessellata	5 0	Morreni	4 0
Zahnii	2 6 to 5 0	» Barilletti	5 0
* Torenia asiatica (FLORE, II, 157)	1 0	psittacina	2 0
» Toxicophlæa		» aureo vittata	21 0
spectabilis	2 6 to 10 6	» scolaris	5 0
Thunbergii	2 6	12 <i>Bromeliaceae, our selection,</i>	
f Tradescantia		<i>suitable for indoor Rockeries</i>	
Mad. Lequesne	0 6	<i>and Ferneries for</i>	21 0
aureo variegata	0 9	f Xanthosoma	
zebrina argentea	0 6	Maffa	2 0
» Victoria regia (FL., III, pl. 100-204)		utile	2 0
aquatic	12 6	violaceum	2 0
Leaves 7 to 8 feet, and their flowers 12 to 15		» Zingiber d'Arceyi fol. var.	1 9
inch in diameter.			

GREENHOUSE PLANTS

	Each.—s. d.		Each—s. d.
Abelia floribunda	1 6	Acacia	
Abutilon		rusciflora	2 0
Darwinii	1 0	spiralis	1 6 to 10 6
tessellatum	1 0	verticillata	1 0 » 21 0
megapotamicum	1 0	vestita (<i>Acacia de Ste Hélène</i>)	2 0
» marmoratum	1 0	All the Acacias are winter-flowering green-	
var. <i>Boule de neige</i>	1 0	house-shrubs.	
» <i>Emperor</i>	1 0	Agapanthus	
» <i>insigne rubro venia</i>	1 0	minor Mooreanus	0 6
» <i>Le Rhône</i>	1 0	umbellatus	0 9
» <i>Lustrous</i>	1 6	» flore albo	1 0
» <i>M. Guillempey</i>	1 0	» » <i>montrosa</i>	0 6
» <i>M. Laurent</i>	1 0	» » <i>pleno</i>	1 0
» <i>M. Mézard</i>	1 0	Large double blue.	
» <i>M. William Bull</i>	1 0	» foliis albo vittatis	2 0
» <i>Prince d'Orange</i>	1 0	» » aureo vittatis	3 0
» <i>Sawitzi, new</i>	2 6	» giganteus	10 6
» <i>Souvenir de Bonn</i>	1 0	» maximus	1 0
» <i>Surprise</i>	1 0	Agnostus	
» <i>Thompsoni flore pleno</i>	1 0	sinuatus (<i>Stenacarpus Cunning-</i>	
» <i>Violet Queen</i>	1 0	<i>hamii</i>) (FL., III, 189)	
12 <i>Abutilon, our selection</i>	6 0	3 0 to 21 0	
Acacia		» integrifolius 2 6 » 10 6	
armata	1 0 to 5 0	Ampelopsis	
cordata	1 9 » 5 0	sempervirens	0 9
dealbata	1 9	striata	0 9
Drummondii	2 0 to 5 0	Andromeda	
exsudata	1 9 » 5 0	floribunda	2 6
grandis	1 9	japonica	1 6
Latrobæi	1 9	» foliis variegatis	2 6
lineata	1 9 to 12 6	Anemone Caffra	1 6
lophanta	1 0	Anigosanthus coccineus	1 0
» Neumanni	1 0	Anthemis (see <i>Artemisia</i>)	
» nana	1 0	Anthericum	
» » <i>compacta</i>	1 6	liliago	0 6
paradoxa	1 0 to 21 0	liliastrum	0 9
pendula	1 9	» major	0 9
Riceana	2 0 to 10 6	latifolium	0 6

	Each—s. d.
Anthericum	
latifolium fol. var.	0 6
Aotus gracillima.	1 9
Aponogeton	
distachyon (FLORE, XVII, 125)	
(The cape Pondweed)	1 6
Aralia	
spatulata.	4 0
papyrifera.	1 9
quinquefolia.	2 0
Sieboldii	0 6
» foliis albo-marginatis	1 3
trifoliata	1 6
» Baueri.	1 6
» Cookii.	1 6
» Cunninghami	2 6
» Enkei	2 6
» heteromorpha	2 6
Araucaria	
Bidwilli	2 6
Cunninghami.	5 0 to 10 6
excelsa	2 0 » 63 0
» glauca.	5 0 » 42 0
» hybrida	
J. Nap. Baumann 12 6 » 63 0	
excelsa robusta	10 6
imbricata (Fl. XV. 147	
et 151) (The Mon-	
key-puzzle Tree) 6 0 » 15 0	
Artemisia l'Etoile d'Or	0 6
Aspidistra	
lurida	1 0 » 5 0
» fol. var.	2 0 » 7 6
One of the hardest plants for Room decoration.	
Astelia Banksii	1 0
Astelma eximium (Helipterum)	2 6
Bambusa Simonii	1 6
Benthamia fragifera (FLORE, VII, 261)	1 0
Berberidopsis corallina (FLORE, XX, 141)	1 9
Brilliant scarlet flowering greenhouse shrub from Chile.	
Berberis	
Darwinii (FLORE, VII, 47)	0 9
Jamesoni	0 9
macrophylla	0 9
cl* Bignonia capreolata	1 9
Fine orange flowering greenhouse climber.	
Boronia	
elator	2 0
heterophylla	2 6
megastigma	2 6
polygalæfolia	1 0
viminea major	1 3
Bouvardia	
var. alba odorata	1 6
» Alfred Neuner, double	
white.	0 9
» Bridal Wreath	0 9
» candidissima	0 9
» Davidsoni	0 9
» elegans.	0 9
» Hogarthi, fl. pl.	1 6
» jasminiflora	0 9
» Lady Hislop	0 9
» Priory Beauty	0 9
» Rubis	0 9
» Sang Lorrain.	0 9

	Each—s. d.
Bouvardia	
var. alba splendens	0 9
» Vreelandi (Standish)	0 9
12 Bouvardia in 12 sorts our selection.	6 0
Brachysema acuminatum.	1 6
Brugmansia	
arborea alba (Datura).	1 6
coccinea	1 6
Knighti fl. pl.	2 0
sanguinea	2 6
Cantua	
bicolor	1 6
dependens (FLORE, VII, 11)	1 6
Ceratonia siliqua.	1 6
Choisya ternata.	1 0
Beautiful white sweet scented, fine for forcing in winter.	
Chorisema	
macrophyllum	1 9
» splendens.	1 9
rotundifolium	1 9
Cinamomum	
Kiamis	See Offic. plants.
pedunculatum	» » »
» fol. var.	» » »
sericeum	» » »
Citrus	
aurantiacum foliis variegatis	2 6
» sweet orange 1 6 to 10 6	
Nice little standards covered with fruit.	
myrtifolia	2 6
taitensis (Tahiti-Orange)	1 6
triptera	1 9
cl* Clematis	
coccinea, brilliant scarlet	1 6
indivisa lobata	1 6
Clethra	
arborea.	1 0
» fol. varieg., standards	
2 0 to 21 0	
Clanthus	
puniceus	1 0
» magnificus	1 0
cl* Cobæa	
scandens	0 6
» fol. variegatis	1 6
cl* Convolvulus mauritanicus (FLORE, XXI, 51)	0 6
f Coprosma	
Baueriana fol. albo-marginatis	1 0
Stokii	1 0
Correa	
cardinalis (FLORE, XI, 153)	1 6
magnifica	1 9
ventricosa	2 0
Corynocarpus	
latifolia.	1 9
» aureo marginata.	6 0
Cosbæa coccinea.	2 0
Crassula coccinea	0 9
Crowea macrantha latifolia.	2 6
Cuphea platycentra	0 6
Cytisus	
Attleyanus	1 0
racemosus.	1 0
» elegans.	1 6
Prices for specimen Plants on application.	
Daphne intus rubra.	1 9

	Each—s. d.		Each—s. d.
<i>Dasylium longifolium</i>	2 6	* <i>cl Hardenbergia</i>	
<i>Delairea odorata</i>	0 6	<i>monophylla</i> foliis variegatis	2 0
<i>Desfontainea Hookeri</i> (FLORE, IX, 207).	1 9	<i>ovata</i>	1 0
<i>Deyeuxia elegans variegata, new</i>	2 6	<i>lilacina</i>	1 0
<i>Dietes bicolor (Morea)</i> (FL., VII, 273)	1 9	<i>Helichrysum</i>	
<i>Diosma</i>		<i>grandiflorum</i>	1 9
<i>alba</i>	1 0	<i>helianthemifolium</i>	0 6
<i>ciliata</i>	1 0	<i>purpureum</i>	1 9
<i>Eckloniana</i>	1 0	<i>Hibbertia volubilis</i> foliis purpureis	2 0
<i>fragrans</i>	1 0	<i>Illicium</i>	
<i>purpurea</i>	1 6	<i>anisatum</i>	2 0
<i>Dracæna</i>		<i>floridanum</i>	2 0
<i>australis aureo striata</i>		<i>religiosum</i>	2 6
<i>See New and Rare plants.</i>		<i>Iochroma</i>	
<i>Bruanti</i>	1 0	<i>coccineum</i> (FLORE, XII, 151)	1 0
<i>congesta</i>	0 6	<i>purpureum</i>	1 "
<i>rubra</i>	0 6	<i>tubulosum</i>	1 "
<i>indivisa</i>	0 9	<i>Warszewiczi</i>	1 0
<i>Doucetti</i>		<i>cl* Jasminum</i>	
<i>See New and Rare plants.</i>		<i>grandiflorum</i>	1 0
<i>lineata (true)</i>	1 6 to 5 0	" <i>flore pleno</i>	2 0
<i>Veitchii</i>	0 9 " 10 6	<i>odoratissimum</i>	1 9
<i>rubra</i>	0 9	<i>Poiteau</i>	2 0
<i>Epacris in bud</i>	1 9	<i>Reevesi, (Winter-flowering)</i>	0 6
12 good varieties	18 0	<i>Jovellana punctata (Calceolaria violacea)</i> (FLORE, VIII, 85), <i>strong</i>	1 6
<i>Erica in bud</i>	1 9	<i>Juncus</i>	
12 good varieties.	18 0	<i>effusus spiralis (ornamental grass)</i>	1 6
<i>Eriostemon</i>		<i>zebrinus</i> " "	1 6
<i>densiflorum</i>	2 0 to 7 6	<i>Kadsura japonica</i>	2 0
<i>floribundum</i>	2 0 " 7 6	<i>A pretty and quant-flowering Japanese shrub.</i>	
<i>linifolium</i>	3 3	" <i>Kennedya</i>	
<i>myoporoides</i>	2 6	<i>bimaculata</i>	1 6
<i>ovatum</i>	2 0	" <i>longiracemosa</i>	2 0
<i>pulchellum</i>	3 6	<i>nigricans</i>	1 9
<i>scabrum</i>	2 0	<i>ovata</i>	1 0
<i>Erythrina crista galli</i>	1 0	<i>lilacina</i>	1 0
<i>Escallonia macrantha</i>	1 0	<i>rubicunda major</i>	1 9
<i>Eucalyptus globulus, Blue Gum</i>		<i>Kleinia</i>	
<i>See offic. plants.</i>		<i>articulata</i>	0 6
<i>Eugenia</i>		<i>ficoides</i>	0 6
<i>apiculata</i>	1 6	<i>repens</i>	0 6
<i>Ugni</i> (FLORE, VII, 215)	1 6	" <i>Lapageria</i>	
<i>foliis variegatis</i>	2 6	<i>alba</i> (FLORE, XX, 39). (<i>true stock</i>)	7 6 to 42 0
<i>Eulalia</i>		<i>rosea</i> (FLORE, V, 199 et XX, 29).	5 0
<i>gracillima univittata</i>	1 9	" <i>superba</i>	7 6 to 42 0
<i>japonica foliis albo lineatis</i> (FLORE, XXI, 109)	1 0	" <i>variety Nash court</i>	42 0
<i>zebrina</i>	1 9	<i>Laurus Camphora</i>	
<i>Above are very graceful and ornamental grasses.</i>		<i>See offic. plants.</i>	
<i>Eupatorium odoratissimum</i>	1 0	<i>Leptospermum bullatum</i>	2 0 to 21 0
<i>Eurya</i>		<i>Leucanthemum lacustre</i>	0 9
<i>angustifolia foliis variegatis</i>	2 6	<i>Libertia Schlachterii (Irideae)</i>	1 0
<i>latifolia foliis aureo-marginatis</i>	1 6	<i>Libonia floribunda</i>	0 9
<i>cl* Eutexia myrtifolia</i>	1 6	<i>Ligularia Kämpferi foliis aureo var.</i>	2 0
<i>Fitz-Roya patagonica</i> (FLORE, VII, 129)	2 0	<i>Most suitable for Room decoration.</i>	
<i>Gnaphalium</i>		<i>Ligustrum</i>	
<i>lanatum</i>	0 6	<i>japonicum foliis aureo var</i>	0 9
" <i>foliis sulphureo-marginatis</i>	0 6	" <i>macrophyllum aureum, new</i>	2 6
<i>Grevillea</i>		<i>lineare</i>	1 6
<i>Drummondii</i>	1 6	<i>lucidum foliis argenteo marginatis</i>	0 9
<i>Manglesii</i>	1 6	" <i>aureo variegatis</i>	0 9
<i>Preissii</i>	2 6	<i>Lithospermum fruticosum</i>	0 9
<i>robusta</i>	1 6	<i>Lomatia</i>	
<i>rosmarinifolia</i>	2 0	<i>longifolia</i>	2 0
<i>cl* Hardenbergia</i>		<i>silaifolia</i>	2 0
<i>macrophylla</i>	2 0		

	Each--s. d.
Macadamia ternifolia	
<i>See officinal plants.</i>	
Magnolia	
<i>fuscata, sweet-scented</i>	2 0
<i>grandiflora</i>	1 6
Medeola asparagoides	0 6
Metrosideros	
<i>angustifolia flore albo</i>	1 9
<i>florida foliis variegatis</i>	2 0
<i>robusta</i>	2 0
<i>rubrifolia</i>	2 0
<i>semperflorens</i>	1 6
<i>superba</i>	1 6
Very striking Australian plants, producing their flowers in long racemes in the shape of a bottle-brush.	
Mitraria coccinea (FLORE, IV, 283)	1 9
Monnina obtusifolia	1 0
Myrtus bullata (<i>Myrtle</i>)	1 6
<i>microphylla</i>	1 6
<i>communis flore pleno</i>	1 6
<i>Franklini</i>	1 6
Nerium	
<i>album maximum, white</i>	1 6
<i>atropurpureum flore pleno</i> ,	
<i>double purple</i>	1 6
<i>atropurpureum duplex, purple</i>	1 6
<i>aurantiacum, orange</i>	2 0
<i>carneum, flesh</i>	1 6
<i>semi-duplex</i>	1 6
<i>columbianum album plenum</i> ,	
<i>white</i>	1 6
<i>Fons columbianum</i>	1 6
<i>Henri Marès, yellow</i>	2 0
<i>luteum novum, yellow</i>	2 0
<i>plenum, double yellow</i>	2 0
<i>Madoni grandiflorum, white</i>	1 6
<i>Mad. Peyre, white and yellow</i>	2 0
<i>Paul Sahut, lively rose</i>	1 6
<i>Professeur Durand, yellow</i>	2 0
<i>purpureum duplex, purple</i>	1 6
<i>simplex, purple</i>	1 6
<i>striatum duplex</i> ,	
<i>purple, white striped</i>	1 6
<i>roseum duplex, double rose</i>	1 6
<i>grandiflorum plenum</i> ,	
<i>rose</i>	1 6
<i>splendens ordinaire, rose</i>	1 6
<i>foliis aurea variegatis</i>	2 0
<i>Nerium 12 varieties</i>	15 0
Nertera depressa (FLORE, XXI, 39)	0 6
Ophiopogon	
<i>Jaburan foliis argenteo var.</i>	1 0
" <i>aureo-margin.</i>	1 0
Oreopanax	
<i>dactylifolium</i>	3 6
Oxalis	
<i>arborea lutea</i>	1 0
<i>Ortgiesii</i>	1 0
<i>cl</i> Passiflora	
<i>cærulea</i>	1 0
<i>Constance Elliott</i>	1 0
<i>raremosa</i>	1 0
Phormium	
<i>Colensoi foliis argenteo-margi-</i>	
<i>natis</i>	1 6 to 21 0
<i>Cooki fol. aur.-var.</i>	1 6 " 5 0
<i>tenax New Zealand Flav</i>	1 0
<i>See offic. plants.</i>	

	Each--s. d.
Phormium	
<i>tenax atropurpureum</i>	1 6 to 5 0
" <i>erectum fol. var.</i>	2 0 " 63 0
" <i>foliis variegatis</i>	3 6 " 10 6
<i>Veitchii</i>	2 0 " 10 6
Phygellus capensis (FL. XI, 73).	0 6
Phylla capensis	1 6
Pimelea	
<i>decussata</i>	1 0
<i>ligustrina</i>	1 9
Pittosporum	
<i>macrophyllum Tobira</i>	1 0
<i>sinense foliis variegatis</i>	2 0
<i>f</i> * Pleroma	
<i>elegans (Lasiandra)</i> (FL. XII, 61).	2 0
Handsome foliage with large purplish blue flowers.	
<i>macranthum ()</i> (FL. XXIII, 169)	1 6
An improvement on the preceding with enormous large flowers.	
" <i>floribundum ()</i>	1 6
Polygala	
<i>Dalmaisia</i>	1 6
<i>acuminata</i>	1 9
Primula obconica	0 6
Prostanthera nivea	1 0
Large flowering, sweetscented white.	
Pultenæ flava	1 9
Punica	
<i>Granatum</i>	1 0
" <i>flore albo pleno</i>	1 9
" <i>flore rubro pleno</i>	1 9
" <i>Legrellei flore pleno</i>	
(FLORE, XIII, 175)	1 9
Quercus glabra	2 0
A Japanese Greenhouse Oak.	
<i>cl</i> * Rynchospermum	
<i>jasmynoides</i>	1 6
" <i>foliis albo-variegatis</i>	1 6
" <i>aureo-variegatis</i>	1 6
Ræzlia regia	2 0
Rhodea	
<i>crinita</i>	3 6
<i>japonica</i>	1 0
" <i>foliis albo-variegatis</i>	2 0
" <i>macrophylla foliis aureo-marginatis</i>	2 6
Rubus	
<i>australis</i>	1 0
<i>rosæfflorus plenus</i>	1 0
<i>cl</i> Ruscus androgynus	1 0
Saxifraga	
<i>sarmentosa</i>	0 6
" <i>tricolor</i> (FL., XXI, 125).	0 9
" <i>splendida, new</i>	1 0
Scutellaria Mociniana	1 0
Sedum carneum foliis variegatis	0 6
Skimmia	
<i>japonica</i>	1 0
" <i>foemina</i>	1 0
" <i>mascula</i>	1 0
<i>oblata</i>	1 0
" <i>rubella</i>	1 6
" <i>Veitchii</i>	2 0
Solanum	
<i>capsicastrum</i>	0 6
" <i>fol. var.</i>	1 0

	Each—s. d.
Sparmannia	
<i>africana</i> , <i>white</i>	1 6
" <i>flore pleno</i>	1 6
Spiranthes convallarioides	12 6
Stauntonia	
<i>hexaphylla</i>	2 0
<i>latifolia</i>	2 0
Stenotaphrum glabrum fol. var.	1 0
<i>cl*</i> Tacsonia	
<i>exoniensis</i>	1 6
<i>Jamesonii</i>	2 0
<i>Parritæ (Lemoine)</i>	2 0
<i>Van Volxemi</i>	1 6
<i>cl*</i> Tecoma	
<i>australis</i>	1 0
<i>capensis</i>	1 0
<i>jasminoides</i>	1 0
" <i>splendida</i>	1 6
<i>rosea</i>	1 6
Testudinaria elephantipes (Tamus)	15 0
A most curious and interesting plant.	
Thea	
<i>Bohea</i>	2 0
<i>See offic. plants.</i>	
<i>cochinchinensis</i>	2 6
<i>japonica foliis argenteo-mar-</i> <i>ginatis</i>	2 6
<i>viridis</i>	2 0

	Each—s. d.
Thibaudia	
<i>microphylla</i>	2 6
Torreya bogotensis	1 6
Tropæolum	
<i>Darkness</i>	1 0
<i>majus plenissimum</i>	0 6
Vaccinium	
<i>serpens</i>	1 6
<i>Sprengeli</i>	2 0
Veronica	
<i>Mad. Marie Boucharlat</i>	0 6
<i>rubra splendida</i>	0 6
<i>Mad. Henry Jacotot</i>	0 6
<i>multiflora</i>	0 6
<i>speciosa imperialis</i>	0 6
<i>Lindleyana humilis</i>	0 6
<i>Mad. Trezet</i>	0 6
<i>Socrate</i>	0 6
<i>Diogène</i>	0 6
<i>L'Eblouissante</i>	0 6
<i>Epi d'argent</i>	0 6
<i>Conquête</i>	0 6
12 <i>Veronica in 12 var.</i>	5 0
Viburnum	
<i>Tinus (Laurus Tinus)</i>	1 0 to 5 0
" <i>(prices for specimen</i> <i>plants on application)</i> .	
<i>Tinus foliis variegatis</i>	2 0
<i>cl</i> Vitis oblonga	2 6

ORCHIDS

12 Orchids greenhouse varieties, distinct	42 0 and 63 0
25 — — — —	84 0 " 126 0
12 — — — — stove varieties	42 0 " 63 0
25 — — — —	84 0 " 126 0 " 168 0

Those marked *c* require stove temperature.

" " *t* " intermediate temperature.

" " *f* " cool greenhouse temperature.

	Each—s. d.
<i>t</i> Acroperia	
<i>atropurpurea</i>	7 6
<i>Loddigesi</i>	5 0
<i>c</i> Acineta Barkeri	5 0 to 10 6
<i>f</i> Ada aurantiaca	5 0, 7 6 and 10 6
<i>c</i> Aerides	
<i>affine</i>	5 0, 7 6 and 10 6
" <i>verum</i>	15 0
<i>Balantianum</i>	31 6
<i>Fieldingi (Fox Brush)</i> 7 6 and 10 6	
<i>Lobbi</i>	7 6 to 15 0
<i>odoratum majus</i>	5 0
<i>roseum</i>	10 6 to 21 0
<i>Savageanum</i>	15 0 and 21 0
<i>c</i> Angræcum	
<i>Scottianum</i>	7 6
<i>sesquipedale (Fl., XIV, 49)</i>	
15 0 to 63 0	
<i>superbum</i>	7 6 " 10 6
<i>t</i> Anguloa	
<i>Clowesii</i>	5 0 " 15 0

	Each—s. d.
<i>t</i> Anguloa	
<i>Rückeri</i>	10 6 " 15 0
<i>uniflora</i>	15 0
<i>c</i> Arachnanthe	
<i>moschifera</i>	10 6
" <i>Lowii</i>	10 6
<i>f</i> Arpophyllum giganteum	10 6 to 21 0
<i>Aspasia lunata</i>	7 6
<i>c</i> Battemannia Burtii	3 6
Bletia	
<i>Shepherdii</i>	7 6
<i>Domingensis</i>	7 6
<i>verecunda</i>	10 6
<i>hyacinthina</i>	3 6
<i>Brassavola Perrinii</i>	7 6
Burlingtonia	
<i>fragrans</i>	3 6 to 5 6
<i>pubescens</i>	5 0 " 7 6
<i>c</i> Calanthe	
<i>luteo-oculata</i>	5 0
<i>Regnierii</i>	7 6

	Each.—s. d.
c Calanthe	
Sanderiana	10 6
Veitchii	3 6
vestita FL., VIII, 181) 3 6 and	5 0
» Catasetum laminatum	7 6
trimerochilum	10 6
» Cattleya Bowringiana	7 6
f citrina (FL., XVI, 147). 3 6 to	5 0
t crispa (<i>Laelia</i>).	7 6 » 15 0
» dolosa	15 0
» Gaskelliana	7 6 to 21 0
» gigas	10 6 » 21 0
» grandis (<i>Laelia</i>).	15 0 and 21 0
» granulosa	15 0
» guttata Leopoldi (FL., XIV, 206). 7 6 to	21 0
» labiata (FL., XVIII, 115). 3 6, 5 0 »	15 0
» » autumnalis (<i>Warocqueana</i>)	5 0, 7 6 » 21 0
specimens	42 0 and 63 0
» Lawrenciana	21 0
» Luddeமானiana	7 6 to 15 0
» maxima Peruviana	10/6 » 15 0
» Mendelii	5 0 7/6 » 21 0
» Mossiæ	5 0 7/6 » 21 0
» Percivaliana	7 6 » 21 0
» Perrinni (<i>Laelia</i>).	5 0 » 21 0
» purpurata (<i>Laelia</i>) (FLORE, XI, 133	5 0, 7 6 » 21 0
» Sanderiana	21 0 » 42 0
» Schroederi	7 6 » 15 0
» Schroederi virginalis	84 0
» Skinneri	10 6
» serrulata	21 0
» superba	7 6 to 10 6
» Trianæ	5 0 » 21 0
» Walkeriana	7 6 » 10 6
» Warscewiczii (<i>Gigas</i>) 10 6 »	21 0
t Chysis	
aurea	7 6
bractescens	7 6
lævis	10 6
maculata	10 6
Sherattiana	15 0
» Cœlogyne	
cristata (FL., XVII, 163)	3 6 to 5 0 to 21 0
» Lemoiniana. 7 6 »	21 0
» maxima. 31 6 »	63 0
Dayana	12 6
flaccida	7 6
maculata	7 6
Massangeanna	7 6 to 21 0
Reichenbachiana	10 6 » 21 0
» Colax jugosus	5 0 » 10 6
» Cymbidium (<i>Coryanthes</i>)	
macrantha	21 0
Lowianum	7 6 to 105 0
c Mastersii	7 6 » 15 0
» Cypripedium	
ænanthum	21 0 » 31 6
» » superbum	63 0
See New and Rare plants.	
albanense	7 6
amandum	15 0
Amesianum	10 6 to 21 0
Argus	5 0 » 10 6
Arthurianum	21 0 » 42 »
See New and Rare plants.	

	Each.—s. d.
t Cypripedium	
Ashburtoniæ	5 0 » 7 6
barbatum (FLORE, III, 190)	3 6 » 10 6
Barteti	15 0
bellatulum	5 0 and 7 6
f Boxalli	5 0 » 7 6
» » atratum	15 0 » 21 0
t calurum	5 0 to 21 0
c cardinale	15 0 » 31 6
» caudatum (<i>Selenipedium</i>) FL., VI, 99)	15 0 to 21 0
t Dauthieri	7 6 » 15 0
c Dominicanum	5 0 » 10 6
Elliotianum see <i>Rothschildianum</i>	21 0
t expansum	7 6 to 15 0
Exul	15 0 » 21 0
» gemmiferum	15 0 » 21 0
Gardneri	31 6
» grande	7 6 to 15 0
f Harrisianum (FLORE, XXII, 33)	5 0 to 10 6
» » Mrs Canham	31 6
t Hartwegi	7 6 to 15 0 to 63 0
c Haynaldianum	7 6 » 15 0
t hirsutissimum (FLOR., XIV, 97)	7 6 to 15 0
» Hookeri (FLORE, XV, 125)	7 6
f insigne	2 6, 3/6, to 7 6
specimens	21 0 to 84 0
» » albo-marginatum	7 6
» » Chantini (<i>violaceum punctatum</i>)	7 6 to 10 6
f insigne Cockianum	21 0
» » Sylhetense	7 6
c lævigatum (FLORE, XVIII, 83)	5 0 to 31 6
t Lawrenceanum (FL., XXIII, 5) 3 6	
» Leeantum	7 6 to 21 0
» » superbum	10 6 » 15 0
» Lindenii	7 6 » 15 0
» longifolium (<i>Selenipedium</i>)	5 0 » 31 6
c Lowii	7 6 » 21 0
t nitens superbum	15 0 » 21 0
» pardinum	10 6
» Pearcei	10 6
» Reichenbachianum	7 6, 10 6 » 84 0
c Rœbeleni (<i>laevigatum</i>) 5 0 »	21 0
t Roetzlii (<i>Selenipedium</i>)	7 6, 15 0 » 63 0
c Rothschildianum (<i>Elliotianum</i>)	10 6 to 21 0
t Schroederi	15 0 » 42 0
» Sedeni superbum	10 6 and 15 0
c selligerum	7 6 » 10 6
» » majus	21 0 to 42 0
» spicerianum	15 0 » 63 0
t stenophyllum	7 6 » 21 0
c superbiens (<i>Veitchii</i>) (FL., XIX, 115,	10 6 » 31 6
t superciliare	7 6 » 10 6
» Swanianum	7 6 » 15 0
» tonsum	21 0
f venustum	3 6 to 21 0
Veitschi, see <i>C. superbiens</i> .	
f villosum (FLORE., XIX, 223)	5 0 » 21 0

	Each—s. d.			
Dendrobium				
<i>c</i> aggregatum	5	0	7	6
<i>t</i> bigibbum	7	6	10	6
» Brymerianum	7	6	63	0
» Cambridgeanum ochreateum	5	0		
» cretaceum (FL. VIII, 187)	5	0		
» Dearei	7	6	10	6
» densiflorum (FLORE, XIV, 5)	7	6	21	0
» Devonianum	5	0		
» eburneum	5	0	10	6
» Falconeri	7	6	10	6
» fimbriatum	7	6	10	6
» formosum giganteum	5	0	7	6
» Loddigesii, <i>see D. pulchellum</i> .				
<i>f</i> nobile	3	6	5	0
<i>t</i> Backhouseanum	31	6		
<i>c</i> nodatum	7	6		
» ochreateum, <i>see Cambridgeanum</i> .				
» Parishii	5	0	15	0
» Phalaenopsis Schröderi	7	6	15	0
» Pierardi	5	0		
» primulinum	7	6		
» pulchellum (Loddigesii)	10	6		
» speciosum	7	6	10	6
» thyrsoiflorum	5	0		
» Veitchianum	7	6	15	0
<i>f</i> Disa				
» grandiflora	7	6		
» Veitchi	21	0		
<i>See New and Rare plants.</i>				
<i>t</i> Epidendrum				
» bifidum	7	6		
» Capartianum	10	6		
» cochleatum	7	6		
» cyclotellum	21	0		
» dichromum amabile	5	0	10	6
» elegans	17	6		
» fragrans	10	6		
» nemorale majus	15	0		
» prismatocarpum	7	6	15	0
» paniculatum	21	0		
» sanguineum	15	0		
» vitellinum majus	5	0	10	6
» Gongora atropurpurea	10	6		
» Grammatophyllum speciosum	15	0		
» Houletia				
» Brocklehurstiana	10	6	15	0
» odoratissima	7	6		
» Lacæna bicolor	15	0		
Lælia				
<i>f</i> albida	5	0	7	6
» anceps	5	0	7	6
» » alba	21	0	31	6
» autumnalis	7	6	10	6
» atrorubens	15	0	21	0
» cinnabarina	10	6		
» citrina (Cattleya)	3	6	5	0
<i>t</i> crispa (Cattleya)	21	0		
» crispilabia (Lawrenciana)	21	0		
» Dayana	3	6	5	0
» Gouldiana	25	0		
» Lawrenciana, <i>see L. crispilabia</i> .				
» marginata, <i>see L. Pinelli pumila</i> .				
<i>f</i> majalis	7	6	10	6
<i>t</i> Perrinii (Cattleya)	5	0	15	0
» Pinelli pumila	5	0	7	6
» præstans, <i>see L. Pinelli pumila</i> .				
» purpurata (Cattleya) (FLORE, XI, 133)	5	0	7	6

	Each—s. d.			
Lælia				
<i>f</i> rosea			10	6
<i>c</i> Liparis elegantissima			5	0
<i>t</i> Lycaste				
aromatica	5	0 to	10	6
balsamea			10	6
costata	15	0	21	0
Deppei	5	0	10	6
gigantea	7	6	15	0
Harrisoni (Maxillaria).	5	0	7	6
macrophylla			21	0
Skinneri (FLORE, IV, 303-4)				
	3	6 to	7	6
» alba	63	0	84	0
» » grandiflora	125		0	
» » candidissima	15		0	
» » delicatissima	15		0	
» » superba	10	6 to	15	0
» » tigrina			21	0
» tetragona (Maxillaria)			10	6
<i>t</i> Masdevallia				
amabilis	3	6 and	5	0
» grandiflora			10	6
attenuata			5	0
<i>t</i> Backhouseana, <i>see M. Chimaera</i> Backh.				
<i>f</i> Barlaeana			5	0
<i>t</i> bella	5	0 to	21	0
<i>f</i> Benedicti (<i>psittacina</i>) (Houttonia).	5	0	15	0
» Bruchmulleri			10	6
» caudata (Shuttleworthii)			5	0 to 10 6
» candida, <i>see M. Tovarensis</i>				
» coccinea, <i>see M. Lindeni</i> .				
<i>t</i> chimæra (Wallissi).	7	6	10	6
» Chimaera Backhouseana			10	6
			15	0
<i>f</i> civilis			10	6
» cucullata			21	0
» gorgona <i>see M. nycterina</i> .				
» Harryana (FLORE, XXI, 155)				
	3	6 to	7	6
» » Bulls Blood.			31	6
» » grandiflora	21	0 to	42	0
» » lilacina			7	6
» » Van Houttei			10	6 to 21 0
» Houtteana <i>see M. Benedicti</i> .				
» ignea Eckhardti.			21	0
» Lindeni (coccinea).	5	0 to	15	0
» » Cannarti	10	6 to	21	0
» » grandiflora			10	6
» maculata (FLORE, XX, 11)				
	3	6 to	5	0
» melanoxantha			10	6
<i>t</i> nycterina (<i>Gorgona</i>)			7	6
<i>f</i> ochthodes			3	6
» Peristeria (FLORE, XXII, 171)				
	7	6 to	10	6
» polysticta			3	6
» psittacina <i>see M. Benedicti</i> .				
» radiosa			21	0
» Reichenbachiana			7	6
» Schlimii	10	6 to	15	0
» Shuttleworthii <i>see M. caudata</i> .				
» swertiaefoli	5	0 to	10	6
» Tovarensis (<i>candida</i>)	3	6	7	6
» triangularis			5	0
<i>t</i> Trochilus	10	6 to	21	0

		Each—s. d.				Each—s. d.	
Masdevallia				Odontoglossum			
t	Veitchiana (FLORE, XVII, 155)	5	0 to 15	f	Rossi.	3	6 to 5
			0	»	majus (FL., XX, 55)	3	6 » 10
f	versicolor.		10	»	Ruckeri		21 0
	Wallissii, see <i>M. chimaera</i> .			»	Sanderianum.	7	6 to 15
	in 6 distinct sorts		21 0	t	sceptrum	15	0 » 31
	» 12 " "		42 0	»	Schlieperianum.	5	0 » 10
t	Maxilaria			»	Thunbergianum.		7 6
	cinnabarina		15 0	f	triumphans	3	6 to 10
	Harrisoni, see <i>Lycaste H.</i>			t	vexillarium (FL., XX, 27)	5	0 » 105
	leontoglossa (Xylobium)	5	0 to 10		6 Odontoglossum in 6 sorts,		
			6		our selection		25 0
	lepidota		10 6		12 Odontoglossum in 12 sorts,		
	nigrescens.		10 6		our selection	42	0 and 63 0
	picta.	5	6 to 7	t	Oncidium		
	tetragona, see <i>Lycaste t</i>				æmulum (superbiens)	21	0 to 31
	venusta.	5	0 » 10		ampliatum majus (FLORE,		
f	Mesospindium sanguineum.	5	0 » 7		XX, 147).	7	6 to 10
t	Miltonia				barbatum Lawrenceanum		7 6
	Clowessii	5	0 » 15		Barkeri, see <i>O. tigrinum</i> .		
	cuneata.	5	0 » 10		brevianum.		10 6
	Moreliana.	7	6 » 15		caesium.	7	6 to 10
	Phalaenopsis, see <i>Odontoglossum ph.</i>				Cavendishianum.	5	0 » 10
	spectabilis.	5	0 to 15		concolor	3	6 » 7
	virginalis	5	0 » 10		crispum (FL., XXI, 7).	5	0 » 21
	vexillarium, see <i>Odontoglossum v.</i>				cucullatum FLORE, VIII,		
	Warscewiczii (<i>Oncidium fus-</i>				235)	3	6 » 7
	catum) (FLORE, XVIII, 23)				curtum	15	0 » 21
		5	0 to 15		flexuosum	5	0 » 7
	Weltonii, see <i>Oncidium W.</i>				Forbesii	3	6 » 15
Mormodes					fuscatum (<i>Miltonia Warsce-</i>		
	luxatum eburneum.	7	6 » 15		wiczii) (FL., XVIII, 23)	5	0 » 15
	pardinum	10	6 » 21		Harrisoni		10 6
f	Odontoglossum				Janeirense.	3	6 to 5
	Alexandrae (<i>crispum</i>).	3	6 » 25		leucochilum		15 0
	» amabile		42 0		Marshallianum	7	6 to 21
	crispum, see <i>O. Alexandrae</i> .				microchilum		15 0
	Alexandrae guttatum	21	0 to 42		micropogon	5	0 to 7
	» roseum.	21	0 » 42		multiflorum		10 6
	» sulphurea.		31 6	f	obryzatum.		15 0
	» Trianeae	21	0 to 42		» ornithorynchum.	3	6 to 5
	» Wilkeanum		31 6 » 84	c	papilio majus (FLORE, IX,		
			0		165)	7	6 » 21
f	arachnoides		5 0	t	phalaenopsis	10	6 » 15
t	bictonense.		7 6		» pretextum.	3	6 » 10
	» blandum	10	6 to 15		» pubes	5	0 » 7
f	Cervantesii	3	6 » 7		» pumilum		15 0
t	citrosmum (pendulum)				» recurvum		7 6
	(FLORE, VI, 307)	3	6 » 21		» sarcodes	5	0 to 10
	» coradinae pallidum.		7 6		» splendidum (FLORE, XVIII, 11)		
f	constrictum	5	0 to 7			5	0 » 21
	» gloriosum (odoratum).	3	6 » 10		» superbiens, see <i>O. aemulum</i> .		
	» grande (FLORE, I, 125).	5	0 » 15		» tigrinum (Barkeri).	7	6 » 15
	» Halli.	7	6 » 15		» trichodes		7 6
f	Harryanum	5	0 » 15		» unguiculatum	5	0 to 10
t	hystrix (radiatum).	7	6 » 10		» unicolorne	5	0 » 7
	» Krameri	21	0 » 31		» varicosum Rogersii		21 0
	» Lehmanni		10 6		» volvox	15	0 to 21
	» Lindleyanum.	3	6 to 5		» Weltonii (Miltonia).	7	6 » 15
	» luteo-purpureum, see <i>Od. hystrix</i> .			t	Phajus		
	» nebulosum.	5	0 to 10		bicolor	21	0 » 42
	» Notzlianum		7 6		grandifolius	5	0 » 21
	» odoratum, see <i>O. gloriosum</i> .			c	Humboldtii	15	0 » 31
	» pendulum, see <i>O. citrosmum</i> .			t	maculatus		7 6
t	Pescatorei (FL., XVI, 23)	3	6 to 15	c	tuberculosus	15	0 » 31
	» Phalaenopsis (Miltonia)	10	6 » 31		» Woodfordii	7	6 » 15
	» pulchellum	3	6 » 10	c	Phalaenopsis		
	» » grandiflorum	3	6 » 10		amabilis (FL., I, 201)	7	6 » 15
	» radiatum, see <i>O. hystrix</i> .				grandiflora	7	6 » 10
	» recurvum		7 6				

	Each—s. d.
c Phalænopsis	
Luddemanniana (FL., XVI, 53)	10 6 » 21 0
Schilleriana (FL., XV, 115)	10 6 » 21 0
t Pholidota imbricata	5 0
Pilumna fragrans grandiflora	5 0 to 10 6
Promenæa	
stapelioides	7 6
xanthina	10 6
Restrepia	
antennifera	10 6 to 21 0
aurea	10 6 » 21 0
elegans	7 6
Falkenbergii	21 0
leopardina	10 6
c Saccolabium	
giganteum (<i>Vanda densiflora</i>) (FL., XVII, 89)	10 6 to 21 0
guttatum	7 6 » 21 0
illustre	21 0 » 31 6
Sarcopodium multicaule	7 6
t Scuticaria Steelii	5 0
Selenipedium	
longifolium	5 0 to 42 0
Roezlii	10 6 » 63 0
Sobralia	
macrantha (FL., VII, 68)	7 6 to 15 0
» pumila	15 0 to 168 0
rosea	84 0
t Sophronitis	
cernua	5 0
coccinea	5 0
grandiflora (FL., I, 48)	3 6 to 15 0
violacea	5 0
c Spathoglottis Kimballiana	21 0
t Stanhopea	
Bucephanus	10 6 and 15 0
candida	15 0 to 31 6
grandiflora (<i>eburnea</i>)	7 6 » 21 0
Jenishiana	15 0 » 31 6
oculata	7 6 » 15 0
tigrina	7 6 » 21 0
» superba (FLORE, VII. 19)	10 6 » 21 0

	Each—s. d.
c Thunia	
alba	5 0 » 10 6
Dodgsoni	5 0
t Trichopilia	
coccinea	5 0 » 15 0
nobilis	15 0
tortilis	5 0 » 12 6
Trichosma suavis	7 6
f Utricularia montana	3 6 » 10 6
c Vanda	
Amesiana (<i>Lowii</i>)	5 0 » 15 0
cærulea	10 6 » 21 0
densiflora (<i>Saccolabium giganteum</i>) (FL., XVII, 89)	7 6 » 21 0
eburnea superba	26 0
Kimballiana	7 0 » 10 6
limbata	15 0
Lowii, <i>see V. Amesiana</i> .	
multiflora	21 0
Parishii	10 6 » 21 0
suavis (<i>Rollisson</i>)	21 0 » 42 0
» (<i>Veitch</i>)	21 0 » 50 0
teres	5 0 » 15 0
» Andersonii	10 6 » 15 0
tricolor (FLORE, VI, 329)	7 6 » 63 0
tricolor Schilleriana	42 0
Vanilla	
aromatica (<i>Vanille</i>)	2 6 » 63 0
planifolia	5 0
planilabris	7 6
Pompona	21 0
t Warcewiczella	
discolor	10 6 » 15 0
Xylobium	
squalens	7 6 » 15 0
leontoglossa, <i>see Mas-devallea</i>	
Zygopetalum	
crinitum	5 0 » 15 0
cerineum	21 0
intermedium	7 6
Mackayi compactum	10 6

PALMS AND CYCADS

Those requiring a cool temperature are marked thus †

	Each—s. d.
Acanthophoenix crinita, Areca crinita BORY, (FL., XVI, 181)	4 6
Areca	
alba, <i>strong</i>	31 6
† <i>Baueri</i> , <i>Seaforthia robusta</i>	1 0 to 5 0
specimens	7 6 » 50 0
crinita, <i>see Acanth. c.</i>	
lutescens, 3 to 6 plants in a pot	1 0 to 7 6
rubra	1 0 and 2 0
† <i>sapida, Kentia</i>	1 0 to 3 6
» <i>specimens</i>	7 6 » 105 0

	Each—s. d.
Areca	
<i>sapida, extra fine exhibition specimen</i>	1000 0
Verschaffelti, <i>Hyophorbe</i> , (FL., indica, XVI, 171)	2 0 to 42 0
One of the handsomest palms known.	
Arenga	
obtusifolia	3 6 and 5 0
saccharifera	3 6 » 5 0
Astrocaryum	
Ayri	3 6 » 5 0
mexicanum	3 6 » 5 0

	Each—s. d.		Each—s. d.
<i>Attalea spectabilis</i>	4 0	† <i>Kentia</i> Balmoreana	1 6 to 5 0
† <i>Brahea glauca</i> (<i>Ræslü</i>)	2 0 to 5 0	specimens in all sizes	25 0 " 200 0
For specimens prices on applic.		† <i>Canterburyana</i> (<i>Veitchia</i>)	2 6 " 200 0
Carludovica		† <i>Forsteriana</i>	1 0 " 5 0
atrovirens (<i>plicata</i>)	7 6 to 15 0	" " specimens	21 0 " 200 0
macropoda	3 6 " 21 0	† <i>Mac-Arthuri</i>	12 6 " 21 0
palmata	5 0 " 42 0	† <i>Mooreana</i>	2 0 " 105 0
This palm is used for the manufacture of the famous Panama hats.		† <i>sapida</i> , see <i>Areca</i> s.	
Caryota plumosa	21 0 to 31 6	Wendlandi	42 0
sobolifera	2 6	† <i>Latania</i>	
urens	3 6 to 7 6	borbonica	1 0 to 5 0
Ceroxylon niveum	7 6 " 31 6	specimens	10 6 to 150 0
Chamædorea		Licuala	
Casperiana	12 6 " 21 0	grandis	7 6
Ernesti-Augusti (Fl., XIII, 123)	3 6 to 21 0	" (<i>Pritchardia</i>) specimen	650 0
lunata	7 6 " 21 0	See New and Rare plants.	
oblongata	31 6 " 42 0	Thurstoni	7 6
Sartorii	4 0 " 31 6	† <i>Livistona australis</i> , see <i>Corypha</i> aust.	
† Chamærops		Hoogendorpii	25 0
excelsa (<i>Trachicarpus</i>) (Fl., XXII, 207)	1 0 to 3 6	† <i>sinensis</i>	1 0 to 5 0
specimen plants	10 6 " 63 0	specimen	10 6 " 200 0
† <i>humilis</i>	1 0 " 3 6	Macrozamia horrida , strong	21 0
specimens	7 6 " 84 0	Oncosperma Van Houtteana	7 6
† <i>hystrix</i> , true	5 0	Phœnicophorium Sechellarum	
staurocantha	7 6	3 6 to 5 0	
specimens	15 0 to 250 0	specimens	84 0 " 400 0
† Cocos		† Phœnix	
Blumenavia specimen	105 0	compacta nana	3 6 " 7 6
† <i>Campestris</i>	7 6	† <i>dactylifera exilis</i>	21 0 " 84 0
For specimens prices on applic.		† " <i>farinifera</i>	
coronata	1 0 to 10 6	10 6 " 42 0	
elegantissima	21 0	† <i>leonensis</i>	1 6 to 3 6
† <i>flexuosa</i>	1 0 to 10 6	† <i>reclinata</i>	1 6 " 3 6
† <i>Romanzoffiana</i>	2 0 " 21 0	specimens	10 6 " 42 0
† <i>Weddelliana</i>	1 0 " 3 6	<i>rupicola</i>	2 0 " 25 0
Fine imported trees, well established 6 to 8 feet high, each		† <i>senegalensis</i>	1 0 " 3 6
† <i>Yatai</i> , specimens	84 0 to 126 0	fine specimen	168 0
† Corypha		† <i>tenuis</i>	1 0 " 5 0
australis	1 0 " 3 6	strong	21 0
specimens	21 0 " 84 0	Pinanga	
Cycas		decora	5 0 to 10 6
media	21 0	Kühlei, rare	84 0
Neo-Caledonica	5 0	Pritchardia	
revoluta	5 0 to 250 0	Gaudichaudi, rare	42 0
<i>Dion spinulosa</i>	35 0	macrocarpa, specimen	168 0
Diplothemium maritimum	7 6	pacifica (Fl., XXI, 1)	168 0
Prices for specimens on application.		† Ptychosperma Alexandræ	1 6 to 10 6
Euterpe edulis	7 6	† Rhapis	
Prices for specimens on application.		flabelliformis	4 0 " 105 0
<i>sylvestris</i> , specimen	63 0	Sierotsik	7 6 " 63 0
Geonoma		humilis	10 6 " 15 0
gracilis	1 0 to 5 0	Sabal	
Schottiana	2 0	havanensis, specimen	50 0
Prices for specimens on application.		† <i>longipedunculata</i>	7 6
Glasiova		† Seaforthia	
insignis	2 6	elegans	1 0 to 5 0
extra strong	105 0	specimens	21 0 " 63 0
Hyophorbe Verschaffelti (<i>Areca</i>) (FLORE, XVI, 171)	2 0 to 42 0	robusta, see <i>Areca Baueri</i>	
† Jubæa		Thrinax	
spectabilis (<i>Micrococos</i>) specimens	31 6 to 242 0	argentea	2 6
1 pair fine specimens	1200 0	Chucho	55 0
1 " extra fine "	2400 0	elegans, specimen	168 0 to 250 0
		Miraguana	84 0 " 168 0
		parviflora	7 6 " 63 0
		radiata	42 0
		† Veitchia Canterburyana , see <i>Kentia</i> C.	

	Each—s. d.
Verschaffeltia splendida (FLORE, XV, 181).	42 0 to 105 0
† Washingtonia	
robusta	1 6
specimens	168 0 to 400 0
Zamia	
Lehmanni, strong	84 0
Skinneri ovata	15 0
spiralis	31 6
Van Houttei	66 0

	Each—s. d.
Zamia	
villosa	5 0 to 42 0
6 hardy palms in 6 varieties for Room-decoration	7 6 to 21 0
12 hardy palms in 12 varieties for Room-decoration	15 0 to 42 0
Collections for Greenhouse culture made up to suit amateurs.	15 0 to 63 0

OFFICINAL and MEDICINAL PLANTS, FRUITS, etc.

	Each—d. s.
Acacia arabica var. nilotica (<i>Gum of Commerce</i>).	2 6
Albizzia Lebbeck (<i>Oriental Ebony</i>).	4 6
Alibertia edulis (<i>Edible fruit</i>).	2 6
Amomum Granum Paradisi (<i>Edible fruit</i>).	2 0
Anamirta Cocculus (<i>Fruit very poisonous</i>).	4 6
Anchietia salutaris (<i>Archietin, strong purgative</i>).	2 6
Anemopægma racemosa	2 6
Anona	
antioquiensis	2 6
Chermiolia (<i>Cherimoyer</i>).	2 6
muricata (<i>Sour soap</i>).	2 6
squamosa (<i>Sweet soap</i>).	2 6
Antiaris toxicaria (<i>Upas tree</i>).	10 6
Aralia papyrifera (<i>Tetrapanax</i>) (FL., VIII, 153).	1 5
Used in the manufacture, of paper in China.	
Arenga saccharifera (<i>Sugar palm</i>).	4 0
Artabotrys odoratissima	4 0
Used as a curative for the Cholera.	
Artocarpus incisa grandis (<i>Bread-fruit</i>).	7 6 to 21 0
Barleria lupulina	4 0
Barringtonia racemosa (<i>Edible fruit</i>).	4 0
Bauhinia	
Galpini.	4 0
purpurea	2 6
Beaumontia grandiflora	3 6
Bark used against dysentery.	
Benthamia fragifera (<i>Edible fruit</i>).	1 6
Bixa Orellana (<i>Anatts dye plant</i>).	3 0
Blighia sapida	10 6
Bœhmeria	
macrophylla (<i>China-grass</i>).	1 9
tenacissima	1 9
Bombax Ceiba (<i>Silk Cotton-Tree</i>).	3 3
Brechmea spinosa	10 6
Bucklandia pupulnea	2 6
Campomanesia hypoleuca	3 6
Carapa guianensis (<i>Carapa-Tree of Guyana</i>).	3 6 to 7 6
Carissa grandiflora	2 6
Carludovica palmata	5 0 to 42 0
Used in the manufacture of the famous Panama hats.	
Caryota urens	3 6 to 10 0

	Each—s. d.
Cephaelis Ipecacuanha (<i>Ipecacuanha of Commerce</i>).	2 6
Ceratonia siliqua (<i>Edible fruit</i>).	1 6
Chavica officinarum (<i>Bette Pepper</i>).	4 0
Chrysophyllum	
albidum.	3 6
antioquense	3 6
glabrum	3 6
macrophyllum	15 0
oliveforme	5 0
Cinchona Calisaya (<i>Cinchona Bark</i>).	5 0
Cinnamomum	
aromaticum (<i>Cinnamom of China</i>).	3 6 to 5 0
Kiamis (<i>Cinnamom of Java</i>).	2 6 " 5 0
laurifolium	3 6
pedunculatum	2 6
sericeum (<i>Cinnamom of Japan</i>).	2 0
Citrosma thea	2 0
Used as a substitute for Tea.	
Clausena corymbiflora	4 0
Coccoloba pubescens (<i>Umbrella Tree, fruit edible</i>).	7 6
Cocculus Plukenetii (<i>Fruit a violent poison</i>).	5 0
Coffea (<i>Coffee</i>)	
arabia	2 0
" angustifolia	2 0
libierica	2 6
marapagypa	2 6
Colocasia esculenta	1 6
Leaves and roots used by the negroes for medical purposes.	
Crataeva gynandra	2 0
Crescentia Cujete (<i>Calabash Tree</i>).	2 6
Croton Cascarilla (<i>Cascarilla Bark</i>).	2 0
Cupania undulata	7 6
Fruit used as a remedy against Diarrhæe.	
Cyperus papyrus	3 6
Used by the ancient Egyptians as paper.	
Cyrtosyphonia spectabilis	2 0
Dillenia speciosa	3 6 to 7 6
Dischidia Bengalensis	3 6
Dorstenia multiformis	4 0
Contra-yerba Root used as a remedy against the bites of Snakes.	
Dracæna draco (<i>Dragon-Tree</i>).	1 9

	Each—s. d.
Durio zibethinus	5 0
Durian producing a fruit the size of a man's head.	
Erycbothrya japonica (<i>Japanese Loquat</i>)	1 6 to 5 0
Erythroxylon Coca (<i>Coca-Tree</i>)	2 0 " 4 0
Eucalyptus globulus (<i>Blue Gum</i>)	1 0
Eugenia	
littoralis	4 6
Michelli (<i>Berries edible</i>)	3 6
Ugni	1 6
Fagraea imperialis (<i>Fruit edible</i>)	3 6 to 7 6
Ficus	
edulis	1 6
elastica (<i>Gum-Tree</i>)	1 0
Galipea pentandra	5 0
Garcinia	
Mangostana (FL., XXII, 191)	31 6
Mangosteen, one of the most exquisite fruits of the Tropics.	
Livingstoni	5 0
Gelsemia nitida	2 6
Glycosmis pleogyna	2 6
Gnetum Gnemon	3 6 to 7 6
Gayacum arboreum (<i>Guyac resin medicinal</i>)	7 6
Guilandina Bonducella (<i>Bonduc-Tree</i>)	4 0
Gymnema sylvestre	7 6
Hæmatoxylon campechianum	2 6
Bark slightly stringent, used in cases of dysentery and diarrhoea.	
Heritiera littoralis (<i>Fruit edible</i>)	4 0
Hippobromus alatus (<i>Timber-Tree</i>)	2 6
Hymenæa Courbaril	7 6
Illicium	
anisatum	2 0
Chinese anis, used in the preparation of Anis Liqueur.	
floridanum	2 0
religiosum	2 6
Isonandra	
gutta (<i>Gutta-Percha</i>)	31 6
oblongifolia	31 6
Jambosa	
densiflora	2 6 to 5 0
Korthalsi	2 6
Kopsia fruticosa (<i>Violent poison</i>)	2 6
Landolphia	
florida (<i>India Rubber</i>)	4 0
Kirkii	5 0
Watsoniana	4 0
Lansium spec. Sumatra	4 0
Laurus camphora (<i>Camphor-Tree</i>)	4 0
Lucuma deliciosa	4 0
Fruit edible, leaves astringent.	
Mæcherium firmum	2 6
Mammea americana (<i>Fruit edible</i>)	7 6
Mamillota Gemmipara	7 6
Maranta arundinacea	1 9
A variety of Arrow-root.	
Manihot Glaziova	3 3
Furnishes a kind of Tapioca.	
Memecylon ramiflorum	3 3
Used in Ceylon as a dye.	
Monodora Myristica grandiflora (<i>Nutmeg of Guinea</i>)	4 0
Morinda Rojoc	4 0

	Each—s. d.
Murraya exotica (<i>Timber-Tree</i>)	2 6
Myristica moschata (<i>Nutmeg</i>)	25 0
Myroxylon balsamiferum (<i>Peruvian Balsam</i>)	6 6
Myrrhinium sarcopetalum	2 6
Myrtus Pimenta	2 6 to 5 0
Used as a Perfume.	
Pandanus utilis (<i>Screw-Pine</i>)	1 0 to 10 6
Pass.flora edulis (<i>Fruits edible</i>)	1 6
Paullinia oceanica (<i>Powerful poison</i>)	3 0
Phormium tenax (<i>New-Zeland-Flax</i>)	1 0
Physocalyx edulis (<i>edible</i>)	3 3
Platonia insignis	7 6
Pilocarpus pinnatifida (<i>Pilocarpine medicinal</i>)	4 0
Piper	
Betle (<i>Betle Pepper</i>)	2 0
Cubeba (<i>Cubeba Pepper</i>)	2 0
Futokadsura	1 6
nigrum (<i>Black Pepper of commerce</i>)	3 4
Plectranthus fruticosus	1 6
Pogostemon Patchouli (<i>Patchouli</i>)	1 9
Ravenala madagascariensis (FLORE, XIII, 117 et XXI, 161), <i>strong</i> (<i>Travellers Tree</i>)	2 6 to 10 6
Saccharum officinarum (<i>Sugar-Cane</i>)	2 6 to 5 0
Salvadora persica	2 0
Sapota Achras (<i>Fruits deliciously sweet</i>)	6 6
Sideroxylon	
Mastichodendron (<i>Ironwood of commerce</i>)	4 0
argenteum	5 0
Simaruba excelsa	3 6
Used in cases of dysentery and as a tonic.	
Smilax	
Sarsaparilla (<i>Sarsaparilla</i>)	2 0
medica	2 6
Stadmannia sorbifolia (<i>Hard wooded timber tree</i>)	3 6 to 5 0
Sterculia	
acuminata (<i>Kola nut</i>)	5 0
foetida	3 6
Stravadium insigne	5 0 to 7 6
Swietenia Mahagoni (<i>Mahogany tree</i>)	15 0
Tamarindus indica (<i>Tamarind tree</i>)	2 6 to 7 6
Terminalia Catappa (<i>Seeds edible</i>)	4 0
Thea	
Bohea (<i>Tea</i>)	1 6
cochinchinensis (<i>Tea</i>)	2 6
japonica foliis argenteo-marginatis (<i>Tea</i>)	2 6
viridis (<i>Tea of Commerce</i>)	2 6
Theobroma Cacao (<i>Cocoa</i>)	7 6
Urostigma Vogelli	3 6
Furnishes a variety of India-rubber.	
Urvillea ferruginea	2 6
Vanilla aromatica (<i>Vanille of Commerce</i>)	7 6
Vanguiera edulis (<i>Voa Vanga of Madagascar, fruit edible</i>)	7 6
Xanthochymus pictorius	7 6
Used as a dye.	
Zingiber officinale, (<i>Ginger</i>)	3 6

CARNIVOROUS PLANTS

	Each—s. d.
Darlingtonia californica	5 0
Dionæa muscipula (<i>Venus Flytrap</i>)	2 0
Nepenthes	
Anerleyensis	7 6 to 21 0
bicalcarata	21 0 » 31 6
Chelsoni	7 6 » 31 6
Courtii	10 6 » 31 6
Curtisi major.	31 6 » 63 0
Dixoniana, <i>rare</i>	31 6 » 63 0
gracilis major	3 6 » 10 6
Hookeriana	10 6 » 42 0
» elongata	7 6 » 31 6
hybrida Dominiana	21 0 » 42 0
» maculata	7 6 » 21 0
intermedia	7 6 » 42 0
Mastersi	10 6 » 31 0

	Each—s. d.
Nepenthes	
Outramiana	7 6 to 42 0
paradisæ	7 6 » 42 0
phyllamphora	4 0 » 21 0
Rafflessiana (FLORE, XVI, 167 et XXII, 161)	10 6 » 31 6
rufescens	7 6 » 31 6
Stewartii	7 6 » 42 0
Williamsii.	7 6 » 21 0
Wrightleyana	10 6 » 25 0
Sarracenia	
Drummondii (FL., VI, 81 et 229)	7 6
flava	3 6
purpurea (FLORE, X, 247)	2 6
rubra FLORE, X, 243)	3 6 to 5 0
variolaris	3 6 » 5 0

STOVE AND GREENHOUSE FERNS

Those marked † require a cool Greenhouse temperature.

» » * are Tree-ferns.

A collection of 12 Ferns our selection 9 0

Sizes and prices of Tree Ferns on application.

	Each—s. d.
Acrostichum L.	
decoratum, exceedingly rare	84 0
drynarioides	1 9
† villosum Sw	1 9 to 3 6
Adiantum L.	
Rausei	2 0
† Capillus Veneris L.	
Colissi	1 9
concinnum latum M.	1 0
» cuneatum	0 6
» » deflexum	1 9
dissectum	1 0
Edgeworthii Hook.	1 0
excisum LEYI.	1 0
Farleyense M. (FL., XIX, 9)	1 6 to 3 6
Fergussoni	1 0
fissum	1 0
fragrantissimum	1 0
Funckii.	2 0
» gracillimum	0 6
» hispidulum Sw.	1 0
Lambertianum	2 6
Legrandi	1 0
Lawsonii	2 0
Ludemannianum	1 6
macrophyllum Sw.. . . .	1 6
mundulum M.	1 0
peruvianum	2 6
Reginæ.	2 0
rhodophyllum	2 6
rubellum	1 0
Sanctæ Catharinæ	2 0
Veitchii	2 0

	Each—s. d.
Adiantum	
venustum Don.	1 0
Versaillense	2 6
Weigandi	2 0
Williamsii.	2 0
Alsophila K. BR.	
†* australis R. BR.	0 6 to 7 6
» robusta.	
Angiopteris HOFFM.	
longifolia DEVR.	3 6 to 7 6
macrophylla HORT.	3 6 » 7 6
pruinosa KZE.	15 0
Antigramma PRESL.	
rhizophylla SM.	1 6 to 3 6
Aspidium Sw.	
† Sieboldi	0 6
Asplenium SWARTZ.	
caryotæfolium	4 0
cicutarium	2 6 to 7 6
† dimorphum KZE.	1 0 » 3 6
» Fabianum.	1 0 » 3 6
» Hookerianum COLENSO	1 0
» Nidus L.	2 6
» normale DON.	1 0
» Veitchianum M. (<i>Bellangieri</i>)	1 6
» viviparum PRESL.	2 0
Balanium KLFS.	
†* antarcticum (<i>Dicksonia</i>)l	0 » 3 6
Blechnum L.	
†* brasiliense DESV.	1 6 » 3 6
» strong	21 0
Cibotium KLFS.	
†* princeps LINDL.	1 0 » 2 6
» strong	7 6 » 31 6

	Each—s. d.
Cibotium	
†* regale M.	2 0 to 21 0
Cyathea Sm.	
†* dealbata Sw.	2 0
» medullaris	2 0 " 10 6
Davallia Sm.	
Mariesii	1 6 to 21 0
† Novæ-Zelandiæ COLENSO. . . .	1 0
Dicksonia L'HÉRIT.	
†* antarctica LABILE (<i>Balantium</i>)	
	1 0 to 31 6
» fibrosa	2 0
» Smithi	2 6
» squarrosa Sw.	2 0 to 21 0
Eupodium J. Sm.	
Kaulfussi J. Sm.	5 0 to 10 6
Gymnogramma Desv.	
calomelanos	1 6
chrysophylla Laucheana HORT	
	1 6 to 5 0
» sulphurea	1 6 " 5 0
decomposita HORT.	2 0
Parsoni	2 0
schyzophylla	1 6 to 3 6
» var. gloriosa	2 6
» » elegans	5 0 to 21 0
Wettenhalliana M.	1 6
» Flandriæ	1 6
Hymenodium FÉE.	
crinitum FÉE (FL., XI, 203)	
	5 0 to 10 6
Hymenophyllum Chilense . . .	5 0 " 10 6
Lastrea BORY.	
† aristata variegata	1 0
» Fortunei	2 0
Lomaria WILLD.	
† Gibba	1 6
L'Herminieri	3 6 to 10 6
Neocaledonica	1 6
Marrattia Sm.	
Laucheana HORT	3 6
Microlepia PRESL.	
† hirta cristata	1 6 to 63 0
Nephrodium RICH.	
pallidum cristatum	2 6 " 5 0
Nephrolepis SCHOTT.	
cordata compacta	2 0
davallioides furcans	2 0 to 5 0
Duffi	1 6
† neglecta	1 6
Philippinensis	1 6
rufescens tripinnatifida	3 6
Nipholobolus KKLS.	
Lingua corymbiferum	2 6
Onychium	
† japonicum.	1 0
Platyserium DESV.	
† alpicorne DESV.	2 0 to 63 0
» majus	3 6 " 42 0
» biforme BL.	7 6 " 42 0
» » grande	3 6 " 10 6
» Hilli.	10 6 " 21 0
sp. de Liberia	7 6
» Willinckii.	7 6 to 21 0

	Each—s. d.
Polypodum	
† glaucum RADD	1 0
Pteris L.	
argyræa M.	1 0
† cretica albo lineata Hook . . .	1 0
» " " crispa	1 0
» " " multifida	1 6
nobilis	1 0
» serrulata	0 6
» " Dixoni cristata	1 0
» " Ouvrardi cristata	1 0
» " parvula	3 6
» " Smithii	2 0
tricolor.	2 6
umbrosa	1 0
africana A. BRAUN	1 6
amæna	1 6
apoda SPRING	1 0
atroviridis SPRING	1 6
bellula	1 6
Brauni	1 0
brevipes	1 6
cæsia HORT. (<i>uncinata</i>)	1 0
Selaginella PALIS. DE BEAUV.	
caulescens SPRING	1 3
convoluta	1 3
cuspidata LINK	1 6
† denticulata	0 6
» variegata.	1 0
dichroa (<i>fliciana</i>)	1 6
Emmeliana	1 0
erythropus SPRING (<i>umbrosa</i>) . .	1 6
grandis	2 0 to 7 6
Griffithii SPRING.	1 3
Kraussiana aurea	1 0
lævigata SPRING	1 6
† Martensii SPRING	1 0
» " compacta (<i>formosa</i>)	1 6
» " foliis argenteo var. HORT.	1 6
microphylla	1 0
Pervillei	1 6
Poulteri M.	2 0
rubricaulis HORT.	1 3
texta very rare	7 6
See New and Rare plants.	
usta, new	5 0
See New and Rare plants.	
viticulosa KLÉ	1 6
Wallichii SPRING	1 6
12 sorts, our choice.	12 0
Selliguea BORY.	
Feei	2 6
Tamnopteris PRESL.	
Australasica	3 3
† nidus PRESL	2 6
Todea WILLD.	
† pellucida (<i>hymenophylloides</i>)	
	3 6 to 21 0
» plumosa	7 6 " 21 0
Trichomanes L.	
alabamense	5 0
angustatum	5 0
† radicans Sw.	3 6
» Woodwardia angustifolia . . .	2 0

CACTI AND SUCCULANT PLANTS

	Each—s. d.
Agave	
densiflora	3 6
filifera	3 6 to 3 6
” major	21 0
Cereus	
Bonplandii	1 6 to 3 6
Donckelaarii	2 0
grandiflorus	2 0
Macdonaldi	1 6 to 3 6
macrogonus	2 0 ” 5 0
nycticalus	1 6 ” 3 6
obtus	5 0
Pitajaya	5 0 ” 10 6
Spachianus	1 6 ” 5 0
Cotyledon	
orbicularis	0 6
punctatissima	0 6
Echeveria	
agavoides	1 0 to 2 6
californica	1 0
De Smetiana	1 0
farinosa	1 3
globosa <i>rosacea</i>	0 6
imbricatissima	0 6
metallica glauca	0 6
mirabilis	0 6
peruviana	0 6
rubescens	0 6
scapiphylla	0 9 to 1 6
Scheideckerii	0 6
secunda	0 6
” glauca	0 6
Echinocactus	
gibbosus	2 6 to 5 0
helophorus (<i>ingens</i>)	5 0 ” 10 6
Echinocereus	
candicans	2 6 ” 5 0
catalophus	1 0 ” 3 6
syn. leptacanthus	
cinerascens	1 6 ” 5 0
Echinopsis	
Fauveli	1 6 ” 10 6
multiplex	1 6 ” 7 6
turbinata	1 6 ” 5 0
Euphorbia neriifolia	2 6
Gasteria	
vittata var.	1 0
verrucosa	1 0 to 3 6
Haworthia	
attenuata	1 0
cymbiformis	1 0

	Each—s. d.
Haworthia	
spicata	1 0
Mamillaria	
cirrhiifera varietas	2 0 to 5 0
conopsea	4 0
decipiens	1 0 to 3 6
multiceps	1 0 ” 3 6
Mesembryanthemum	
albicaule	0 6
aureum	0 6
candens	0 6
caulescens	0 6
cordifolium	0 6
crassifolium	0 6
echinatum	0 6
Eckloni	0 6
edule	0 6
falcatum	0 6
falciforme	0 6
intonsum	0 6
lepidum	0 6
muricatum	0 6
simplex	0 6
spectabile	0 6
subincanum	0 6
umbellatum	0 6
uncinellum	0 6
variegatum	0 6
virgatum hamatum	0 6
12 varieties, our choice	5 0
Opuntia	
Camanchica major	1 0
” albospina	1 0
diademata	1 0 to 3 0
glaucophylla	1 0 ” 3 6
maculacantha	1 0 ” 3 6
microdasys	1 0 ” 5 0
monacantha	1 0 ” 3 6
Pentlandti	1 0
Schottii	1 6
Pachyphyllum Hookeri	1 6
Phyllocactus Edwardsii	1 6
Pilocereus	
Dautwitzii	6 0 to 10 6
senilis	5 0 ” 21 0
Yucca	
aloifolia foliis variegatis	2 6 ” 7 6
gloriosa medio-picta, specimen	42 0
quadricolor	2 6 to 5 0
recurvata	1 0

505 *Verdi*.
 317 *Vesta*
 426 *Vicomtesse de la Roque-Ordan*.
 513 *Ville de Mulhouse*.

512 *virginale*.
 467 *Virgile*.
 35 *Wighti*.

CALADIUM. — II SERIE.

Purchasers select. 3 0—each. — 30 0 per doz. our selection.

594 *Attala*.
 595 *B. S. Williams*.
 609 *candidum*.
 631 *Comtesse Ferd. de Lesseps*.
 656 *D^{or} Felipe Meyer*.
 575 *Elisa*.
 578 *Faust*.
 554 *Ferdinand de Lesseps*.
 626 *Gabrielle Lemoinier*.
 635 *Hrubyanum*.
 572 *Isis*.
 570 *L'aurore*.

603 *L'automne*.
 627 *Le grand succès*.
 598 *Lymington*.
 628 *Mad. d'Halloy*.
 593 *Mad. Imbert-Koechlin*.
 637 *Mad. John Bow*.
 638 *Maria Mitjana*.
 574 *Monsieur d'Halloy*.
 646 *Ombrelle parisienne*.
 569 *Souvenir de Lille*.
 605. *T. de Vigier*.

CALADIUM. — III SERIE.

NOVELTIES.

6 varieties our choice : 28 0. — 12 varieties our choice : 56 0.

	Each—d. s.		Each—s. d.
665 <i>Ad. Madson</i>	8 0	644 <i>Gaspard Crayer</i>	4 0
659 <i>Arassuhay</i>	8 0	498 <i>Ibis rose</i>	12 0
660 <i>Assunguy</i>	8 0	636 <i>La Lorraine</i>	8 0
663 <i>Azulão</i>	6 6	625 <i>Louis Van Houtte</i>	6 6
664 <i>Barão de Mamore</i>	8 0	604 <i>Mad. Jules Picot</i>	4 0
672 <i>Bernard Wagner</i>	8 0	632 <i>Oriflamme</i>	4 0
655 <i>Botafogo</i>	9 6	656 <i>Pintado</i>	9 6
601 <i>Charlemagne</i>	4 0	599 <i>Raymond Lemoinier</i>	5 0
654 <i>Chicorinha</i>	9 6	669 <i>Rio Gonani</i>	6 6
596 <i>Comte de Germiny</i>	8 0	666 <i>Roncador</i>	8 0
661 <i>Fra Hiras</i>	8 0	641 <i>Ville de Hambourg</i>	5 0
658 <i>Franz Jost</i>	5 0	600. <i>William Bull</i>	5 0

CALADIUM. strong plants for exhibition, our choice.

Ist SÉRIE : 2 6; IInd SÉRIE : 5 0; IIIrd SÉRIE : 12 0—each.

GESNERIACEOUS PLANTS

The tubers and rhizomes of the Gesneriaceous plants may be had in a dry state from November till March.

Plants ordered after that date may be had in a growing state at a correspondingly increased price.

During the summer months a number of our Cool Greenhouses contain thousands of Gesneriaceous plants in full bloom, such as: *Achimenes*, *Dircaeas*, *Emodonia*s, *Gesnerias*, *Gloxinias*, *Naegelia*s, *Plectopomas*, *Tydaea*s, etc., representing all colours of the rain-bow.

These plants alone are really worth a visit to our Establishment.

In ordering, it is sufficient to give the generic names and the numbers.

ACHIMENES

Purchaser's choice	1 variety	3 rhizomes		0 6
"	" 1	6	"	0 9
"	" 12	3	" of each	4 0
"	" 12	3	"	6 0
"	" 25	3	"	6 6
"	" 25	6	"	10 0
Our choice	12	3	"	3 3
"	" 12	6	"	5 0
"	" 12	12	"	8 0
"	" 25	3	"	5 6
"	" 25	6	"	8 0
"	" 25	12	"	12 0

1559 Ami Van Houtte (*Vallerand*).

Very fine violet blue, centre yellow spotted with purple.

1561 Aurora.

Light salmony carmine, orifice white striped with yellow.

1575 Camille Brozzoni.

Lilac, spotted white throat.

1577 Carminata.

Copper red.

1402 Diadem (*Veitch*).

Lively cherry red, shaded crimson, centre golden yellow frizzled lobes.

1581 Docteur Buenzod.

Carmine violet, throat yellow, spotted with crimson.

1585 floribunda.

Carmine violet, very free flowering.

38 Georgeana (*Veitch*).

Deep scarlet, throat golden yellow dotted, with deep red.

1590 " gigantea.

Purple.

29 grandiflora François Cardinaux.

Flower large, rose violet.

26 " Carl Wolfarth.

Lively violet, large-flowering.

30 " Louis Van Houtte.

A late flowering variety; flower medium size, violet with carmine reflex.

1592 Hofgärtner Neuner.

Amaranth, spotted lemon yellow centre.

1593 " Wendschuch.

Dark purplish violet.

1405 Lady Littleton.

Rich magenta, shaded crimson velvety, orange centre.

13 longiflora.

Fine blue, lighter in the centre.

18 " alba (*Joureguia*) (Fl., V, 350,).

White, striped carmine.

19 " alba Margaritae.

Pure white, very beautiful.

24 " Ambr. Verschaffelt.

White, reticulated with light pansy orifice shaded with golden yellow.

22 " " Dr Hoph.

White, shaded with lilac, orifice fiery red netted with lively lilac.

23 longiflora Ed. Boissier.

White, with a lilac reflex, netted with light pansy

25 " grandiflora.

Lively lilac rose, white centre.

1027 " Mauve Queen.

Vary large, mauve, centre dotted with violet chestnut.

14 " macrantha (*Latifolia*).

Beautiful blue, extraordinary large and flat flower.

16 " Moore's Perfection.

Satiny lilac, of very fine shape.

15 " rosea (*Klei*).

Violet rose.

21 " maxima.

White, very large.

20 " alba W. Muller.

Pure white, orifice striped with lilac.

780 Magnet.

Carmine, centre orange.

1599 Mad. Georges.

Lilac violet.

1150 Masterpiece (*Williams*).

Large, rose violet, centre white.

1603 M. de Rougemont.

Amaranth, veined with lively carmine purple.

1606 patens variabilis.

Deep purple, yellow centre.

1608 perlata.

Ashy, violet, netted with deep violet.

775 Pink Perfection (*Parsons*).

Large and fine flower, satiny lilac.

1607 purpurea multiflora.

Dark purple.

786 reculata.

Flower medium sized, very fine blue, centre lemon yellow minutely dotted.

33 Sir Treherne Thomas.

Rosy amaranth; large flower.

1615 treviriana rosea

Dark Carmine Rose.

40 tubiflora.

Purple red.

11 violacea semi-plena.

Violet, semi double, very fine.

DICYRTA

12 rhizomes of each sort : 1 6.

736 candida.

Greyish with a pale blue reflex.

737 Warscewiczii.

White.

2229 DIASTEMA PICTA

3 rhizones : 1 6.

A charming novelty resembling an Achimenes, very dwarf and floriferous; pale lilac blush, with purplish rose spots.

DOLICHODEIRA

97 tubiflora. — Each : 3^d. — Per dozen : 2 6.

White, sweet scented, long flower.

GESNERIA

	Each—s. d.		Each—s. d.
90 Donkelaari (FLORE, IX, 119).	4 0	114 Miellezi.	4 0
The most marvellous of all the Gesnerias of the richest blossoming and colour, flower large, of a lively carmine, throat yellow.		Charming flowers of bluish violet, very distinct.	
93 Douglasi purpurea	0 10	95 refulgens, <i>hybrids mixed</i>	8 0
Purple spotted.		per doz	6 0
94 elliptica lutea (FLORE, II, 168).	2 6	1151 regalis	0 10
Flower erect, canary yellow.		Lively vermilion red.	
1355 Leopoldi albo-carminea (L. V. H.)	1 8	1161 " Houttei	0 10
White, with a deep carmine ribbon over each division of the limb.		Brilliant dark red.	
1536 macrantha.	0 10	96 <i>Dicraea hybrids mixed</i>	0 6
Very large flower, very lively dark minium red.		per doz.	4 0

GLOXINIA (species).

Each : 6^d.

49 maculata.

Broad, bubbled, shiny leaves, short stem, striped with red; very large terminal flowers of fine bluish lilac.

647 maculata sceptrum (L. Van Houtte).

A magnificent hybrid with very large, erect, cordate and bubbled leaves, terminal clusters exceeding 20 inches in height very rigid and bearing large light lilac flowers of perfect shape.

GLOXINIA, HORTUL. — LIGERA.

FIRST SERIES.

Purchaser's selection, 12 varieties : 8 0 — 25 varieties : 14 6
 Our selection. 12 " 6 6 — 25 " 12 0

Those marked thus † are crassifolia.

2244 † Savanilla (L. V. H.).

Large flower of pure cream colour.

2267 Lima (").

Large flower brilliant vermilion, throat entrance shaded garnet red.

2280 Sophocle (")

Lively carmine zonated with magenta.

2282 Euripide (L. V. H.).

Mallow lilac zonated with pansy violet.

2283 Angélique (").

Large, exceedingly lively carmine streaked and spotted with garnet, with a small white band at the throat entrance, interior light claret red.

- 2290 Baireuth (*L. V. H.*).
Large, throat entrance tinted with bluish lilac, lilac carmine veins reaching to the bottom of throat, lobes white spotted violet, very remarkable for its colouring.
- 2293 Valdivia (»).
Large, erect flower, white ground violet, spotted blotched, interior reticulated with carmine violet.
- 2296 Paracelce (»).
Blackish pansy violet.
- 2298 Belfort (»).
White spotted with violet.
- 2302 Agricole (»).
Pale violet edged with white
- 2325 Angelo (»).
Pale violet.
- 2331 Boerhave (»).
Large flower, white, densely violet spotted.
- 2333 Otto de Guericke (»).
Very large, mallow violet on the lobes with a band of lighter flames and stripes up the throat entrance.
- 2334 Helvetius (»).
Large, pure white with a double band on the lobes, rose and lilac rose spotted with carmine.
- 2335 Astruc (»).
White tipped with violet.
- 2337 Hoffmann (»).
Large, white ground blotched and dotted with pansy violet.
- 2338 Babel (»).
Lively rose
- 2339 † Van Helmont (»).
White with a purplish garnet band.
- 2342 † Delalande (»).
Lively carmine bordered with rose.
- 2343 † Dumont-d'Urville (*L. V. H.*).
White with a carmine band.
- 2344 † Du Petit Thouars (»).
White with a violet band.
- 2345 Leeuwenhoeck (»).
Enormous flower, white, reticulated with carmine, lobes pale lilac densely spotted with carmine.
- 2347 † Celsius (»).
Lively vermilion bordered with rose.
- 2348 † Fahrenheit (»).
Creamy white, with a narrow lively rose band.
- 2349 † Réaumur (»).
Violet, edged with white.
- 2350 † Hamilton (»).
Dark violet, edged with white.
- 2352 Mariotte (»).
Large, soft amaranth on the lobes edged with white, carmine veined.
- 2354 Bacon (»).
White spotted with violet.
- 2355 Baker (»).
Claret red edged with pale blue.
- 2356 Denis Papin (»).
Purplish cherry red.
- 2357 Sydenham (»).
Large, pure white, densely violet spotted, veined maroon.
- 2360 Buffon (»).
Dark red on white ground.
- 2379 Curtius (»).
Mallow on white ground.
- 2382 Daubenton (»).
Pale indigo.

SECOND SERIES. — NOVELTIES.

Each variety, purchaser's selection. . . . 1/3.
The collection of 12 varieties 10/6.

- 2324 Louvois (*L. V. H.*).
Large, deep violet purple, changing to purplish blue with a white border spotted with violet.
- 2377 Lucrèce (»).
Large, lobes velvety crimson, white ground reticulated and spotted with lively rose.
2383. Lucullus (»).
Large, white, veined and spotted lilac, with a large mauve border.
- 2386 Luther (»).
Large, purplish violet changing into indigo veined and spotted violet.
- 2388 Lycopède (»).
Large, densely covered with a network of pink.
- 2390 † Mahmoud (»).
Large, lobes pansy blue, borders pale indigo.
- 2391 Lycurgue (*L. V. H.*).
Large, fine purplish violet with an indigo violet band, beautifully spotted.
- 2389 Napier (»).
Large, interior veined and reticulated with carmine, slightly dotted on the lobes.
- 2398 Nathan (»).
Very large, velvety purple amaranth, paler on the borders, interior spotted.
- 2400 Necker (»).
Large, flesh colour, flamed with rose on the lobes, interior white and pink.
- 2401 Nerva (»).
Large, pure white, finely spotted rose band, interior striped purple.
- 2402 Nestor (»).
Large, deep velvety purple.

THIRD SERIES. — NOVELTIES OF 94.

2 6 Each :

- 2415 Belle Étoile (*L. V. H.*).
Large rose, greenish-yellow veined, white edged.
- 2413 Carmen Silva (»).
Large dark crimson, pencilled edges with violet blue.
- 2412 Mad. Cl. Chauchard (*L. V. H.*).
Large mauve, veined towards margin with deep crimson.

GLOXINIA HYBRIDA, *in fine mixture.*

Large flowering strong tubers in the finest sorts of our rich collection.

Per dozen : 3 6. — *Per 25* : 6 6. — *Per 50* : 12 0. — *Per 100* : 21 0.

GLOXINIA CRASSIFOLIA, *with pure white flowers.*

Per dozen : 5 0. — *Per 25* : 9 0. — *Per 50* : 15 0. — *Per 100* : 28 0.

GLOXINIA CRASSIFOLIA, *in fine mixture.*

Per dozen : 3 6. — *Per 25* : 6 6. — *Per 50* : 12 0. — *Per 100* : 21 0.

KOLLIKERIA.

3 *rhizomes* : 0 9.

837 *argyrostigma* (FLORE, II, April, pl. VII).

Pretty white marbled foliage, flowers white set off with purple.

NÆGELIA.

1 variety, purchaser's selection	1 0
12 varieties " "	9 0
12 " our selection	7 6
Superb mixture per 12.	6 0

2406 *Abomey* (L. V. H.).

rose on white ground.

71 *Amabilis* (FLORE, XII, 21).

A large and magnificent variety, snow white interior, large lemon yellow blotched.

1815 *Brioché* (»).

Tender rose, spotted yellow.

637 *Cliftoni* (»).

Very large corolla, yellow and vermillion, spotted crimson.

1790 *Colombine* (»).

Lemon yellow.

1995 *Comtesse de Flandre* (»).

Lively vermillion, interior spotted with vermillion.

2404 *Général Dodds* (»).

Large, rosy white, slightly spotted pale rose, interior golden yellow brown striped.

1423 *Itambé* (»).

Yellow spotted on vermillion ground.

1818 *Jeannot* (»).

Yellow, tinted with rose.

1813 *Jocrisse* (L. V. H.).

Large, lively yellow shaded rose.

2405 *Kana* (»).

Amaranth, striped and spotted with light carmine on yellowish ground.

1943 *Le crépuscule* (»).

Golden yellow, spotted crimson maroon.

76 *Leichtlini* (»).

Pure yellow, shaded deep red,

1817 *Pollux* (»).

Dark rose interior yellow spotted with carmine.

2148 *Prince de Bulgarie* (»).

Orange carmine, interior fine saffron yellow, spotted with rose.

877 *Reine Marie-Henriette* (»).

Creamy white, spotted orange.

79 *Sapho* (»).

White, slightly tinted with rose, interior yellow.

1820 *Sirius* (»).

Carmine, exterior yellow spotted with carmine.

NÆGELO-ACHIMENES

2224 *Madame Jehenue* (*Joignot*) 3 0 *per dozen*
Magenta red with white centre.

PLECTOPOMA

43 gloxiniaeflora (FLORE, IV, 318) 2 0 per dozen

Large white flowers, centre yellow, spotted purple.

RECHSTEINERIA

88 allagophylla 1 0

Brilliant red.

ROSANOWIA (*Biglandularia*).

1/0 Each.

2111 citrono-violacea (*L. V. H.*).
Handsome lemon yellow and violet.

995 conspicua (»).
Sulphur yellow, centre striped and spotted blue.

1173 Hansteini (»).
White, violet blotch.

2294 Magnifique (»).
Very large yellow, maroon striped.

2361 M. Crispi.
Rose and yellow

2362 M. De Caprivi.
Yellowish white, clared red striped interior.

2363 M. de Freycinet.
Violet and rose.

2185 M. P. Thibaut-Dehemptinne (*L. V. H.*).
Blush white centre yellow, carmine striped.

2295 Perfection (»).
Very large yellowish white flowers, interior striped brown.

1184 Regeli (»).
White, violet blotch.

1031 rosea-lutea (»).
Yellow and rose.

SCHEERIA

Each variety, 12 *Rhizomes* : 1 0.

42 mexicana caeruleascens (FL., IX, 89).
Fine, violet and sky blue.

13.7 Président Mallet.
Fine purplish violet.

TYDÆA

1 variety, purchasers's selection 1 3

12 " " " " 10 6

12 " our selection. 7 6

Varieties in fine mixture. per 12 5 0

2196 Al. L. Manassis (*L. V. H.*).
Carmine tube, limb magenta striped and spotted with dark red.

2308 Andromède (»).
Very large flower, tube fiery red, limb cherry red striped and dotted with brown red.

2307 Cassiopee (»).
Very large flower, upper tube light carmine, rosy white underneath, limb white spotted with garnet red upper lobes washed with purple.

2079 Ch. de Gerlache (»).
Light carmine spotted with deep carmine, on the limb yellowish throat spotted carmine.

2219 Consul Alfred Hansen (»).
Amaranth tube, limb white slightly lilac on the entirely covered with purple dots.

2285 Fdo Delgado Moralès (»).
Orange vermillion tube, limb yellowish striped and dotted with lilac amaranth.

2284 Hérodote (*L. V. H.*).
Tube and limb poppy red, striped and dotted with dull red on the limb which is slightly fimbriated.

2222 Jules Havaux (»).
Light carmine tube, limb yellow covered with red blotches washed with same colour on the lower lobes.

2408 Mansard (»).
Tube amaranth, limb creamy white, entirely dotted with dark vermillion.

2409 Marceau (»).
Tube amaranth, limb dark garnet, with blackish stripes.

2410 Marius (»).
Tube vermillion, limb dark velvety garnet stripes.

2304 M. Adolphe Crick (»).
Tube light amaranth, yellowish underneath, limb pale yellow dotted with brown red, the upper division shaded with currant red.

2286 M. Camille Thienpont (*L. V. H.*).

Orange rose tube limb creamy white shaded with rose on the upper lobes and entirely dotted with light vermillion.

1024 Robert-le-Diable (") (*FLORE. XVIII, 131*).

A first class variety, the largest of all the Tydaes, of dark carmine vermillion, covered with large jet black reticulations.

2311 Scorpion (").

Large flower, vermillion, tube washed with light amaranth and spotted with brownish red throat entrance canary yellow.

2365 Thucydide (*L. V. H.*).

Fiery vermillion with brown spots on the limb.

2419 Niger (").

Large, upper part of tube carmine, limb striped and dotted chestnut brown on white ground washed with pink.

2421 Noé (").

Large, tube carmine, limb striped and dotted purple on light magenta red.

2422 Norbert (").

Very large, upper part of tube poppy red yellow underneath, limb striped and dotted with ochre red on creamy yellow ground, a lively colouring.

AMARYLLIS (FLORE, XVI, 7 to 13.

The culture of the Amaryllis has been for a number of years, and still continues to be one of the leading features of this Establishment; from year to year, no efforts have been spared to bring to greater perfection this beautiful tribe of plants.

We are now offering strong bulbs of our newest varieties, which, for general beauty, are not to be surpassed, if equalled. — Awarded Gold Medals and First Prizes at the International Exhibitions Antwerp, Ghent, Brussels, Liège, Lille, etc. The Assortments here offered are in choice varieties.

Fine mixed flowering bulbs having not yet flowered.

The six : 10 6 — *The twelve* : 18 0 — *The twenty-five* : 32 0

Finest named hybrids, our selection :

3 6, 5 0, 7 6 to 42 0 each — Per dozen : 36 0, 48 0, 63 0

GLORIOSA

Superba, *strong* 2 6 to 5 0
1866 Plantii (*FLORE, IX, 21*) 1 0

A climbing hot-house Lilacea, large and charming flowers of strange structure with recurved division of a fine orange yellow colour, producing a striking and singular effect.

TUBEROUS ROOTED BEGONIAS

Gold Medals awarded at Antwerp, Brussels, Bruges, Ghent, Liège, Lille, Tournai, etc.

We were the first, who undertook the improvement of the BEGONIA, and by careful selection, judgement in hybridisation, and great perseverance we have brought this flower, as well as their habit to the present perfection. Thousands of people, from all parts of the world, come in the season to our establishment and our Begonias prove to be the general admiration.

SINGLE FLOWERING VARIETIES. — *Named*

The following are remarkable for the large size and erectness of their flowers as also for the brilliancy of their colours.

1 variety, purchaser's selection. 1 8
The 12 varieties 15 0

- 1 Souvenir du Président Carnot, *vermillion*.
- 2 P. J. Martin, *rose*.
- 3 Baron Dhanis, *fiery red*.
- 4 Comte Caprivi, *carmine*.
- 5 Casimir Périer, *crimson*.
- 6 W. E. Gladstone, *orange scarlet*.
- 7 Princesse Alice de Hesse, *white*.

- 8 Rubenstein, *yellow*.
- 9 Grand-Duc de Luxembourg, *flesh colour*.
- 10 Czar Nicolas II, *orange scarlet*.
- 11 E. Morali, *salmon orange*.
- 12 Souvenir de l'exposition d'Anvers, *tender rose*.

SINGLE FLOWERED BEGONIAS

splendid mixture, in separate colours : white, yellow, pink, red, salmon and orange.

Extra fine show varieties	6	0	per doz —	40	0	per 100
Show varieties for Greenhouse culture	4	0	» » —	31	6	» »
Splendid mixture	3	0	» » —	21	0	» »
Bedding varieties in above colours	15	6	per 100 —	130	0	» 1000

DOUBLE-FLOWERING BEGONIAS.

12 named varieties, our choice 10 6, 15 0 and 21 0.

	Each—s. d.		Each—s. d.
1233 Abert Puissant (<i>L. V. H.</i>)	1 0	1378 Mad. Léon Crépex (<i>L. V. H.</i>)	1 9
Very large rosette shaped flower, lively fiery red.		Large imbricated flower, tender flesh rosy white.	
1408 Amie Sallier (»)	1 6	1399 Mad. Grillard	1 9
Large shape of a big Camellia, pure white.		Large, Camellia shaped, veined with white and rose.	
1245 Baron von Hacke (»)	1 6	1374 M. Pietro Marano (»)	1 9
Medium sized flower, well erect, slightly imbricated, canary yellow		Greenish white, last petals accompanying the inflorescence are nicely striped with white.	
1396 Benjamin Saenz Valiente (»)	2 6	1421 Mad. Ernest Tourtel	2 6
Large, globulous, brilliant rose.		Very large imbricated, milky white with creamy centre.	
1127 Comte de Beaufranchet	1 0	1280 Mad. Marie Knecht (»)	2 6
Fine flower, cherry red.		Large, pæony shaped, lively flesh colour.	
1401 Docteur Gaillard	1 9	1287 M. Adrien Fabre (»)	2 6
Of vigorous growth, deep red, extra large flower, good shape and free bloomer.		Large, Mallow flower shaped lively fiery red.	
1397 Docteur Edoardo da Costa (»)	2 6	1398 Mad. Camille Massing (»)	2 6
Large, globulous, tender pink.		Very large, pompon shaped, brilliant flesh colour.	
1236 Domingo Vega (»)	1 9	1441 Major Hope	4 0
Lively orange vermillion.		Large imbricated, light rose slightly bordered with lively rose.	
1057 Ernest Matthes (»)	1 0	1532 M. B. R. Davis	3 0
Large flower, pompon shaped, salmon rose.		Very large well imbricated, straw yellow bordered with flesh rose.	
1199 Félix Crousse	1 9	1435 Mad. Hostein	4 0
Large, fine erect, orange vermillion.		Large imbricated, satiny flesh rose, centre white tinted yellow.	
1418 Félix Marcotte	5 0	1436 Mad. Viard	1 9
Very large, imbricated velvety scarlet red.		Medium, imbricated light rose or light salmon, centre yellow.	
1072 Francis Büchner	1 0	1437 M. Bichat	2 6
Very large flower, light cherry and brick red.		Fine flower splendid velvety scarlet.	
1277 Jean Smirnoff	1 6	1111 Marquise de Maisniel de Ville-	
Large flower, pure white, golden yellow centre.		mont (»)	2 6
1273 Joseph Rizzardi (»)	1 6	Large, pure white.	
Brilliant cherry carmine, petals fimbriated.		1429 M. G. E. Hill	4 6
1238 La Baronne P. Béthune (»)	1 0	Large convex imbricated, fine rose.	
Large imbricated flower, well made rosy carmine.		1438 M. Henri Lestre	4 0
1373 Léon Sagehomme (»)	1 9	Large flower, nankeen yellow bordered with rose.	
Very large, pale flesh rose, lively colouring.		1441 Notaire Dubled	2 6
1118 Louis Dierckx (»)	2 6	Large, lively cherry red tinted with velvety scarlet.	
Large flower, bright crimson, well erect.		1333 Président C ^{te} de Kerchove (»)	1 9
782 Mad. Comesse	1 0	Pale copper-red.	
Enormous convex flower, petals very large and very long, satiny salmon rose shaded with light rose.		1185 Raymondo Taminz (»)	1 9
1330 Mad. Arthur Peters (»)	1 6	Medium sized, Camellia shaped, erect flower sulphur colour.	
Medium sized, beautiful light orange.		1419 Rose Laing	1 9
1335 Mad. Delobel (»)	1 6	Fine imbricated, lively rose.	
Large, brilliant cherry red.		1400 Rose Pompon	1 9
1360 Mad. la C ^{tesse} de Baume	1 6	Dwarf, convex flower striped white and pink.	
Large white flower.		1404 Rosie box	1 9
1363 M. Eugène Ronnet (»)	1 9	Very robust, pink, good habit free flowering.	
Large Camellia shaped flower, white tinted with yellow			
1364 Madcm. de la Sablière	1 6		
White, large flower.			

III SERIES. — DOUBLE FLOWERED BEGONIAS.

Latest novelties 5 0—each.

- 1446 Comtesse Marie Potocka (*L. V. H.*).
Large flowered globular shaped lively flesh
colour.
- 1395 Comtesse Raymond de Buisseret (").
Large flowering, imbricated, pure white.

- 1443 Fernand del Marmol (*L. V. H.*).
Large flowering, imbricated clear sulphur
yellow.
- 1444 Marcolino Teixeira Marques (").
Enormous brilliant scarlet flower.

DOUBLE FLOWERING BEGONIAS,

splendid mixture, in separate colours : white, yellow, pink and red.

Fine exhibition varieties	18	0	doz —	125	0	per 100
Choice show varieties	12	0	" —	80	0	" "
Splendid mixture	6	0	" —	40	0	" "
Bedding varieties in above colours, very fine .	5	0	" —	35	0	" "

GREENHOUSE BEGONIAS (*Herbaceous*).

	Each—s. d.		Each—s. d.
189 hybrida multiflora	1 0	1079 semperflorens gigantea carminea.	1 0
321 globula nivis	1 6	1091 albo picta	1 0
341 Otto Forster	1 6	1166 B Wettsteini.	1 0
480 corallina	1 0	1196 Gloire de Sceaux	1 6
829 Bruanti	1 0	1295 Louise Closon	1 0
830 metallica	1 0	1296 Président de Bourreuilie	1 6
831 " fol. var. (<i>Madem. Kraus</i>)	2 6	1298 Mad. Hardy	1 6
933 Gogoensis	2 0	1346 Lubbersi	1 0
952 Olbia	1 6	1423 Pictavensis	1 9
1442 semperflorens atropurpurea (<i>Ver-</i> <i>non</i>)	0 9	1424 argenteo-guttata	1 9

AMARYLLIDS

Amaryllis	Each—s. d.	Crinum	Each—s. d.
Josephinæ, <i>see Brunswigia J.</i>		ornatum isigne	5 0
pardina (FL., XVII, 25-27)	5 0	Doryanthes Palmeri (FL., XX, 77)	
procera	10 6 to 17 6	Eucharis	
reticulata (FL., V, 450)	2 6	amazonica (FLORE, XII, 69).	1 6
robusta	3 6	<i>Strong plants.</i>	3 6 to 21 0
vittata <i>type, strong.</i>	1 6	Mastersii	2 6
<i>per dozen.</i>	15 0	Eurycles australasica	2 6
hippeastrum , <i>fine mixed, per</i> <i>dozen.</i>	18 0	Gastronema sanguinea	3 6
Strong flowering bulbs.		Griffithia hyacinthina	5 0
Brunswigia Josephine enormous Bulbs, of flowers interior brilliant crimson exterior orange, 50 to 60 on a spike of 3 to 4 feet in height	15 0	Lovely blue flowers.	
Coburgia hybrida	2 6	Hæmanthus	
Crinum		coccineus	2 0
asiaticum	7 6	intermedius	2 0
crassifolium	5 0	Kalbreyeri	5 0 to 10 6
Kirkii	10 6	The finest of all varieties.	
Mackoyanum (<i>Mooreanum</i>)	5 0 to 10 6	pubescens	3 6
One of the handsome est of the Crinums. Flowers extremely large well open, and of a soft beautiful blush tint, changing almost to white.		punicus	3 6
Natalense, <i>new and rare</i> 5 0 to 21 0		quadrivalvis	2 0
Very fine rosy carmine.		triginus	2 6
		virescens albiflos	1 6
		Imantophyllum	
		miniaturum (FLORE, IX, 237)	
		" maximum (<i>L. V. H.</i>)	1 6 to 5 0
			2 6 to 5 0

	Each—s. d.		Each—s. d.
Imantophyllum		Imantophyllum	
<i>miniatum</i> maxium Van Houttei	3 6 to 10 6	<i>miniatum</i> Mad. Van Langenhove	5 0 to 10 6
» Baron de Rothschild	5 0 to 15 0	» H. Todt	5 0
» C. H. Donner	5 0 » 21 »	<i>robustum</i>	5 0 to 10 6
» Louise Cremer	5 0 » 10 6	<i>Finest seedlings without names,</i>	
» Mad. Freeman	5 0 » 10 6	<i>strong to flower</i>	1 9
» Mad. Alex. Hardy	5 0 to 10 6	<i>per dozen</i>	18 0
» Mad. L. Van Houtte	10 6 to 21 6	Hymenocallis	
» Mad. Peeters	5 0 » 10 6	<i>adnata princeps</i> (Fl., XXII, 15)	2 6
» Madem. Clara Reimers	5 0 to 21 0	<i>mexicana</i>	2 0
» Dora Slavenow	5 0 to 21 0	Pancratium	
» Léonie Van Houtte	5 0 to 21 0	<i>rotatum</i>	3 6
» Marie Van Houtte	7 6 to 31 6	<i>illyricum</i>	2 0
		<i>maritimum</i>	1 6
		<i>fragrans</i>	2 6
		<i>speciosum</i>	3 6
		Vallota	
		<i>purpurea</i> (<i>Amaryllis</i>)	1 0
		» <i>eximia</i>	2 6
		» <i>major</i>	2 6

AZALEAS, CAMELLIAS, RHODODENDRONS, ETC.

see Special Catalogue, N° 258-259.

CANNA

including CROZY'S DWARF NOVELTIES

The great improvements made of recent years renders this plant one of the most valuable and effective for greenhouse and subtropical bedding. Their flowers vary from the most intense crimson to shades of salmon rose down to the clearest yellow. They equally bloom in great profusion throughout the winter under glass.

R. L. denotes Red leaved varieties.

G. L. » Green » »

NEW VARIETIES. DWARF LARGE-FLOWERING.

Our selection, *per dozen* 18 0 — Purchasers selection, *per dozen* 24 0.

	Each—s. d.		Each—s. d.
Alphonse Bouvier <i>G. L.</i>	2 0	Germania <i>G. L.</i> (1 class-cert. <i>R.H.S.</i>)	3 6
Large flowering, rich vermilion purple.		Very dwarf, handsome bouquet of brilliant vermilion flowers, slightly spotted crimson.	
Comte Horace de Choiseul <i>G. L.</i>	2 6	H. A. Dreer <i>R. L.</i>	1 6
Vigorous, large deep cerise purplish.		Large, deep purple, spotted maroon.	
Doyen J. Sisley <i>R. L.</i>	2 6	Isaac Casati, <i>deep, R. L.</i>	1 6
Splendid variety, large flowering clear magenta.		Dwarf, soft magenta red.	
Félix Crousse <i>G. L.</i>	1 0	J. D. Cabos <i>G. L.</i>	1 9
Very large flowering, handsome venetian red.		Vigorous, large flowering apricot yellow.	
Gartendirector Siebert <i>G. L.</i>	2 6	Kaiser Wilhelm	1 0
Large, brilliant vermilion red.		Very dwarf and vigorous grower, splendid large flower of brilliant scarlet colour.	
Général Baron Berge <i>G. L.</i>	1 6	Mad. Crozy <i>G. L.</i>	1 6
Vigorous grower with fine brilliant purple flowers.		Clear vermilion, profuse bloomer, first class var.	
Geoffroy St Hilaire <i>R. L.</i>	1 6		
Brilliant orange red.			

	Each—s. d.		Each—s. d.
Königin Charlotte <i>G. L.</i>	5 0	Otto Mann <i>G. L.</i>	2 0
Very dwarf, enormous flower spikes, bearing a large bouquet of immense flowers, of a velvety grenade red, bordered with bright canary yellow. Highest awards at all exhibitions.		Carnation red flaked blood red, very large flowering.	
M ^{lle} de Crillon <i>G. L.</i>	1 3	Président Carnot <i>R. L.</i>	2 0
Dwarf fine elongated yellow flower, shaded carmine.		Rich carmine, changing to deep purple.	
Maurice Rivoire <i>R. L.</i>	1 3	Sénateur Millaud <i>R. L.</i>	1 0
Vigorous-grower free-flowering, large amaranth.		Bright orange.	
M. I. Goos <i>R. L.</i>	2 0	Stadtgärtner Sennholz <i>G. L.</i>	2 0
Brilliant velvety purple and blood red handsome.		Very large flowering, Brilliant scarlet.	
Miss Sarah Hill <i>G. L.</i>	1 6	The Garden <i>G. L.</i>	2 0
Large-flowering amaranth carmine.		Vigorous, large deep saffron yellow.	
		Th. S. Ware <i>G. L.</i>	2 6
		Vigorous, large-flowering vermillion.	

OLD VARIETIES.

0 6 each, 5 0 *per dozen* in variety our selection.

Admiranda <i>G. L.</i> purple veined.	Guillaume Coustu <i>G. L.</i>
Amiral Courbet <i>G. L.</i>	Flowers golden yellow, slightly shaded orange.
Flowers citron yellow.	Légionnaire <i>G. L.</i>
Annei <i>G. L.</i>	Large flowering, brilliant red.
Bihoreli purpurea <i>R. L.</i>	L. Cordieux.
Flowers brilliant red.	Nigricans, <i>dark R. L.</i>
Caledoniensis <i>G. L.</i>	Peruviana <i>G. L.</i>
Ch. Reboul, <i>R. L.</i>	Pierre Avoux <i>G. L.</i>
Large flowering, amaranth.	Flowers bright yellow.
Coquet <i>G. L.</i> , purple veined.	Prémices de Nice <i>G. L.</i>
Discolor <i>R. L.</i>	Président Faivre, <i>dark R. L.</i>
Eclat <i>G. L.</i>	Souvenir de Barillet Deschamps, <i>dark R. L.</i>
Flowers large purplish crimson.	Tigré <i>G. L.</i>
Edouard André <i>R. L.</i>	Flowers spotted orange and yellow.
Flowers amaranth.	Victor Hugo <i>G. L.</i>
Francisque Morel <i>G. L.</i>	Large flowering scarlet.
Large flowering crimson carmine.	Zebrina nana <i>R. L.</i>

CARNATIONS

Show and Fancy, Cloves and Tree Carnations.

We possess a very extensive collection of the above, including all the newest and most recommendable varieties, most of which have at the various shows received "Awards of merit" or *Floral certificats* from the *Carnation-society*.

Collections are made up to suit amateurs at the following prices.

SHOW VARIETIES, *Named.*

Per dozen in 12 distinct varieties our selection 6 0

FANCY-VARIETIES, *Named.*

Per dozen in 12 distinct varieties our selection 6 0

MIXED VARIETIES,

of Show, Fancy, Picotees, Malmaisons etc.

4 0 *per dozen* — 30 0 *per 100*

FOUR VERY FINE MALMAISONS.

Souvenir de la Malmaison	0 6 each — 5 0 per dozen
Mad. la Ctesse Oswald de Kerchove	1 3 " — 12 0 " "
Mad. Pynaert	1 0 " — 10 6 " "
Mad. Warroqué	1 3 " — 12 0 " "

CHRYSANTHEMUMS

For prices and descriptions of the above, see our Special Catalogue, No 260 K. page 9.

Novelties can be supplied the beginning of May.

NOVELTIES

Each—s. d.	Each—s. d.
Deuil de Jules Ferry, Inc. Jap. 2 6	M. Ch. Molie. Jap. 2 6
Shape similar to Louis Böhmer, Immense flower deep violet, reflex paler.	Enormous red flowers, banded yellow.
Doctor Allard, Inc. Jap. 2 6	M. George Michel. Rec. 3 6
Similar shaped to Louis Böhmer. Very large crimson red shaded maroon.	Very large flowering, beautiful Yellow red-dish reflexed. Globe shape.
La Folie, Jap. 2 6	M. Gruyer. Jap. 2 6
Immense flowers. Clear yellow striped red, dwarf.	Extra double pale rose centre yellow. Exquisite.
Les Ecrins, Inc. Jap. Extra 3 6	M. G. Montigny. Jap. 2 6
Enormous flowers, orange yellow, lacinated, very vigorous.	Immense white flowers, striped lilac, very free flowering.
Le Colosse Grenoblois, Jap. 2 6	M. Ph. Dewolfs. Jap. 3 6
Immense flowers blush heavily striped lilac, one of the largest Chrys. ever obtained.	Very large yellow, striped red. Vigorous good habit.
Mad G. Eymard-Duvernay, Jap. Extra. 2 6	Noces d'Or. Jap. Extra 3 6
Very dwarf strong grower, very large flowers rosy shaded.	Beautiful clear yellow, lacinated. Extra double.
Mlle Léa Lévêque Jap. Extra. 2 6	Philadelphia Inc 10 6
Enormous flowers of pale mauve.	Magnificent variety. Creamy with, sulphur yellow tipped, received more Awards than any other.
Mlle M. A. de Galbert. Jap. Extra . . . 3 6	
Pure white, globe shaped.	

COLEUS

Collections made of the finest varieties, including the newest Hybrids.

5 0 — 7 6 — 10 6 per dozen.

DAHLIAS

Pompons, Show and Fancy, Cactus and Single varieties

including all the *newest* and *latest* novelties.

SHOW AND FANCY VARIETIES

NOVELTIES 1895.

Each - s. d.	Each—s. d.
Henry Depresle 7 6	Portia 7 6
Orange scarlet, well shaped flower, and very free flowering very constant.	Lilac, striped purple, splendid shape, one of the best Exhibition vars.
Goldsmith 7 6	
Yellow striped and edged with bright glowing crimson, splendid var.	

SHOW AND FANCY VARIETIES.

Plants to be had beginning of May. Pot-roots from now to the end of March.

0 6 each — 5 0 per dozen

- | | |
|---|---|
| 51 John Benett.
Rich yellow, bordered scarlet. | 265 Cendrillon.
Rose, golded tipped. |
| 86 M. Arthur de Warelles.
Rose, striped dark maroon. | 281 Walter Weiss.
Rich crimson, shaded purple and violet. |
| 128 Miss Browning.
Clear yellow, bordered white. | 286 M. Seaman.
Primrose, purple tipped. |
| 146 Rev. Dr Moffat.
Yellow, bordered deep purplish maroon. | 296 Goldfinder.
Yellow, red tipped. |
| 155 Mrs. Stancombe.
Light canary yellow, crimson tipped. | 301 Mrs Langtry.
Cream, purple tipped. |
| 160 John Lamont.
Brown, maroon striped. | 303 Marie Rougier.
White, exterior carmine. |
| 167 Souvenir de M. Alfred Moreau.
Perfect enormous flower, rosy carmine. | 307 Illuminator.
Deep red shaded orange. |
| 168 Madem. Anna.
Large, well shaped flower, bordered and flaked purple. | 309 M. Beaucarne.
Yellow, red striped. |
| 176 Malvina.
Agate rose, white tipped. | 311 Seacock.
Deep purple, white tipped. |
| 179 Royal Queen.
Large creamy white, clearly bordered with crimson purple. | 315 Gloire de Lyon.
Large pure white. |
| 184 Florent Pauwels.
Golden yellow, rosy centre. | 316 Mad. Ach. Hennappe.
Fleshcolour, violet tipped. |
| 185 Triomphe de Lorraine.
Yellow, shaded and striped carmine. | 321 M. Harris.
Crimson scarlet. |
| 192 M. Ryckewaert.
Deep red, striped, with yellow centre. | 323 Oscar.
Velvety maroon. |
| 199 Souhait de la Grandeur.
Brick red. | 327 Mad. Ant. Wouters.
Deep scarlet. |
| 202 M. Desaeagher.
Deep fiery red. | 328 Harry.
Large rosy purple. |
| 207 Perry noir.
Deep velvety crimson, white lined. | 335 Herbingier.
Clear yellow. |
| 212 Polly Sandel.
Pale yellow, rose tipped. | 339 Magdaleiria.
Yellow, red and maroon striped. |
| 226 Victor DufLOT.
Velvety purple. | 340 M. Joiris.
Large golden yellow. |
| 228 Président Delrue-Schrevens.
Rosy purple, violet shaded. | 343 Marquise de Hauteville.
Large pure white. |
| 230 Madem. Van den Driessche.
Deep rose, maroon banded. | 344 Prince Henry.
Lilac, striped and shaded purple. |
| 245 Goldfink.
Orange yellow, red striped. | 346 John Standish.
Large crimson on yellow ground. |
| 246 Andrew Harteness.
Orange, shaded crimson. | 347 Révérend J. B. Camm.
Large peach colour, striped yellow. |
| 252 Blushberry.
Scarlet. | 329 Le roi des jardins.
Enormous flower, olive colour, shaded violet, gold tipped. |
| 256 Vice-Président Lebacqus.
Yellow, bordered violet. | 331 L'étoile.
Red, white tipped. |
| 263 Petit Bijou.
Rose, tipped with gold. | 332 Mad. Edmond Lainé.
Yellow, shaded brown. |
| 264 Mad. Henriette.
White striped rose. | 333 La rose de Mai.
Rosy violet and white, fine flower. |
| | 334 Madem. Léonie Van Houte.
Clear lilac. |

POMPON-DAHLIAS

NOVELTIES 1895

	Each—s. d.		Each—s. d.
Model	5 0	Zoar	5 0
Pretty fawn colored, shaded soft pink, very distinct.		One of the dwarfest Dahlia. Extant; free flowering, yellow, edged salmon and pink; lovely variety.	
Sunny Daybreak	5 0		
Pale apricot; regularly edged beautiful rose. Most perfectly arranged bloom, very free flowering.			

POMPON-DAHLIAS

0 6 each — 5 0 per doz.

1 Alba nana. Pure white.	30 Yolande. Orange red.
2 Colibri. Scarlet, green eye.	31 Décoration. White, suffused and edged rose.
3 Solfataire. Clear yellow.	32 Little Arthur. Crimson amaranth.
6 Roi des nains. Gooseberry red.	33 Panorama. Apricot crimson tipped.
9 Joseph Walter. White, violet tipped.	34 Darkness. Deep purple.
10 Souvenir de Mad. Isoré. Cream and purple.	35 Unermüdliche. Lively rose, purple tipped.
11 Julius Hammer. Golden yellow scarlet tipped.	37 Fairy Prince. Yellow.
12 Nicolaus Lenau. Rose, tipped deeper rose.	39 Junon Pure white.
13 Deutscher Zinnoberprinz. Venetian red.	40 Vénus. Crimson, shaded and tipped purple.
14 Prachtröschen. Venetian red, tipped white.	42 Bräutenschmuck. Pure white.
19 Alma Sonntag. Pure white.	44 Prinzessin Liebreiz. Blush, purple striped.
22 Lilliputprinz. Deep garnet red.	45 Juliette. Yellow, scarlet tipped.
23 Fairy Tales. Clear yellow.	46 Amalia Härtalt. Golden yellow, tipped violet red.
24 Linda. Orange yellow, fiery red edged.	269 Oberlin. Blood red.
26 Scadow. Deep rose.	271 Arthur. Lilac, striped maroon
29 Georg Egestorf. Yellow, purple edged	

CACTUS-DAHLIAS

NOVELTIES 1895

	Each—s. d.		Each—s. d.
Brilliant	7 6	Salisbury	7 6
Fiery crimson, back of petals showing a purple tint. Bold flower, much admired.		Pure snow white, and most useful for decorative purposes, flowers being borne in profusion on long stalks.	
Mrs. Bennet	7 6	Harmony	7 6
Soft crimson, veins a deeper tint, petals broad and well curved.		Reddish bronze, more yellow in the centre, flowers of a splendid cactus shape of fair size.	

NOVELTIES 1894

Lady Penzance 7 6
This is unquestionably the finest Cactus-Dahlia
ever raised, perfect shape, sulphur yellow.

Gloriosa 7 6
Finest crimson Cactus-Dahlia ever placed before
the public, very long and narrow petals, beauti-
fully twisted.

Other varieties which can be well recommended :

2 0 each.

Appollon.
Countess of Radmore.
Kaiserin.

Miss V. Morgan.
Wiltshire Lass
Mrs. Basham.

CACTUS-DAHLIAS

0 6 each. — 5 0 per dozen.

452 Mrs Stait.
Pure white Chrysanthemum shaped.
455 Géant.
Brilliant red.
456 Gold.
Orange.
457 M. Hawkins.
Primrose yellow, edged rose.
458 Honnoria.
Large yellow.
462 Kentish sun.
Brilliant scarlet, tinted orange.
463 Lady E. Dike.
Enormous flower, golden yellow.
464 Marchioness of Bull.
Blush.
465 Professor Baldwin.
Large orange.
467 Général Gordon.
Large imbricated, carmine striped lively rose.
468 Mrs. Douglas.
Dwarf, salmon red.

469 M. G. Reid.
Large pure white, edged rose.
473 M. Buvrel
Orange, red veined.
474 Annie Harvey.
Large crimson maroon.
475 Prince Albert Victor.
Crimson red, shaded orange.
477 Sir Trevor Lawrence.
Cherry red, shaded purple.
478 Lady Hume Campbell.
Large purple imbricated.
479 Lady M. Marsham.
Salmon, Juarez-shaped.
482 Lady Kerrison.
Carnation shaped, amber yellow.
483 Grand-Duc Alexis de Russie.
Satiny white, very fine.
484 Impératrice des Indes.
Dark velvety purple.
485 Cochenille.
Lively red.

SINGLE-FLOWERING DAHLIAS

0 6 each — 5 0 per dozen.

504 Painted Lady.
Rosy purple.
505 Yellow Gem.
Clear yellow.
507 Paragon.
Velvety maroon, crimson banded.
509 Beauty of Cambridge.
Deep scarlet.
510 White Queen.
Blush white.
512 Ascalon.
Bright purple.
514 Mauve Queen.
Tender mauve.
515 Rob Roy.
Bright velvety crimson.
517 Darkness.
Deep velvety crimson.

522 Charles Castelyn.
Violet.
524 Madem. Leonie Van Houtte.
Deep garnet red.
525 Madem. Clara de Meulenaere.
Rosy lilac.
530 Camille Thienpont.
Crimson violet.
534 John Cowan.
Velvety maroon, purple banded.
600 Emile Brandt (*L. Van Houtte*).
Orange yellow splashed, striped crimson.
604 M. Bernier d'Hongerswal (»).
Deep crimson pencilled on white ground.
605 M. Bauchart (»).
Carmin banded on rosy ground.

606 Mad. L. Batley (*L. V. H.*).

White and crimson striped on yellow ground.

609 Breydel (").

Pencilled and striped purple on mauve ground.

611 Froissard (*L. V. H.*).

Crimson banded on orange ground.

DAHLIA-SPECIES AND OTHERS.

Each—s. d.
 4 Imperialis 1 0
 Noble variety for the greenhouse.
 5 Emerald (*FLORE, XIX, 111*) 1 0
 Quaint green-flowering.

Each—s. d.
 7 Empereur François Joseph 1 0
 Brick red with variegated foliage.
 8 Germania nova 1 0
 Large sun-flower shaped.

FUCHSIAS

NOVELTIES

1 6 each.

Those marked with an * are double-flowering.

*Adrien Marie.

Sepals bright red, corolla blush white, one of the largest and most double vars.

Arlequin.

Violet corolla, carmine red sepals.

Duke of Connaught.

Violet, scarlet sep., good form.

Duke of Edinburgh.

Globular shaped purple cor., blood red sep.

Duke of Fife.

Clear violet cor. rosy carmine striped, sep. bright red.

Duke of York.

Perfect cor. violet blue shaded rose, sep rosy carmine.

*Emile Richebourg.

Enormous, metallic blue cor. large short brilliant red petals.

*George Feydeau.

Very large violet blue cor. very broad claret red sepals.

*Lieutenant Maritz.

Enormous large flesh color. cor., broad scarlet reflexed sep., very double.

*Marcel Monnier.

Immense salmon colored cor., with broad coral sepals, robust grower and very free flowering.

*Marcel Prevost.

Large double flesh color. cor., bright red reflexed sep., very free flowering.

Marquis of Lorne.

Bright red cor., deep violet sep.

Princess May.

Medium size, orange scarlet cor., flesh rose sep.

GENERAL COLLECTION

Purchasers selection 0 9 each 7 6 per dozen
 Our " 0 6 " 5 0 " "

2 Lucrezia Borgia.
 3 Lady Heylesbury.
 5 Aurora superba.
 6 Erecta.
 9 Duchesse de Gérolstein.
 13 *Troubadour.
 19 Sunray.
 26 Baroness.
 45 *Géant des batailles.
 48 M. Dufaure.
 51 Royal Osborne.
 57 *Périclès.
 65 *Joseph Rosain.
 81 *Phénoménal (*Boucharlat*).
 82 *Rubens.
 83 Tulip.
 87 *Coriolan.
 90 *Amiral Courbet.
 94 Flocon de neige.
 100 Mad. Thibaut.

109 *La France.
 116 *Ville de Lyon.
 118 *M. Cl. Cloquet.
 119 M. Fr. Pittet.
 120 Reine Hovat.
 124 Général Gordon.
 126 *A. de Neuville.
 128 *Edmond About.
 129 Lord Lyons.
 130 *M. Beraud Massard.
 131 *Comte Léon Tolstoï.
 132 Eldorado.
 133 Ernest Renan.
 134 M. Bischoffsheim.
 137 *Mrs E. G. Hill.
 139 Aimé Millet.
 140 *Alphonse Karr.
 141 *Amiral Aube.
 142 *Céline Montaland.
 143 *Cœlestina.

- 144 *Eugène Delaplanche.
 145 *J. Aldrufeu.
 146 *Jeanne Samary.
 147 *Jules Chrétien

- 148 L'opulent.
 150 *O. Botterie.
 200 Riccartoni (*coccinea*).

FUCHSIA TRIPHYLLA (SPECIES)

0 6 each. — 5 0 per doz.

HÉLIOTROPES

In variety 0 6 — 5 0 per doz.

L A N T A N A

NEW VARIETIES.

1 0 Each.

Bengali.
 Distinction.
 Eldorado.

Incendie.
 Matador.
 Naïade.

GENERAL COLLECTION

0 6 each. — 5 0 per doz.

- 1 Alba violacea. *Violet*.
 3 Cauvin. *Rose and yellow*.
 8 Goeschke. *Orange*.
 10 Mad. Rougier. *Rose and yellow*.
 14 Toison d'or. *Golden yellow*.

- 22 Bijou. *Brilliant red*.
 25 Marquis de la Place. *Rose and white*.
 27 Innocence. *Pure white*.
 32 Joyau. *Orange yellow*.

GERANIUM ZONALS

(SINGLE)

Our collections of ZONAL GERANIUMS *singles* as well as *doubles* are the finest ever brought together. Awarded *Gold Medals* and *First prices* at the *Principal International shows*.

0 6 each. — 5 0 per dozen (Purchaser selection).

- 400 Tom Pouce.
 Very dwarf, brilliant red.
 412 Madem. Nilsson.
 Rose, lilac white centre.
 453 Duchesse de Courcy.
 Lilac, white blotched.
 466 Duchesse de Maillé.
 Flesh and lilac, suffused white.
 494 M. Lainé.
 Lively carmine.
 526 Progrès libéral.
 Violet rose.
 544 Lucy Bosworth.
 Clear rose.

- 587 Mad. Boselli.
 Salmon rose, tinted white.
 604 Paul-Louis Courier.
 Vermillion.
 608 R. F. Atkinson.
 Deep crimson, white eye.
 648 Léo Delibes.
 Salmon, tinted white.
 668 Gaston Tissandier.
 Rose, very free-flowering.
 675 Virginal.
 Flesh tinted, on white ground.
 679 M. Cornil.
 Crimson violet, dark eye.

- 682 Joseph Smith.
Violet.
- 694 François Debergue.
Pure white, salmon eye.
- 697 Le Colosse.
Clear salmon, rosy veined, rose eye.
- 702 M. Fr. Desarbres.
Deep salmon, fiery orange eye.
- 715 Mad. de la Roque.
Lively salmon, brilliant orange eye.
- 727 Poète national.
Deep flesh colour, white eye.
- 728 Protée.
Lilac rose, changing to tender rose.
- 732 Toussaint Louverture.
Deep red, upper petals carmine blotched.
- 734 Mad. la baronne Huytens de Terbecq.
Salmon rose.
- 735 Mer rouge.
Crimson.
- 737 Baron de Puynode.
Orange vermillion, white eye.
- 739 M. Johnston.
Magenta.
- 747 Alfred Mame.
Brilliant orange scarlet, violet blotched.
- 748 M. Bérat.
Deep salmon, white eye.
- 752 Admiration.
Salmon rose.
- 754 M. Poirier.
Crimson violet.
- 761 Buffalo.
Carmine violet shaded, purple and rose veined
- 762 Mad. Eugène Bayard.
Salmon shaded lilac, large cherry-colored blotches on upper divisions.
- 763 Mad. Videau.
Purplish violet, upper divisions pale lilac blotched.
- 764 Marquise du Maisniel.
Rosy flesh orange shaded.
- 767 M. Laporte.
Fiery crimson violet eye.
- 769 M. Ad. Laurent.
Violet, shaded crimson.
- 770 M. Octave Deluc.
Orange shaded cerise.
- 774 Mad. la Baronne de Fins.
Lively rose, large white blotches on upper divisions.
- 775 Mad. la Comtesse de Pot.
Salmon, white bordered.
- 777 La Lorraine.
Silvery rose.
- 778 Madem. Jeanne.
Lilac with large white blotches.
- 781 Univers.
Deep scarlet.
- 783 La Vestale.
Pure white.
- 790 M. Fau.
Salmon.
- 792 Coquetterie.
Magenta, tinted salmon.
- 895 Prophète.
Lively red, shaded violet, white eye.
- 797 Nuée bleue.
Velvety purple amaranth, fiery blotch on upper divisions.
- 800 Adam Mickiewicz.
Enormous heads, magenta rose.
- 801 Antoine Barton.
Deep orange.
- 802 Benjamin Constant.
Extraordinary size, brilliant scarlet.
- 804 Conquête.
Pure white, very large.
- 808 Jules Thielement.
Violet rose, white blotches on upper petals, white eye.
- 809 Marie Vagné.
Rose, marbled white, white eye.
- 810 Pfarrer Hetzler.
Salmon orange, white bordered.
- 811 Trouvère.
Magenta with fiery blotches on upper petals.
- 812 Victor Cherbuliez.
Tender rose changing to white on upper petals very large.
- 813 Sapho.
Salmon rose.
- 814 Golden Vesuvius.
Brilliant orange.
- 1751 Carmen Sylva.
Large pure white, enormous heads.
- 1752 Clément Marot.
Scarlet, white eye.
- 1753 Dr Levavasseur.
Vermillion with pale lilac blotches on lower petals, very large.
- 1755 Fratelli Ferrario.
Lively red, white eye, enormous heads.
- 1756 Mad. Boudeville.
Garnet red.
- 1757 M. G. Bazoche.
Blood red, white eye, very large heads.
- 1758 Paul Crampel.
Brilliant venetian red, enormous size.

NOVELTIES OF 93.

1 0 Each.

- 1759 Benoît Rozain.
Enormous flower, salmon veined, orange eye.
- 1760 Ch. Yriarte.
Coppery orange, extraordinary large.
- 1761 Gustave Moreau.
Enormous heads, silvery lilac rose.
- 1763 Jules Chrétien.
Brilliant red, violet shaded, white eye.
- 1764 Octave Mirbeau.
Violet, mauve bordered and carmine veined.
- 1765 Th. de Saint-Vinox.
Slate-colored, carmine veined.

NOVELTIES 1894.

1 6 Each.

Alliance.

Very large heads of tender lilac flowers, carmine shaded on lower petals.

Alsace-Lorraine.

Perfect pure white flowers, borne in very large heads, good habit.

Deuil de Miribel.

Very large scarlet blood red flower, the largest of all the scarlets.

Mad. Hoste.

Vermillion red, bordered lilac, large white eye.

Mad. Gustave Henry.

Peach colored enormous flowers, lower petals lilac shaded, white eye.

Pierre Maël.

Violet, spotted and marbled white and bluish lilac.

Renommée Lyonnaise.

Brilliant orange white eye.

The set of above 7 varieties. 8 0.

NOVELTIES 1895.

2 6 Each.

John Lambert.

Strong and immense heads of rosy lilac flowers, upper petals large white blotched, perfect.

Modesty.

Enormous heads, of tender lilac blooms, with white eye, excellent habit.

Clifton White.

Perfect round petals, white tender rose shaded blooms.

Agnes Chambers.

Brilliant orange red, with white eye, very large and free flowering.

The Rector.

Large heads, purplish violet shade, large white blotches on upper petals, perfect shape.

Yellow Globe.

Clear orange large round well shaped flower.

Goliath.

Medium sized heads, of a beautiful flesh rose shade, blush centre, very large flowers.

Grandesne.

Fine clear salmon, shaded rose, very large and free flowering.

The set of above 8 varieties. 15 0.

DOUBLE LARGE-FLOWERING GERANIUMS

0 6 each — 5 0 per doz.

916 Général Farre.

Salmon rose, orange centre.

928 La Candeur.

White, blush shaded.

996 Les Huguenots.

Silvery lilac.

1002 Gloire de France.

Light rose, deep salmon centre.

1011 Georges De Lombaerde.

Lively cherry red.

1026 Beauté Poitevine.

Brilliant salmon, gradually diminishing

1030 Général Boulanger.

Upper petals vermillion, lower petals violet and amaranth

1051 M. Geoffroy de Kergolay.

Clear orange red.

1055 Californie.

Coppery orange.

1057 Mad. Claire d'Alins.

Salmon rose centre, bordered blush.

1060 Catulle Mendès.

Rose purple, upper divisions largely marked white.

1062 Janus.

Magenta and orange, lower surface of petals white.

1069 Colonel Prax.

Deep gooseberry red, free-flowering.

1073 Mad. Aymé de la Chevrelière.

Pure white.

1076 William Kelway.

Fiery scarlet.

1078 Théocrite.

Bright rose.

1080 Gaston Lemoine.

Coppery orange centre, salmon rose bordered.

1082 Sully Prudhomme.

Bright carmine, very free-flowering.

1083 Thermidor.

Rose, apricot shaded.

1084 Turtle's surprise.

Brilliant scarlet, very free-flowering.

2251 Cesarine.

Light rose shaded violet-crimson, large white eye.

2254 Mad. Rozain.

Pure white, very large flowering.

2255 M. Remy Martin.

Enormous heads, rose colour, large white eye.

2256 Pierre Loti.

Very large flowering, silvery rose, new shade.

2257 Professeur Poirault.

Large heads, violet orange blotched.

NOVELTIES 1893.

1 0 each.

- 2258 Armand Sylvestre.
Rosy lilac changing to crimson.
2259 Boule de neige.
One of the best pure whites.
2260 Daubry.
Large flowering orange.
2261 G. Caillebotte.
Crimson violet orange blotched.

- 2262 M. Rigotard.
Violet rose and salmon.
2263 Roi des nègres.
Very deep crimson.
2264 Ville de Poitiers.
Enormous head, lilac red.

NOVELTIES 1894.

1 6 each.

- New Life.
Clear red, centre petals white, medium size.
Duc de Montemart.
Violet crimson, lilac shaded.
Jules Ferry.
Very large flowering, clear orange salmon,
magnificent, quite a new shade.
Lepistrata.
Clear salmon color, white bordered, very fine.

- Mad. Brandis.
Dwarf habit, extremely free flowering, pure
white, slightly shaded.
Marquis de Galard.
Very large heads, cerise shaded orange,
handsome.
M. Hoste.
Very free flowering, amaranth blotched and
speckled white and lilac.

The above set of 7 varieties. . . . 8 0.

NOVELTIES 1895.

2 6 each.

- Amie Fritz :
The largest flowering double Pelargonium
placed before the public ; vermillion red.

- Chicago.
Pure white, enormous large flower, the finest
white extant.

BRONZE AND VARIEGATED-LEAVED VARIETIES. SINGLE-FLOWERING.

0 6 each — 4 0 per dozen.

- 1102 Silver Queen.
1104 Flower of Spring.
1107 Mrs. Pollock.
1110 Gold Pheasant.
1115 Italia unita.
1117 Artemus Ward.
1123 Countess of Tyrconnel.
1126 Star of India.
1129 Happy Thought.
1132 Autumn.

- 1135 Queen of Spain.
1153 Mac-Mahon.
1156 Goliath.
1165 Cristal Palace Gem.
1173 Freak of Nature.
1175 Triomphe de Brichard.
1176 Mad. Salleroi.
1183 M. Lain.
1189 Peacock.

BRONZE AND VARIEGATED-LEAVED VARIETIES. DOUBLE-FLOWERING.

0 9 each — 6 0 per dozen.

- 1148 Sapho.
1166 Mrs. Strang.
1167 Harmonie.
1178 Président Meurin.

- 1180 Mrs. Parker.
1181 Triomphe de Gand.
1187 Roi des nains.
1188 Président Aug. Van Geert.

LARGE-FLOWERING PELARGONIUMS

SINGLE-FLOWERING

0 9 each — 6 0 per dozen.

- 70 **Regrets d'Aldebert.**
Rosy violet blotches on white ground.
- 80 **Mad. Méry de Montigny.**
Deep purple blotches on cherry red ground, white eye.
- 95 **Clorinde.**
Deep blush, crimson lilac veined, rich purple blotches.
- 99 **Docteur Nélaton.**
Maroon blotches on brilliant red ground, white bordered and white eye.
- 109 **Impératrice Eugénie.**
Deep claret blotches on white ground.
- 128 **Nestor.**
Black blotches on white ground, spotted cerise.
- 129 **Oriflamme.**
Crimson vermillion, bordered, black blotches.
- 183 **Mad. Verviers.**
Flesh colour, black blotches, bordered crimson.
- 189 **Admiration.**
Vermillion, black blotches, white eye.
- 204 **Princesse Hortense.**
Brown blotches on vermillion ground, white eye.
- 210 **M. Robinson Woolfield.**
Rose, reticulated crimson purple, black blotch.
- 214 **Hilaire.**
Black blotches on rose ground, flamed vermillion.
- 216 **M. Guilmot.**
Black blotches on crimson purple ground, white eye.
- 218 **Triomphe de St-Mandé.**
Deep grenat red, black blotches.
- 223 **Memnon.**
Mahogany blotches on crimson lilac ground.
- 232 **Le Nègre.**
Black blotches on deep crimson ground.
- 266 **Malvæflorum.**
Bright rose blotches on mauve ground.
- 278 **Hortense Delobel.**
Black blotches on violet ground, shaded amaranth, white eye.
- 279 **Mad. Leclercq.**
Rosy violet, white eye and white bordered.
- 290 **Choron.**
Black blotches, surrounded with vermillion, on rosy flesh ground.
- 299 **M. G. Demoulin.**
Mahogany blotches on crimson ground, centre bordered white.
- 301 **Palais Rameau.**
Blackish blotches on claret ground, dwarf.
- 314 **Empress.**
White, rosy violet blotched.
- 322 **Volonté nationale.**
Large flowering, upper petals black, crimson margin.
- 326 **Mad. Albert Decrais.**
Crimson lake blotches, crimson, bordered, white ground.
- 333 **Sénateur Krantz.**
Crimson black, bordered suffused fiery red.
- 338 **M. Héry Rigaud.**
Salmon rose, black blotches, fiery red marked.
- 339 **Atlas.**
Maroon blotches, mauve ground.
- 343 **Armand.**
Cherry red, upper petals deeper shaded, small crimson blotches.
- 344 **Carmen.**
Purplish black blotches on flesh ground, lilac edged.
- 357 **Madem. Nevada.**
Five large purplish blotches on mauve ground.
- 360 **Sophocle.**
Five large purplish black blotches, violet ground.
- 367 **Eugénie Levert.**
Small violet blotches, on white ground.
- 368 **Corsaire.**
Brown blotches on deep velvety vermillion ground, clear amaranth eye.
- 369 **Gloire de Crimée rose.**
Mahogany brown blotches, on rosy ground.
- 370 **Don Juan.**
Black blotches crowned fiery red on salmon rose ground.
- 371 **Gaston Tissandier.**
Black blotches, cerise ground, white eye.
- 372 **Flambeau.**
Fiery red, shaded reddish brown, white eye.
- 373 **Cœlestinum.**
Blackish blotched, mauve ground.
- 374 **Beauté des marchés.**
Blackish blotches, rosy ground, flamed vermillion.
- 378 **Souvenir du Congo.**
Fiery red blotched, crimson ground, black eye.
- 379 **Garteninspector Wagner.**
Orange red blotches on upper petals, rosy ground, crimson veined.
- 380 **M. Courtois.**
Upper petals maroon blotched, lower crimson, lilac edged.
- 381 **M. Pasteur.**
Upper petals purple blotched, blush violet ground, very large flowering.
- 382 **Rigoletto.**
Striped and banded crimson on white ground.
- 383 **Gloire de Stuttgart.**
Mahogany blotched, velvety vermillion ground.

DOUBLE FLOWERING

0 9 each — 6 0 per dozen.

- | | |
|--|---|
| <p>42 Prince of novelties.
Large crimson blotches, on carmine ground.</p> <p>54 Ville de Caen.
Very large flowering, perfect shape, crimson, spotted black and violet eye.</p> <p>231 Queen Victoria.
Upper petals maroon blotched, vermillion ground, white fringed.</p> <p>289 Beauty of Oxtou.
Upper petals maroon blotched, lower petals crimson shaded maroon, rose eye, fringed and edged white.</p> <p>294 Dr Masters.
Velvety black blotches, on crimson ground, spotted purple.</p> | <p>295 Prince of Wales.
Fiery scarlet ground and maroon blotches, veined and fringed, white eye.</p> <p>304 Prince of Teck.
Upper petals large maroon blotched, crimson ground shaded violet.</p> <p>337 Jeanne d'Arc.
Clear venetian red, very free flowering.</p> <p>365 Deuil de Lorraine.
Black blotches on crimson ground,</p> <p>376 Duke of Albany.
Purplish black, white eye.</p> <p>377 Bush Hill Beauty.
Small brown blotches on white ground, flamed rose.</p> |
|--|---|

PELARGONIUM PELTATUM

0 6 each — 5 0 per dozen.

- | | |
|--|--|
| <p>1301 Princesse Alexandra Thyra.</p> <p>1302 L'élégant.</p> <p>1303 Emperor.</p> <p>1306 Hederæfolium variegatum.</p> <p>1308 Hastia.</p> <p>1323 Mad. Crousse.</p> <p>1330 Mad. Jules Menoreau.</p> <p>1331 Emile Lemoine.</p> <p>1336 Alice Crousse.</p> | <p>1338 Galilée.</p> <p>1341 Lavoisier.</p> <p>1342 Gloire de Lorraine.</p> <p>1343 Camille Flammarion.</p> <p>1344 Quatrefoies.</p> <p>1347 Le prophète.</p> <p>1348 Raphaël.</p> <p>1349 Jeanne d'Arc.</p> <p>4001 Pierre Joigneaux.</p> |
|--|--|

PELARGONIUM SPECIES (CAPE)

	Each—s. d.		Each—s. d.
1350 ardens majus.	2 6	1351 laciniatum.	0 9
1352 echinatum.	0 9	1362 quercifolium minus	0 9
1356 " erectum.	0 9	1363 quinquevulnerum	0 9
1353 " Rosy Morn.	0 9	1459 Lady Plymouth	0 6
1354 " sœpeflorens	0 9	1366 ternatum	0 9
1355 " Spotted Gem	0 9		

PETUNIA LARGE FLOWERING DOUBLE

These lovely flowering plants can hardly be surpassed for Greenhouse decoration, giving throughout summer and autumn a mass of bloom, of various shapes and colors combined with a delicious fragrance.

Our selection of the best kinds including blotched, fringed and variegated varieties.

0 6 each — 5 0 per doz.

SALVIA

Producing a mass of bloom of extra-ordinary brilliancy, suitable for openair culture during the summer months, and a most useful acquisition to the conservatory in the winter.

0 6 each.

- 1 Bethelii.
- 2 cacaliæfolia (FLORE, XXII, 99).
Deep indigo blue.
- 7 lantanæfolia.
- 8 leucantha (FLORE, XXII, 39).
Lavender and white.
- 10 patens (FLORE, V, 503).
Large flowering brilliant blue.

- 12 *M. Issanchou.*
Pure white.
- 14 splendens Soucheti (FLORE, XI, 163).
Brilliant scarlet.
- 18 " *Igénieur Clerenad.*
Intense scarlet.
- 16 tricolor (FLORE, XII, 108).

ROSES

On their own roots, cultivated in pots.

For description of the different varieties, please refer to our Autumn-Catalogue No 260, which is always sent to our customers, and which may be had on demand.

HYBRID PERPETUALS.

0 6 each. — 5 0 per doz.

- 3 Charles Lefebvre.
- 12 Général Jacqueminot.
- 13 John Hoper.
- 14 Jules margottin.
- 32 Vicomte Vigier.
- 37 Alcindor.
- 54 Pierre Notting.
- 63 Souv. de William Wood.
- 66 Alfred Colomb.
- 74 Baronne de Rothschild.
- 79 Gloire de Ducher.
- 89 M. Boncenne.
- 96 Madem. Annie Wood.
- 121 Paul Neyron.
- 151 Empereur du Mexique
- 186 Coquette des blanches.
- 187 Captain Christy.
- 210 Mad. Louis Lévêque.
- 238 La Rosière.
- 259 Abel Carrière.
- 262 Eugène Fürst.
- 264 Jean Liabaud.
- 265 Jean Soupert.
- 266 La Mignonne.

- 282 Duchesso d'Ossuna.
- 286 Magna Charta.
- 288 M. Gabriel Tournier.
- 291 Souv. de Louis Van Houtte.
- 312 Mad. Gabriel Luizet.
- 331 Deuil du Colonel Denfert.
- 337 Léon Renault.
- 353 Préfet Limbourg.
- 395 Théodore Bullier.
- 409 Georges Moreau.
- 415 Souv. de Mad. Alfred Vy.
- 428 Eugène Transon.
- 437 Mad. Marie Røederer.
- 451 Ulrich Brunner fils.
- 464 Heinrich Schultheis.
- 477 Mad. Lelièvre-Delaplace.
- 485 Mad. V^e Alexandre Pommery.
- 532 Prosper Laugier.
- 582 Souvenir d'Adolphe Lavallée.
- 592 Climbing M Boncenne.
- 632 Triomphes de Saintes.
- 679 Albert Lo Bloais.
- 701 Mad. Furtardo-Heine.
- 798 Fair Rosamond.

HYBRID TEAS, NOISETTE AND BOURBON ROSES

0 9 Each — 7 6 per doz.

T. signifies Tea varieties.

N. " Noisette varieties.

B. " Bourbon varieties.

- 1011 Souv. de la Malmaison. — B.
- 1031 Mad. Pierre Oger. — B.
- 1043 Mad. Chevalier. — B.

- 2019 Céline Forestier. — N.
- 2027 Rêve d'or. — N.
- 2029 Bouquet d'or. — N.

2031 Unique. — N.
 2035 William Allen Richardson. — N.
 3004 Gloire de Dijon. — T. —
 Le cent : 50 francs.
 3011 Safrano. — T.
 3018 Homère. — T.
 3020 Maréchal Niel. — T. — *Le cent* : 50 fr.
 3032 Belle lyonnaise. — T.
 3043 Marie Van Houtte. — T.
 3047 Mad. Bérard. — T.
 3055 Perle de Lyon. — T.
 3063 Mad. Devoucoux. — T.
 3072 Gloire de Schwerin. — T.
 3074 Letty Coles. — T.
 3087 Mad. Lombard. — T.
 3049 Général Schablikine. — T.
 3111 Reine Marie Henriette. — T.
 3117 Mad. Francisca Krüger. — T.
 3126 Princesse Stéphanie et Arch. Rodolphe.
 — T.
 3129 Beauté de l'Europe. — T.

3131 Etoile de Lyon. — T.
 3169 Marie d'Orléans. — T.
 3174 Sunset. — T.
 3187 Gaston Chandon. — T.
 3204 Grace Darling. — T.
 3209 Marquise de Vivens. — T.
 3213 Souvenir de Victor Hugo. — T.
 3216 Lhe Bride. — T.
 3218 Archiduchesse Marie Immaculée.
 3231 Mad. Chauvry. — T.
 3237 Marie Lambert. — T.
 3242 Vicomtesse Dulong de Rosnay. — T.
 3251 Duchesse d'Auerstädt. — T.
 3263 Mad. Philemon Cochet. — T.
 3264 Madeleine Beauvilain. — T.
 3268 Princesse de Sagan. — T.
 3289 Désir. — T.
 3296 G. Nabonnand. — T.
 3412 La France. — H. T.
 5001 Mrs. Paul. — B.

POT CROWN STANDARD ROSES of the principal varieties, with large heads
 can be supplied at 3/6 and 5/0 each.

MISCELLANEOUS PLANTS

PAEONIES. Herbaceous varieties	Splendid assortment, 12 distinct varieties	12	0
PYRETHRUMS. Fine selection single and double	12	»	7 6
RHODODENDRONS. All the best kinds, in bud. Per doz., our selection	18	0	and 24 0
AZALEA INDICA. Well set, best kinds.	»	»	» 18 0 » 24 0
CYCLAMEN PERSICUM GIGANTEUM. In flowers and bud. Per doz., very choice	15	0	
CALLA (Arum Lily) AETHIOPICA	Each	0	9
» Albo maculata	»	0	9
» Hastata	»	2	6
» Little Gem	»	0	9

For HARDY ORNAMENTAL SHRUBS, CLIMBERS, etc.

see our Special Catalogue N° 260 K, which may be had post free on application

INCLUDING AMPHELOPSIS, CLEMATIS, IVIES, ETC. ETC.

LAURUS NOBILIS

SWEET BAYS

Standards in all sizes beautifully even shaped from 20 0 per pair.
Pyramids » » » » » » 10 0 » »

Prices and sizes on application.

NOVELTIES IN FLOWER SEEDS

for 1894 and 1895.

Aster Lady in White	pr pkt—s. d.
This handsome new variety will become one of the most popular Asters of the day, owing to its great value for bouquets and general floral arrangements.	1 6
Begonia fulgens	2 6
Brilliant crimson, slightly scented.	
— hyb. Pioneer	2 0
4 inches in diameter, intense crimson tea scented.	
Campanula persicifolia Backhousei	1 6
This is one of the most valuable and handsome of any Perennials of our Gardens. Very large white blooms, very free-flowering and exceedingly suitable for floral work.	
Gloxinia hybrida crassifolia Queen of scarlets	2 6
An improvement on <i>G. Defiance</i> , similar in colour, but of stouter habit	
— Fire King	2 0
Also similar in colour to <i>G. Defiance</i> , though with larger blooms and immense handsome foliage.	
Nemesia strumosa Suttoni	1 6
A very pretty useful annual, its colours ranging from white to orange, crimson and purple. Flowers from May to October.	
Ricinus zanzibarensis enormis	1 6
Novelty of great merit, immense handsome foliage, most suitable for the Lawn (annual).	
Saintpaula ionantha	2 0
This is a charming little gesneriaceous plant, almost constantly in bloom, and produces its beautiful blue flowers in clusters from 5 to 7, supported on tender little stems about 4 to 5 inches in height. Most valuable novelty for Greenhouses.	
Wallflower Easter Queen	1 6
Large flowering, single, a decided improvement upon our old single Wall-flowers, of bushy dwarf habit, and different shades of salmon colour.	
Zinnia Scarlet Gem double liliput	1 6
This exceedingly pretty little Zinnia may be grown very successfully in pots, as also used for borders, comes almost entirely true from seed.	

CHOICE SEED LIST

Aster, Truffaut's French Pæony flowering perfection.	s. d.
Truffaut's Pæony-flowering or Reine-Marguerite are remarkable for their large fine shaped flowers of very brilliant colours, one of the most beautiful sorts in cultivation.	
Assortment of 12 separate varieties the collection.	3 6
" 6 varieties "	2 0
Mixed varieties per packet	0 6
— Victoria.	
Te finest sort in cultivation, and for exhibition purposes unsurpassed. Flowers perfectly double, imbricated, globular; each plant on an average produces from 6 to 8 flowers, habit very robust.	
Assortment of 12 separate varieties the collection.	3 6
" 6 varieties "	2 0
Mixed varieties per packet	0 6

Aster Chrysanthemum flowered dwarf.

s. d.

One of the best sorts for pot cultivation, and exceedingly effective in beds. It is of dwarf compact habit, 9 inches high, flowers large and well reflexed, and produces when other sorts are out of bloom.

Assortment of 12 separate varieties	the collection.	3 6
" 6 varieties	"	2 0
Mixed varieties	per packet	0 6

— **Lady in White**, see *Novelties*.

— **dwarf, The Queen.**

This is quite a new breed, with very large, well-imbricated and very double flowers, excellently suited for pot culture and for forming groups in open ground.

Assortment of 5 varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— **dwarf pyramidal bouquet, Van Houtte's improved.**

An improved variety 12 to 15 inches high forming from the base flowering branches, and resembling when in flower a pyramidal bouquet, excellent for bedding and for pot culture.

Assortment of 12 varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— **dwarf, Nec plus ultra.**

New and vigorous variety 1 ft high, the branching is stiff and of Candelaber shape, with very large flowers in the way of the "Victoria" forming a beautiful bouquet.

Assortment of 7 varieties	the collection.	3 6
Mixed varieties	per packet	1 0

— **Comet dwarf** per packet 1 0

Beautiful novelty with white flowers, globulous with long petals of which the outer ones are recurved, the flowers measure from 3 1/2-4 inches in diameter and are of a charming effect.

— **Princesse or Boule de neige dwarf** per packet 1 0

A very free flowering novelty with pure white flowers and of very long duration, excellent for arrangements of bouquets.

Balsams, Camellia flowered (*Impatiens Balsamina camellieflora*).

Assortment of 8 separate varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

— — — **with improved large flowers** (*Impatiens Balsamina grandiflora ameliorata*).

Assortment of 6 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— **Carnation flowering** (*Impatiens Balsamina striata*).

Assortment of 8 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— **Miniature dwarf Camellia flowered** (*Impatiens Balsamina nana camellieflora*).

Assortment of 6 separate varieties	the collection.	1 0
Mixed varieties	per packet	0 6

Castor Oil Plant (*Ricinus major*).

Stately plants with their majestic growth and the size and beauty of their foliage, occupy a prominent position amongst ornamental plants for the decoration of the lawn, for producing massive grandeur or tropical effect. They should be sown in heat about March and planted out in June in rich soil. They are annuals and in bloom August.

Assortment of 6 separate varieties	the collection.	1 6
Mixed varieties	per packet	1 0

— **of Zanzibar** (*Ricinus Zanzibarensis*, new. 6 0

Very handsome variety. See *novelties*.

Cockscomb (*Celosia cristata*).

Charming plants for groups, tastefully arranged in height and colour they make a beautiful effect.

Cockscomb—cont^d.

Assortment of 8 varieties	the collection.	s. d. 3 6
Mixed varieties	per packet	1 0

— MONSTROUS VARIETIES per packet 1 0 and 2 0

A new and improved section very recommendable, the combs are extremely large and well made consisting of all colours.

— pyramidal TRIOMPHE DE L'EXPOSITION per packet 1 0 and 2 0

Beautiful new variety very superior to all others, very vigorous, uniform in shape and having fine, well erected crimson combs well contrasting with the lively red foliage.

Everlasting large flowers (*Helichrysum monstrosum flore pleno*).

These flowers may be employed for Winter Bouquets, for which purpose they are in great demand upon the Continent; sow in heat and transplant to open borders in May; for winter use, cut the flowers when upon the point of opening.

Assortment of 6 separate varieties.	the collection.	2 0
Mixed varieties	per packet	0 6

— dwarf large flowers (*Helichrysum monstrem nanum flore pleno*).

Assortment of 6 separate varieties	the collection.	2 0
Mixed varieties	per packet	0 6

***Heliotrope* (*Heliotropium peruvianum*).**

Assortment of 8 separate varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

***Hollyhocks*, English varieties (*Althæa rosea flore pleno*).**

Assortment of 10 separate varieties	the collection 2 6 and 5 0
Mixed varieties	per packet 0 6 and 1 0

***Indian Shot with green foliage* (*Canna indica*).**

These stately plants are remarkable for their large and handsome foliage, and justly merit the attention bestowed upon them; for large gardens, the various varieties of Cannas will be found invaluable, producing as they do a most luxuriant and tropical appearance.

Assortment of 8 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— purple foliage (*Canna indica foliis purpureis*).

Assortment of 8 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— Crozy's dwarf varieties purple foliaged.

Assortment of 8 varieties	the collection.	4 0
Mixed varieties	per packet	1 0

— — varieties green foliaged.

Assortment of 8 varieties	the collection.	4 0
Mixed varieties	per packet	1 0

***Larkspur, dwarf Rocket* (*Delphinium Ajacis elatior flore pleno*).**

Assortment of 6 separate varieties	the collection	1 6
Mixed varieties.	per packet	0 6

— dwarf *Hyacinth flowered* (*D. Ajacis nanum hyacinthiflorum flore pleno*).

Assortment of 8 separate varieties	the collection	2 0
Mixed varieties.	per packet	0 6

***Marcel of Peru* (*Mirabilis jalapa*).**

A very picturesque plant, the diversified colours contrasting with its dark green glossy foliage, continues in bloom throughout the summer and autumn months.

Assortment of 8 separate varieties	the collection	2 0
Mixed varieties.	per packet	0 6

***Nasturtium Climbing* (*Tropæolum majus*).**

Assortment of 6 separate varieties	the collection	1 6
Mixed varieties.	per packet	0 6

Nasturtium—cont^d.

s. d.

— **Lobb's Climbing** (*Tropæolum majus Lobbianum*).

These elegant climbing plants, are very beautiful. The brilliancy of the Lobbianum varieties render them invaluable additions to the greenhouse, conservatory and general flower garden. Sow under glass in April protect from frost, and plant out in May.

Assortment of 8 separate varieties	the collection	2 0
Mixed varieties.	per packet	0 6

— **dwarf Tom Tumb** (*Trapeolum majus nanum*).

Assortment of 8 separate varieties	the collection	2 0
Mixed varieties.	per packet	0 6

Nemesia strumosa Suttoni, see *Novelties*.**Ornamental Grasses.**

These form a beautiful attractive addition to the flower garden, many of the larger growing species are noble objects in prominent positions, most of the varieties, when dried, make beautiful winter bouquets.

Assortment of 12 separate varieties.	the collection	2 0
--	--------------------------	-----

Pansies Show varieties (*Viola tricolor*).

Assortment of 6 separate varieties	the collection	1 6
--	--------------------------	-----

— **English** (*Viola tricolor maxima*) per packet 0 6 and 1 0— **Fancy** (*Viola tricolor maxima striata*) " 0 6 " 1 0

Mixture of striped varieties.

— **Cassier** " 0 6 " 1 0— **Odier** (*Viola tricolor maxima maculata*) " 0 6 " 1 0— **Trimardeau** " 0 6 " 1 0

Magnificent Pansies with large maculated flowers.

— **Bugnot** " 0 6 " 1 0

Charming novelty with large well made flowers, ornated with very large blotches.

— **Lord Beaconsfield** per packet 0 6 " 1 0

Very fine, flowers dark purple veering to blue, of very good effect.

Phlox Drummondii.

Very handsome useful summer and autumn bedding plants; the flowers, which vary from white to purple and rich crimson, are produced in great profusion many months in succession.

Assortment of 8 separate varieties	the collection	2 0
Mixed varieties.	per packet	0 6

— **large flowering dwarf** (*grandiflora nana*).

Assortment of 6 separate varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

Poppies, double Paeony flowered (*Papaver somniferum paeoniceflorum*).

Assortment of 8 separate varieties.	the collection.	1 6
Mixed varieties	per packet	0 6

Purslain, large flowering (*Portulaca grandiflora*).

Assortment of 8 separate varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

— **large flowering, double** (*Portulaca grandiflora flore pleno*).

Assortment of 8 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

Scabious double flowering (*Scabiosa atropurpurea flore pleno*).

Assortment of 6 separate varieties	the collection.	2 0
Mixed varieties	per packet	0 6

— **dwarf, large double flowering** (*Scabiosa atropurpurea nana flore pleno*).

Assortment of 6 separate varieties.	the collection.	2 0
Mixed varieties	per packet	6 0

Snapdragon, large flowering (*Antirrhinum majus*).

s. d.

These are of our own saving from the best varieties of last season, and it is impossible to find a more distinct selection; the greater part of them are beautifully striped.

Assortment of 8 separate varieties.	the collection.	2 0
Mixed varieties	per packet	0 6

— large flowering dwarf (*Antirrhinum majus nanum*).

Assortment of 6 separate varieties.	the collection.	1 6
Mixed varieties	per packet	0 6

Stocks German Ten Weeks (*Cheiranthus annuus*).

Assortment of 10 separate varieties	the collection.	2 0
Mixed varieties	per packet	0 6

— — — Snowflake per packet 1 0**— — — perpetual from Dresden, Improved White** 1 0

Of great value for the arrangement of bouquets etc.

— — — large-flowering (*Cheiranthus annuus grandiflorus*).

Especially recommendable on account of their long flowering and vigorous habit. Flowers large and well shaped and very double.

Assortment of 10 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— — — Pyramidal Ten Week large flowering Tall perfection (*Cheiranthus annuus grandiflorus arborescens perfectus*).

New and very handsome varieties; very large and very double flowers. A useful class, flowering later than the foregoing kinds; sown in the middle of March and transplanted at the beginning of May, they bloom profusely from the beginning of August until destroyed by frost.

Assortment of 8 separate varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

— Autumn or Winter (*Cheiranthus autumnalis*).

Compact variety, pure white and double flowers, very early flowering and suitable for pots.

Assortment of 8 separate varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

— Cockade Winter (*Cheiranthus incanus fenestralis*).

Of a pyramidal habit 12-15 inches high, very remarkable for its long central well furnished stem, usually cultivated in pots, richly flowering in spring.

Assortment of 8 varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

Sweet Peas (*Lathyrus odoratus*). *Eckford's new hybrids*.

Assortment of 6 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

Verbena hybrida large Auricula flowered garden varieties.

These are a considerable improvement, the flowers are large resembling Auriculas, measuring half an inch in diameter, well made and often marked in the centre with a white eye.

Assortment of 6 varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

Wallflowers Tall tree, very double (*Cheiranthus Cheiri arborescens flore pleno*).

This will include a rich variety of colours. Very distinct from the old type, compact in growth, having dense flower spikes and large handsome petals; extremely ornamental for garden decoration during the spring and summer months.

Assortment of 6 varieties.	the collection.	2 6
Mixed varieties	per packet	0 6

— Dwarf, very double (*Cheiranthus Cheiri nana flore pleno*).

Assortment of 6 varieties	the collection.	2 6
Mixed varieties	per packet	0 6

Wallflowers single (*Cheiranthus Cheiri*).

Assortment of 6 separate varieties.	the collection.	s. d. 1 0
Mixed varieties	per packet	0 6

— **Eastern Queen**, see *Novelties*.**Zinnia double, Tall** (*Zinnia elegans flore pleno*).

The Zinnia is one of the most brilliant of Annuals, and has long been a general favourite. Double varieties are immense improvements on the single, and are the finest introductions for many years. The seed we offer has been saved from our original importation, and is gatered from the best double flowers only. Sow in mild hotbed in April, pot off into an airy situation and transplant.

Assortment of 8 separate varieties.	the collection.	2 0
Mixed varieties	per packet	0 6

— **robusta with large double striped flowers**. per packet 0 6

Splendid novelty, striped, shaded and maculated with various tints, of great effect.

— **dwarf double** (*Zinnia elegans flore pleno*).

The value of this new variety over the other double Zinnias consists in its dwarf and compact habit, which renders it a great acquisition for riband borders, etc. Its flowers are perfectly double and include many brilliant colours.

Assortment of 8 separate varieties	the collection.	2 6
Mixed varieties	per packet	0 6

— « **Scarlet Gem** », see *Novelties*.**Acroclinium roseum flore pleno** per packet 0 6

A fine everlasting novelty with lively rose flowers, of long duration, elegant and very commendable for bouquets.

— — — **albo pleno** per packet 0 6**Amarantus** s. d.

Firebrand. 1 0
A very rapid growing novelty, of regular shape, very deep blood red.

superbus 1 0

Aster

horizontalis (*perennial*) 1 0
ptarmicoides (*perennial*) 0 6

Very robust, producing a great quantity of pretty white flowers, excellent for cutting purposes, and good for pot culture.

pyramidalis 0 6

Azalea indica 1 6

Seed gathered from our rich collection, consisting of the best varieties only.

Begonias

tuberous, *fine mixed varieties* 1 6

Amateurs of Begonias who visited our Establishment during summer, have seen flowering the admirable varieties gained by us. These Begonias are of a very fine habit, ramify freely without any pruning and flower incessantly until October.

» *with large white flowers* 1 6

» » *yellow* » 1 6

» » *nankeen* » 1 6

» » *rose* » 1 6

» » *red* » 1 6

» » *striped* » *new*. 2 0

double » » » 2 0

Giving about 50 per cent of plants with double flowers.

semperflorens atropurpurea

(*Vernon*). 1 0

» hybrida 1 6

Very pretty and free flowering, of various colours and shades excellent for groups and pots flowering all the summer.

fulgens, see *Novelties*.

Bellis

perennis (*Double Daisy*) 0 6

This seed has been saved from a fine collection, and may be expected to produce a large proportion of double flowers.

» flore roseo pleno (*Longfellow*) 0 9

» albo pleno (*Boule de neige*) 0 9

Bertolonia hybrida 1 6

Handsome foliage-plants for the Greenhouse.

Calceolarias herbaceae (FLORE, III, 250 and XV, 105) 2 6

We warrant that the seeds we sell, form an integral part of those saved this summer from the choice of our varieties.

To produce a succession of flowers, the Calceolarias may be sown at any time. From August to September is, however, to be preferred.

Campanula persicifolia « *Backhousei* », see *Novelties*.**Carnations** (*Dianthus Caryophyllus*) : 100 seeds.

Fancy varieties 1 0

Fine mixed, double.

» **white ground** 1 6

» **yellow ground** 1 6

» **slate ground** 1 6

Flemish varieties 2 0

Of the choicest mixture.

Tree, perpetual flowering 2 0

Saved from a very rich collection. These Carnations cultivated in pots for the conservatory, will flower during the whole of winter.

Tree, Jean Sisley 2 0

Salmon yellow.

» **mixture of fine varieties** 1 6

» **dwarf, Espoir** 2 0

Carnations	s. d.
Tree dwarf, Le Favori	2 0
A new and vigorous variety producing numerous and very large, rosy flowers.	
» Hermine, new.	2 0
New variety with pure white double flowers excellent for bouquets	
The several varieties of Tree Carnations if kept in pots in a greenhouse, flower throughout the winter.	
» Genois, new	1 6
A novelty. This new breed is remarkable for its hardiness and specially for its free-flowering qualities, for it is said to have given 240 flowers and buds on a single plant.	
» Lyonnais	1 6
An improved breed very compact, vigorous and stiff, flowers of all shades very large and double, very free flowering and excellent for groups.	
» Madem. Guillaud	2 0
» Marguerite, new	1 0
A novelty of an extraordinary precocity, flowering if sown in February, about July until winter. Though the flowers are large, they never split, very sweetscented which is not very common in Tree Carnations.—Petals nicely fringed and the colours are simply splendid from brilliant red and pink to pure white.—Growing very vigorous and dwarf, floral stems supporting themselves.	
» Enfant de Nice	2 0
Grenadin	1 0
A dwarf variety, very floriferous and very early, with poppy red flowers.	
Snow flake	1 0
A novelty with pure white flowers and very free flowering.	
Mignardise double perfection	1 »
The flowers of this new race are supported on stiff vigorous stalks double, large, of good shape and never split.	
perpetual flowering hybrids	2 0
Centaurea	
candidissima	0 6
Cyanus flore pleno <i>Cornflower.</i>	0 6
Margaritacea	1 0
Chrysanthemum carinatum fimbriatum	
flore pleno	0 6
Flowers extra double, fimbriated petals, imbricated, of various shades and colours.	
indicum large flowering. fine	
<i>mixed varieties</i>	0 6
» pompon; fine mixed	
<i>varieties</i>	0 6
japonicum	1 0
» præcox	1 6
Cinerarias	
English hybrids	1 6 and 2 6
» dwarf, in fine	
<i>mixture</i>	1 6 » 2 6
» Tom Pouce	2 0
» double (FLORE,	
XXII, 173).	2 0
Magnificent mixture of double varieties.	
Cobæa	
scandens	0 6
» flore albo	1 0
The most useful among climbers for its rapid growth, and covering such an extensive space in so short a time, with a large and ornamental foliage. It is equally adopted for the garden decoration, when planted out like half hardy Annuals, as for the conservatory.	

Coleus	s. d.
<i>hybrids</i>	1 6
» fimbriated and lacinated	1 9
These differ from the old varieties by their more deeply cut leaves, largely fimbriated and fringed, very ornamental.	
Cyclamen persicum giganteum univ-	
sum mixed.	1 6
With very large flowers on long and stiff stems, very superior to the old varieties.	
Dahlia single flowered	0 6
» flore striata	0 6
» nana compacta	1 0
Very compact and dwarf growing.	
double flowering	1 0
» Juarezi (<i>Cactus</i>)	1 0
» white	1 0
» dwarfs	1 0
Dianthus	
barbatus (<i>Sweet-William</i>)	0 6
» Dunnetti flore pleno.	0 6
Flowers very double, of a velvety crimson.	
sinensis flore pleno	0 3
Indian Pink with double flowers of all shades in fine mixture.	
» imperialis flore pleno	0 3
» Heddewigi.	0 3
Varieties in superb mixture.	
» diadematus	
flore pleno	0 6
Fine bushy flowering varieties, similar to the old Carnations.	
» hybridus	
flore pleno	0 6
» laciniatus	0 3
Varieties in superb mixture.	
» flore pleno	0 6
Eccremocarpus scaber	0 6
A fine biennial climbing plant: trusses of brilliant orange red flowers.	
Eschscholtzia	
californica grandiflora carmi-	
nea	0 3
A magnificent novelty with very large flowers, of a fine light carmine interior and dark carmine rose exterior.	
californica flore albo pleno	0 3
A fine and first class novelty, with double white flowers.	
» pleno.	0 3
A magnificent and very ornamental novelty, with very large, double, lively scarlet orange flowers, passing into salmon red.	
Fuchsia, English varieties mixed	1 6
Gaillardia picta Lorenziana	0 6
This variety cannot be too highly recommended as an ornamented plant, on account of the continuancy of its blossoming, in addition to its being so serviceable for cut flowers.	
Gesneria	
hybrida (<i>Dircæa</i>)	1 0
Fine sorts, mixed.	
» refulgens (Dircæa).	1 0
Gloxinia	
hybrida (<i>FLORE, passim</i>)	1 6
Fine mixed sorts of erect and drooping varieties.	

- Gloxinia** s. d.
hybrida crassifolia. 2 0
 A new improved race of very various colours, with thick leaves and enormous flowers.
 " *Queen of scarlets*, see *Novelties*.
 " *Fire king*, see *Novelties*.
- Gunnera** *scabra* (FLORE, XVIII, 119) . . . 0 6
 This is a grand and most ornamental plant; a single specimen, planted in an isolated position on a lawn, soon measures 30 feet in circumference.
- Humulus japonicus foliis variegatis** . . . 1 0
Impatiens Sultani 0 6
 Very vigorous and magnificent plant, flower brilliant magenta red, a very abundant bloomer.
 " *hybrida* 1 6
- Lobelia**
cardinalis hybrida 1 0
 " *Queen Victoria* 1 0
 A variety with bright deep red flowers; firm and high stems, which are red, as well as the foliage.
erinoides alba 0 3
 " *Royal purple* 0 6
 Beautiful novelty with violet purple flowers with pure white dots, without any blue which gives an admirable effect, charming for borders.
erinoides speciosa Crystal Palace . . . 0 6
 " " *compacta* 0 6
 " " " 1 0
erinoides speciosa compacta 1 0
 (King of Lobelias)
erinoides speciosa compacta gloriosa 1 0
- Mignonette**, see *Reseda*.
Mimosa pudica 0 6
 This charming plant is very remarkable for the great irritability of its branches and leaves, which collapse at the slightest touch.
- Mimulus**
cupreus multimaculatus (tigridioides) (FLORE, XV, 111) . . . 0 6
cupreus multimaculatus grandiflorus 0 6
 A new variety with very large and magnificently coloured flowers, the finest ever gained.
cupreus multimaculatus grandiflorus Queen's Prize . . . 0 6
 Very large flowering varieties measuring nearly 4 inches in diameter, beautiful tigered and brilliant colours.
moschatus 0 6
 The popular Musk plant.
 " *compactus* 0 6
 Great improvement upon the foregoing, very free flowering the musk scent is as strong in this variety as in " *moschatus* ".
quinquevulnerus maximus (FLORE, IX, 1) 0 6
 Mixed large flowering varieties, with fine blotches.
- Mina**
lobata 1 0
 Graceful and climbing habit like the *Ipomaea* flowers at first lively red fading to orange yellow.
- Mina** s. d.
sanguinea 1 3
 More beautiful than the preceding very free flowering, very deep red.
- Musa** *Ensete (Banana-tree)* (FLORE, XIV, 65), 10 seeds 1 6
- Myosotis**
Alpestris robusta grandiflora Victoria (Forget-me-not) . . . 0 6
palustris semperflorens 0 6
 A new Forget-me-not with numerous fine sky blue flowers, larger than the preceding sorts, appearing from May to November.
- Nicotiana colossea (Giant Tobacco)** . . . 1 0
Pentstemon gentianoides 0 6
 Seedling varieties in fine mixture.
 " *grandiflorus* 1 0
 New variety with large and open flowers from 1 1/2 inches in diameter consisting of rosy white lilac, scarlet and deep purple colours, flowering from July until frost sets in.
- Petunia**
hybrida grandiflora, in mixture . . . 0 9
 " *compacta* 0 9
 " " *fimbriata, in mixture* . . . 0 9
 " " *superbissima* 1 0
 With large leaves and flowers very fine and varied in shade of colour.
hyb. comp. flore pleno 1 6
 Large double varieties in mixture.
 " " *fimbriata flore pleno* . . . 1 6
- Primula**
auricula 0 6
 Fine varieties,
 " *var. liegeoises* 1 0
 First class varieties.
japonica (FLORE, XXIII, 31) . . . 0 6
 Fine mixed varieties. Sow in October.
obconica 1 0
veris 0 6
 Gathered from our rich well assorted collection.
sinensis fimbriata (Fringed Chinese Primrose) :
 " " *alba* 1 6 and 2 6
 " " *plena* 2 0
 " " *coccinea flore pleno* . . . 2 6
 " " *kermesina* 1 6 and 2 6
 " " *splendens flore pleno* . . . 2 6
 " " *punctata elegantissima* . . . 2 0
 " " *Vesuvius, lively red* . . . 2 6
 " " *of first class, mixed varieties* 2 6 and 5 0
 Containing exclusively those that we intend to sow ourselves. They are gathered from the most splendid varieties. The flowers are very large, of the most perfect shape, single, double and slightly fringed. The magenta red, the white, the tender incarnate and striped ones are abundant.
- Pyrethrum**
parthenifolium aureum (Golden Feather) 0 6
 A pretty plant with golden yellow leaves, very suitable for borders.
parthenifolium aureum selaginoides 0 6
 Beautiful variety of quite distinct shape, very flat, contrary to the foregoing it does not flower the same year when sown, hence does not require the pinching off the buds.

	s. d.
Reseda (<i>Mignonnette</i>)	
odorata grandiflora <i>improved</i> large flowering	0 6
odorata grandiflora aurea <i>Golden Queen</i>	0 6
A new and very branching variety of pyramidal shape, with numerous spikes of golden yellow flowers.	
odorata grandiflora <i>Mâchet</i>	0 6
A magnificent variety, superior to all others for pot culture of a compact and vigorous size; very large spike of reddish flowers, well garnished with large and thick foliage.	
odorata grandiflora <i>Victoria</i>	0 6
A very fine variety, with large spike of reddish flowers.	
Rhodanthe	
Manglesi (FLORE, VI, 281)	0 6
" alba	0 6
" maculata.	0 6
<i>R. Manglesi</i> and its varieties are elegant half hardy Annuals 1½ to 15 inches high, with dwarf erect branching habit of growth, and bright pure coloured flowers <i>R. Maculata</i> is a very graceful variety, silvery white, with yellow centre, beautiful alike either in bud or fully expanded.	
Sainpalea ionantha , see <i>Novelties</i> .	

	s. d.
Torenia	
Bailloni	0 6
A very pretty and free flowering plant. The blooms are of a bright yellow colour with brown, large and beautiful. Being of easy cultivation, it will be found invaluable for hanging baskets or pot culture.	
Fournieri	0 6
This charming Mexican Annual, with its velvety like indigo blue flowers, will thrive in ordinary seasons, treated as hardy annual, in fact, it forms an exceedingly beautiful bedding plant, being more compact robust than when grown under glass. It is preferable to grow it from seed as cuttings of it are liable to damp off in winter.	
Fournieri flore albo	1 0
Very vigorous and free flowering of a beautiful rosy white with yellow blotches at the throat.	
Fournieri grandiflora.	0 6
Flowers larger and more open than those of <i>T. Fournieri</i> , very suitable for pot culture.	
Viola	
cornuta.	0 6
Blue. Very striking when mixed with the <i>V. cornuta alba</i> .	
cornuta alba	0 6
White mixed with the above form pretty borders of charming contrast.	

VEGETABLE SEEDS

COLLECTIONS

made up for Gardens, consisting of Peas, Beans, Brocoli, Cabbage, Lettuce, Onion, Beet, Turnip etc., including the best kinds for general purposes.

10/6 — 15/0 — 21/0 AND 42/0 EACH.

INDEX

	Pages.		Pages.		Pages.
Abelia	7	Attalea	16	Cereus	21
Abutilon	7	Azalea	32, 46	Ceroxylon	16
Acacia	7, 17			Cestrum	2
Alcallypha	1	Balantium	19	Chamædorea	16
Acanthophoenix	15	Bambusa	2, 8	Chamærops	16
Achimenes	24	Banana, see Musa.		Chavica	17
Achyranthes	1	Barleria	17	Chevalliera	2
Acrostichum	19	Barringtonia	17	Choisya	8
Adamia	1	Bauhinia	17	Chorizema	8
Adiantum	19	Balsum (Péruvian), see		<i>Chou Caraïbe</i> , see Colo-	
Æchmea	1	Myroxylon.		casia	
Æschynanthus	1	Beaumontia	17	<i>Chrysanthemums</i>	34
Agapanthus	7	Begonia <i>tuberos.</i>	29, 30, 31	Chrysophyllum	17
Agave	21	Benthamia	8, 17	Cibotium	19
Aglaonema	1	Berberidopsis	8	Cinchona	17
Agnostus	7	Berberis	8	Cinnamomum	8, 17
Albizzia	17	Bertolinia	II, 2	Cissus	2
Alibertia	17	Bignonia	2, 8	Citrosma	17
Aletris, see Dracæna.		Billbergia	2	Citrus	8
Allamanda	I, 1	Bixa	17	Clausena	17
Alocasia	I, 1	Blechnum	19	Clematis	8, 46
Alpinia	1	Blighia	17	Clerodendron	3
Alsophila	19	Boehmeria	17	Clethra	8
Alternanthera	1	Bomarea	2	Clianthus	8
Amaryllis	29, 31	Bombax	17	Clivia, see Imantophyllum.	
Amaryllids	31	Boronia	8	Cobæa	8
Amasonia	1	Bougainvillea	II, 2	Coburgia	31
Amomum	1, 17	Bouvardia	8	<i>Coca</i> , see Erythroxylon.	
Amorphophalus	1	Bowiea	2	Coccoloba	3, 17
Ampelopsis	7, 46	Brachysema	8	Cocculus	17
Amyglaptus	1	Brahea	16	Cochliostema	3
Anamirta	17	Brechma	17	Cocoa, see Theobroma	
Ananassa	I, 1	Bromelia	2	Cocos	16
Anchietea	17	Brownea	2	Codiæum, see Croton.	
Andromeda	7	Brugmansia	8	Coffea	17
Anemone	7	Brunswigia	31	Colea	3
Anemopægma	17	Bucklandia	17	Coleus	34
Angiopteris	19	Burbridgea	2	Colocasia	3, 17
Anigosanthus	7			Combretum	3
Anona	17	Cacti and Succulent Plants	21	Convolvulus	8
Anthemis, see Artemisia.		Caladium	22, 23	Coprosma	8
Anthericum	7	<i>Calebasa</i> , see Crescentia.		Correa	8
Anthurium	I, II, 1	Calla	46	Corynocarpus	8
Antiaris	17	Calypttrion	2	Corypha	16
Antigramma	19	Camellia	32	Cosbæa	8
Aotus	8	<i>Camphor</i> , see Laurus		Costus	3
Aphelandra	2	Camphora		Cotyledon	21
Aponogeton	8	Campomanesia	17	Crassula	8
Aralia	II, 2, 8, 17	Canistrum	2	Cratæva	17
Araucaria	8	Canna	32, 33	Crescentia	17
Areca	15	<i>Cannelier</i> , see Cinnamomum.		Crinum	31
Arenga	15, 17	Cantua	8	Crossandra	3
Aristolochia	2	Caraguata	2	Croton	II, 3, 17
Artabotrys	17	Carapa	17	Crowea	8
Artemisia	8	Carissa	17	Cryptanthus	3
Artocarpus	2, 17	Carludovica	16, 17	Cupania	3, 17
Asparagus	2	Carnations	33, 34	Cuphea	8
Aspidistra	8	Carnivorous Plants	19	Curculigo	3
Aspidium	19	Carolinea	2	Curcuma	3
Asplenium	19	Caryota	16, 17	Curmeria	3
Astelia	8	Centradenia	2	Cyanophyllum	3
Astelma	8	Centropogon	2	Cyathea	20
Astrapæa	2	Centrosolenia	2	Cycas	16
Astrocaryum	15	Cephaelis	17	Cyclamen	46
Ataccia	2	Ceratonia	8, 17	Cyclanthus	3

	Pages.		Pages.		Pages.
Cyperus	3, 17	Ficus	4, 18	Ixora	5
Cypripedium	II, III	Fittonia	4	Jambosa	18
Cyrtoceras	3	Fitz-Roya	9	Jasminum	5, 9
Cyrtosyphonia	17	Flower Seeds	47, 54	Jovellana	9
Cytisus	8	Franciscea	4	Jubæa	16
Dahlia	34, 35, 36, 37	Fuchsia	38	Juncus	9
Dalechampia	3	Galipea	18	Kadsura	9
Daphne	8	Garcinia	18	Kæmpferia	5
Darlingtonia	19	Gardenia	III, 4	Kennedya	9
Dasyllirion	9	Gasteria	21	Kentia	16
Datura, see Brugmansia.		Gastronema	31	Kleinia	9
Davallia	20	Gelsemia	18	Kollikeria	27
Delairea	9	Geonoma	16	Kopsia	18
Desfontainea	9	Geranium zonale <i>single</i>	39, 40		
Deyexia	III, 3, 9	— — <i>double</i>	41, 42	Lælia	III
Dianthus, see Carnations.		Gesneria	25	Landolphia	18
Diastema	25	<i>Gesneriaceous</i>	23 to 28	Lantana	39
Dicyrta	25	<i>Ginger</i> , see Zingiber	7, 17	Lansium	18
Dichorisandra	3	Glasiowa	16	Lapageria	9
Dicksonia	20	Globba	4	Lastrea	20
Didymocarpus	3	Gloxenia	25, 26	Latania	16
Dieffenbachia	3, 4	Glycosmis	18	Laurus	9, 18, 46
Dietes	9	Gnaphalium	9	Leptospermum	9
Dillenia	17	Gnetum	18	Leucanthemum	9
Dionæa	19	Grevillea	9	Libertia	9
Dion	16	Greya	4	Libonia	9
Dioscorea	4	Griffinia	31	Licuala	III, 16
Diosma	9	Guayacum	18	Ligularia	9
Dipladenia	4	Guilandina	18	Ligustrum	9
Diplotenium	16	Gustavia	4	Lithospermum	9
Disa	III	Guzmannia	4	Livistona	16
Dischidia	17	Gymnema	18	Lobatia	5
Dolichodeira	25	Gymnogramma	20	Lomaria	20
Dorstenia	17			Lomatia	9
Doryanthes	31	Hæmatoxylon	18	Lucuma	18
<i>Durian</i> , see Durio.		Hæmanthus	31		
Dracæna	III, 4, 9, 17	Hardenbergia	9	Macadamia	10
Durio	18	Hardy ornamental shrubs	46	Machærium	18
Echeveria	21	Haworthia	21	Mackaya	5
Echinocactus	21	Hebeclium	4	Macrozamia	16
Echinocereus	21	Hedychium	4	Magnolia	5, 10
Echinopsis	21	Hedysarum	4	Mamillaria	21
Encholirion	4	Helichrysum	9	Mamilltoa	18
Epacris	9	Heliconia	III, 4	Mammea	18
Epiphyllum	4	<i>Héliotropes</i>	39	Manihot	18
Epipremnum	4	Heritiera	18	Mantisia, see Globba.	
Eranthemum	4	Heterotoma	4	Maranta	5, 18
Erica	9	Hexacentris	4	Marattia	20
Eriostemon	9	Hibbertia	9	Medeola	10
Eryobothrya	18	Hibiscus	4	Medinilla	5
Erithrina	9	Higginsia	4	Memecylon	18
Erythroxylon	18	Hippobromus	18	Mesembryanthemum	21
Escallonia	9	Hoya	4	Metrosideros	10
Eucalyptus	9, 18	Hymenæ	18	Microlepia	20
Eucharis	31	Hymenocallis	32	Mikania	5
Eugenia	4, 9, 18	Hymenodium	20	Miscellaneous Plants	46
Eulalia	9	Hymenophyllum	20	Mitraria	10
Eupatorium	9	Hyophorbe	16	Monnina	10
Euphorbia	4, 21			Monochætum	5
Eupodium	20	Illicium	9, 18	Monodora	18
Eurya	9	Immantophyllum	31, 32	Monstera	5
Eurycles	31	Impatiens	4	Morinda	18
Eutaxia	9	Inga	4	Murraya	18
Euterpe	16	Iochroma	9	Musa	5
Fagraea	18	Ipomæa	5	Myristica	18
Ferdinanda	4	Iresine, see Achyranthes.		Myroxylon	18
Ferns	19	Isonandra	18	Myrrhinium	18
		Isolepis	5	Myrtus	10, 18
		Ivies	46		

	Pages.
Nægelia	27
Nandina	
Nepenthes	19
Nephrodium	20
Nephrolepis	20
Nephtytis	IV, 5
Nerium	10
Nertera	10
New and Rare Plants I to IV	
Nidularium	5
Niphobolus	20
Nutmeg, see Myristica.	
Official and Medicinal	
Plants, Fruits, etc.	17, 18
Oncosperma	16
Onychium	20
Ophiopogon	10
Oplismenus	5
Opuntia	21
Orange, see Citrus	8
Orchids	11 to 15
Oreopanax	10
Otacanthus	5
Oxalis	10
Oxera	5

Pachyphytum	21
Paeonies	46
Palms and Cycads	15 to 17
Pancratium	32
Pandanus	IV, 5, 18
Pandanophyllum	5
Parsonia	5
Passiflora	5, 10, 18
Patchouli, see Pogostemon	
Paullinia	5, 18
Pavetta	5
Pavonia	5
Pelargonium	43
— peltatum	44
— species	44
Peperomia	5
Pepinia	5
Petræa	5
Petunia	44
Phalangium, see Anthemuricum.	
Philodendron	IV, 6
Phœnicophorium	16
Phoenix	16
Pholidophyllum	6
Phormium	10, 18
Phrynium	6
Phygelius	10
Phylla	10
Phyllagathys	6
Phyllanthus	6
Phyllocactus	21
Phyllotænium	6
Physocalyx	18
Pilea	6
Pilocarpus	18
Pilocereus	21
Pimelea	10
Pinanga	16
Piper	18
Pistia	6

	Pages.
Pitcairnia	6
Pittosporum	10
Platonia	18
Platycerium	20
Plectropoma	28
Plectranthus	6, 18
Pleroma	10
Plumbago	6
Pogostemon	18
Poinsettia	6
Polygala	10
Polymnia	6
Polypodium	20
Pontederia	6
Pothos	6
Pourretia	6
Primula	10
Prichardia	16
Prostanthera	10
Psychotria	6
Pteridophyllum	6
Pteris	20
Ptychosperma	16
Pultenæa	10
Punica	10
Puya	6
Pyrethrum	46
Quercus	10

Ravenala	6, 18
Reichsteineria	28
Reinwardtia	6
Rhapis	16
Rhodea	10
Rhodochiton	6
Rhododendron	32, 46
Rhopala	6
Rhopaloblaste	IV
Rhynchospermum	10
Richardia, see Calla.	
Roelia	6
Roezlia	10
Rogiera	6
Rosanowia	28
Roses	45
Rubus	10
Rudgea	6
Ruellia	6
Ruscus	10
Sabal	16
Saccharum	18
Salvadora	18
Salvia	45
Sanchezia	6
Sapota	18
Sarracenia	19
Sarracenia, see Carnarous Plants.	
Saxifraga	10
Scheeria	28
Schismatoglottis	6
Schubertia	6
Scutellaria	10
Seafortia	16
Sedum	10
Seeds	47 to 55
Selaginella	IV, 20

	Pages.
Selliguea	20
Sempervivum, see Cacti.	
Sibthorpia	
Sideroxylon	18
Simaruba	18
Skimmia	10
Smilax	18
Solanum	6, 10
Sonerilla	IV, 6
Sparmannia	11
Spathiphyllum	6
Sperogyne	6
Spiranthes	11
Stadmannia	18
Stauntonia	11
Stenospermum	6
Stenotaphrum	11
Sterculia	18
Stephanotis	5
Stove and Greenhouse Ferns	19
Stravadium	18
Strelitzia	6
Streptocalyx	6
Streptocarpus	6
Strobilanthes	6
Sugar Cane	18
Swietenia	18
Sweet Bays	46
Tabernæmontana	6
Tacsonia	11
Tamarindus	18
Tamnopteris	20
Tecoma	11
Telegraph, see Hedysalum.	
Terminalia	18
Testudinaria	11
Tetrapanax, see Aralia.	
Thea	11, 18
Theobroma	18
Theophrasta	6
Thibaudia	11
Thrinax	16
Thunbergia	6
Thrysacanthus	6
Tillandsia	IV, 6
Todea	20
Torenia	7
Tornelia, see Monstera.	
Torreya	11
Toxicophlæa	7
Trachycarpus, see Chæmærops.	
Tradescantia	7
Thichomanes	20
Tropæolum	11
Tydeæ	28
Upas, see Antiaris.	
Urostigma	18
Urvillea	18
Vaccinium	11
Vallota	32
Vanguiera	18
Vanilla	18
Vegetable Seeds	55

	Pages.		Pages.		Pages.
Veitchia	16	Vriesea.	7	Xanthosoma	7
Veronica	11	Washingtonia	17	Yucca	21
Verschaffeltia	17	Woodwardia, see Ferns.		Zamia	IV, 17
Viburnum.	11	Xanthochymus	18	Zingiber	7, 18
Victoria	7				
Vitis.	11				

✎ It is respectfully requested NAME AND ADDRESS BE LEGIBLY WRITTEN AND IN FULL; letters and orders have come to hand where the signature and the address were so illegible that we could not attend to them and in some cases were missing altogether. — All orders are on receipt acknowledged; therefore, those sending orders and not receiving this in return within a reasonable time, will please send us a duplicate of same. — In the busy season, we receive hundreds of orders daily, and it is the rule to execute them in the rotation in which they come to hand; we can on no account delay orders receive first, for others coming late in the season and requiring our attention at once, i. e. in a few days or not at all; — All orders should be sent as early as possible and thus insure prompt attention. — To avoid UNNECESSARY DELAY, the order should be WRITTEN APART from the text of the letter, mentioning the line of rail and the nearest station the goods should be sent to.

✎ From Great Britain and Ireland, the Letter Postage to Belgium is 2 1/2^d per half an ounce, and one Penny Postal-Cards may be sent.

The Postage from the United States of America is 5 Cents, and 2 Cents Postal Cards may circulate.

NOTICE. — We beg to draw particular attention to the reduced price of the “FLORE DES SERRES ET DES JARDINS DE L'EUROPE,, from £ 32-10/ to £ 20.

 At the request of numerous of our clients, the Establishment offers for sale coloured plates of plants etc. without text that have appeared in the “FLORE DES SERRES ET DES JARDINS DE L'EUROPE,, as also some unpublished ones, at the price of one penny per single and two pence per double plate, per 100 at our choice at 8/. — A detailed list of them will be sent free by post on application.
